

| Symbol | Typ | Titel |
|------------------|---------------------|--|
| B | Sektion | PERFORMING OPERATIONS; TRANSPORTING |
| B26 | Klasse | HAND CUTTING TOOLS; CUTTING; SEVERING |
| B26D | Unterklasse | CUTTING; DETAILS COMMON TO MACHINES FOR SEVERING, e.g. BY CUTTING, PERFORATING, PUNCHING, STAMPING-OUT (soil-working A01B; for growing crops or plants A01D , A01G; for fodder or straw A01F; for bulk butter A01J; for dough A21C; slaughtering A22B; for tobacco, cigars or cigarettes A24; marking-out, perforating or making buttonholes A41H 25/00; manufacturing footwear A43D; brushmaking A46D; surgery A61B; disintegrating, mincing or shredding in general B02C; cutting wire, making pins or nails B21F , B21G; of the kind used for metal B23; cutting by abrasive fluid jets B24C 5/02; hand-held cutting tools B26B; perforating, cutting-out, stamping-out or punching, or severing by means other than cutting B26F; for wood B27; for stone B28D; working of plastics or substances in a plastic state B29; making boxes, cartons, envelopes or bags, of paper or similarly worked materials, e.g. metal foil, B31B; article or web delivery apparatus incorporating cutting or line-perforating devices B65H 35/00; for leather or upholstery B68 , C14B; for glass C03B; making matches C06F; for peat C10F; for sugar C13H; for textile materials D06H; civil engineering, building, mining, see section E; devices for withdrawing samples by cutting G01N 1/04; for light guides G02B 6/25; cutting processed photographic material G03D 15/04) [2, 5] |
| B26D 1/00 | Hauptgruppe | Cutting through work characterised by the nature or movement of the cutting member; Apparatus or machines therefor; Cutting members therefor [3] |
| B26D 1/01 | 1-Punkt Untergruppe | . involving a cutting member which does not travel with the work [3] |
| B26D 1/02 | 2-Punkt Untergruppe | . . having a stationary cutting member (B26D 1/547 takes precedence) [3] |
| B26D 1/03 | 3-Punkt Untergruppe | . . . with a plurality of cutting members [3] |
| B26D 1/04 | 2-Punkt Untergruppe | . . having a linearly-movable cutting member (B26D 1/46 , B26D 1/547 take precedence) [3] |
| B26D 1/06 | 3-Punkt Untergruppe | . . . wherein the cutting member reciprocates (cup or like cutting members B26D 1/44) [3] |
| B26D 1/08 | 4-Punkt Untergruppe | of the guillotine type [3] |
| B26D 1/09 | 5-Punkt Untergruppe | with a plurality of cutting members [3] |
| B26D 1/10 | 4-Punkt Untergruppe | in, or substantially in, a direction parallel to the cutting edge [3] |
| B26D 1/11 | 5-Punkt Untergruppe | with a plurality of cutting members [3] |
| B26D 1/12 | 2-Punkt Untergruppe | . . having a cutting member moving about an axis (B26D 1/547 takes precedence; cup or like cutting members B26D 1/44) [3] |
| B26D 1/14 | 3-Punkt Untergruppe | . . . with a circular cutting member, e.g. disc cutter [3] |
| B26D 1/143 | 4-Punkt Untergruppe | rotating about a stationary axis (B26D 1/20 to B26D 1/24 take precedence) [3] |
| B26D 1/147 | 5-Punkt Untergruppe | with horizontal cutting member [3] |
| B26D 1/15 | 5-Punkt Untergruppe | with vertical cutting member [3] |
| B26D 1/153 | 5-Punkt Untergruppe | with inclined cutting member [3] |
| B26D 1/157 | 4-Punkt Untergruppe | rotating about a movable axis (B26D 1/20 to B26D 1/24 take precedence) [3] |
| B26D 1/16 | 5-Punkt Untergruppe | mounted on a movable arm or the like [3] |
| B26D 1/18 | 5-Punkt Untergruppe | mounted on a movable carriage [3] |

| Symbol | Typ | Titel |
|------------------|---------------------|--|
| B26D 1/20 | 4-Punkt Untergruppe | coacting with a fixed member [3] |
| B26D 1/22 | 4-Punkt Untergruppe | coacting with a movable member, e.g. a roller (B26D 1/24 takes precedence) [3] |
| B26D 1/24 | 4-Punkt Untergruppe | coacting with another disc cutter [3] |
| B26D 1/25 | 3-Punkt Untergruppe | . . . with a non-circular cutting member [3] |
| B26D 1/26 | 4-Punkt Untergruppe | moving about an axis substantially perpendicular to the line of cut [3] |
| B26D 1/28 | 5-Punkt Untergruppe | and rotating continuously in one direction during cutting [3] |
| B26D 1/29 | 6-Punkt Untergruppe | with cutting member mounted in the plane of a rotating disc, e.g. for slicing beans [3] |
| B26D 1/30 | 5-Punkt Untergruppe | with limited pivotal movement to effect cut [3] |
| B26D 1/34 | 4-Punkt Untergruppe | moving about an axis parallel to the line of cut [3] |
| B26D 1/36 | 5-Punkt Untergruppe | and rotating continuously in one direction during cutting, e.g. mounted on a rotary cylinder (for flying cutting B26D 1/62) [3] |
| B26D 1/38 | 5-Punkt Untergruppe | and coacting with a fixed blade or other fixed member [3] |
| B26D 1/40 | 5-Punkt Untergruppe | and coacting with a rotary member [3] |
| B26D 1/42 | 5-Punkt Untergruppe | and slidably mounted in a rotary member [3] |
| B26D 1/43 | 4-Punkt Untergruppe | moving about another axis, e.g. mounted on the surface of a cone or curved body [3] |
| B26D 1/44 | 2-Punkt Untergruppe | . . having a cup or like cutting member [3] |
| B26D 1/45 | 2-Punkt Untergruppe | . . having a cutting member the movement of which is not covered by any preceding group [3] |
| B26D 1/46 | 2-Punkt Untergruppe | . . having an endless band-knife or the like [3] |
| B26D 1/48 | 3-Punkt Untergruppe | . . . with tensioning means [3] |
| B26D 1/50 | 3-Punkt Untergruppe | . . . with a plurality of band-knives or the like [3] |
| B26D 1/52 | 4-Punkt Untergruppe | having adjustable spacing between knives [3] |
| B26D 1/54 | 3-Punkt Untergruppe | . . . Guides for band-knives or the like [3] |
| B26D 1/547 | 2-Punkt Untergruppe | . . having a wire-like cutting member (endless wire B26D 1/46; severing using a heated wire B26F 3/12) [3] |
| B26D 1/553 | 3-Punkt Untergruppe | . . . with a plurality of wire-like cutting members [3] |
| B26D 1/56 | 1-Punkt Untergruppe | . involving a cutting member which travels with the work, i.e. flying cutter (flying shears for metal B23D 25/00 ; flying saws for metal B23D 45/18) [3] |
| B26D 1/58 | 2-Punkt Untergruppe | . . and is mounted on a movable arm or the like [3] |
| B26D 1/60 | 2-Punkt Untergruppe | . . and is mounted on a movable carriage [3] |
| B26D 1/62 | 2-Punkt Untergruppe | . . and is rotating about an axis parallel to the line of cut, e.g. mounted on a rotary cylinder [3] |
| B26D 3/00 | Hauptgruppe | Cutting work characterised by the nature of the cut made; Apparatus therefor [3] |
| B26D 3/02 | 1-Punkt Untergruppe | . Beveling |
| B26D 3/06 | 1-Punkt Untergruppe | . Grooving involving removal of material from the surface of the work |
| B26D 3/08 | 1-Punkt Untergruppe | . Making a superficial cut in the surface of the work without removal of material, e.g. scoring, incising |

| Symbol | Typ | Titel |
|------------------|---------------------|--|
| B26D 3/10 | 1-Punkt Untergruppe | . Making cuts of other than simple rectilinear form (cutting-out B26F) |
| B26D 3/11 | 2-Punkt Untergruppe | . . to obtain pieces of spiral or helical form [3] |
| B26D 3/12 | 1-Punkt Untergruppe | . Slitting marginal portions of the work, i.e. forming cuts, without removal of material, at an angle, e.g. a right angle, to the edge of the work |
| B26D 3/14 | 1-Punkt Untergruppe | . Forming notches in marginal portion of work by cutting (by punching B26F 1/12) |
| B26D 3/16 | 1-Punkt Untergruppe | . Cutting rods or tubes transversely |
| B26D 3/18 | 1-Punkt Untergruppe | . to obtain cubes or the like (ice harvesting F25C 5/02) [3] |
| B26D 3/20 | 2-Punkt Untergruppe | . . using reciprocating knives |
| B26D 3/22 | 2-Punkt Untergruppe | . . using rotating knives |
| B26D 3/24 | 1-Punkt Untergruppe | . to obtain segments other than slices, e.g. cutting pies |
| B26D 3/26 | 2-Punkt Untergruppe | . . specially adapted for cutting fruit or vegetables, e.g. for onions |
| B26D 3/28 | 1-Punkt Untergruppe | . Splitting layers from work; Mutually separating layers by cutting (B26D 3/30 take precedence; recovery of plastics or other constituents of waste material containing plastics B29B 17/00) [3] |
| B26D 3/30 | 1-Punkt Untergruppe | . Halving devices, e.g. for halving buns [3] |
| B26D 5/00 | Hauptgruppe | Arrangements for operating and controlling machines or devices for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting |
| B26D 5/02 | 1-Punkt Untergruppe | . Means for moving the cutting member into its operative position for cutting |
| B26D 5/04 | 2-Punkt Untergruppe | . . by fluid pressure |
| B26D 5/06 | 2-Punkt Untergruppe | . . by electrical means |
| B26D 5/08 | 1-Punkt Untergruppe | . Means for actuating the cutting member to effect the cut |
| B26D 5/10 | 2-Punkt Untergruppe | . . Hand or foot actuated means |
| B26D 5/12 | 2-Punkt Untergruppe | . . Fluid-pressure means |
| B26D 5/14 | 2-Punkt Untergruppe | . . Crank and pin means |
| B26D 5/16 | 2-Punkt Untergruppe | . . Cam means |
| B26D 5/18 | 2-Punkt Untergruppe | . . Toggle-link means (B26D 5/10 to B26D 5/16 take precedence) |
| B26D 5/20 | 1-Punkt Untergruppe | . with interrelated action between the cutting member and work feed |
| B26D 5/22 | 2-Punkt Untergruppe | . . having the cutting member and work feed mechanically connected |
| B26D 5/24 | 3-Punkt Untergruppe | . . . including a metering device |
| B26D 5/26 | 2-Punkt Untergruppe | . . wherein control means on the work feed means renders the cutting member operative |
| B26D 5/28 | 3-Punkt Untergruppe | . . . the control means being responsive to presence or absence of work |
| B26D 5/30 | 2-Punkt Untergruppe | . . having the cutting member controlled by scanning a record carrier |
| B26D 5/32 | 3-Punkt Untergruppe | . . . with the record carrier formed by the work itself |
| B26D 5/34 | 3-Punkt Untergruppe | . . . scanning being effected by a photosensitive device |
| B26D 5/36 | 3-Punkt Untergruppe | . . . scanning being effected by magnetic means |

| Symbol | Typ | Titel |
|-------------------|---------------------|---|
| B26D 5/38 | 1-Punkt Untergruppe | . with means operable by the moving work to initiate the cutting action |
| B26D 5/40 | 2-Punkt Untergruppe | . . including a metering device |
| B26D 5/42 | 1-Punkt Untergruppe | . with interrelated action between work feed and clamp (work clamping arrangements B26D 7/02) |
| B26D 7/00 | Hauptgruppe | Details of apparatus for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting (cutters B26D 1/00; arrangements for guiding hand cutting tools B26B 29/06; punching tools or dies, cutting-out knives or dies B26F) [5] |
| B26D 7/01 | 1-Punkt Untergruppe | . Means for holding or positioning work [3] |
| B26D 7/02 | 2-Punkt Untergruppe | . . with clamping means [3] |
| B26D 7/04 | 3-Punkt Untergruppe | . . . providing adjustable clamping pressure [3] |
| B26D 7/06 | 1-Punkt Untergruppe | . Arrangements for feeding or delivering work of other than sheet, web, or filamentary form (feeding or discharging sheets, webs, or filaments B65H) |
| B26D 7/08 | 1-Punkt Untergruppe | . Means for treating work or cutting member to facilitate cutting (tensioning band cutters B26D 1/48) |
| B26D 7/10 | 2-Punkt Untergruppe | . . by heating (severing by heating B26F) |
| B26D 7/12 | 2-Punkt Untergruppe | . . by sharpening the cutting member |
| B26D 7/14 | 2-Punkt Untergruppe | . . by tensioning the work |
| B26D 7/18 | 1-Punkt Untergruppe | . Means for removing cut-out material or waste |
| B26D 7/20 | 1-Punkt Untergruppe | . Cutting beds |
| B26D 7/22 | 1-Punkt Untergruppe | . Safety devices specially adapted for cutting machines (safety devices in general F16P) |
| B26D 7/24 | 2-Punkt Untergruppe | . . arranged to disable the operating means for the cutting member |
| B26D 7/26 | 1-Punkt Untergruppe | . Means for mounting or adjusting the cutting member; Means for adjusting the stroke of the cutting member |
| B26D 7/27 | 1-Punkt Untergruppe | . Means for performing other operations combined with cutting (B26D 9/00 takes precedence) [3] |
| B26D 7/28 | 2-Punkt Untergruppe | . . for counting the number of cuts or measuring cut lengths (B26D 5/24 , B26D 5/40 take precedence) [3] |
| B26D 7/30 | 2-Punkt Untergruppe | . . for weighing cut product [3] |
| B26D 7/32 | 2-Punkt Untergruppe | . . for conveying or stacking cut product (means for removing cut-out material or waste B26D 7/18) [3] |
| B26D 7/34 | 2-Punkt Untergruppe | . . for applying a coating, such as butter, to cut product [3] |
| B26D 9/00 | Hauptgruppe | Cutting apparatus combined with punching or perforating apparatus or with dissimilar cutting apparatus |
| B26D 11/00 | Hauptgruppe | Combinations of several similar cutting apparatus |