Symbol	Typ	Titel
B	**Sektion**	**PERFORMING OPERATIONS; TRANSPORTING**
B60	**Untersektion**	**TRANSPORTING**
B60	**Klasse**	**VEHICLES IN GENERAL**
B60J	**Unterklasse**	**WINDOWS, WINDSCREENS, NON-FIXED ROOFS, DOORS, OR SIMILAR DEVICES FOR VEHICLES; REMOVABLE EXTERNAL PROTECTIVE COVERINGS SPECIALLY ADAPTED FOR VEHICLES (fastening, suspending, closing, or opening of such devices E05)**
B60J 1/00	**Hauptgruppe**	**Windows; Windscreens; Accessories therefor (B60J 10/00 takes precedence; air curtains instead of windows B60J 9/04) [1, 4, 5, 2006.01]**
B60J 1/02	1-Punkt Untergruppe	. arranged at the vehicle front [1, 2006.01]
B60J 1/04	2-Punkt Untergruppe	. . adjustable [1, 2006.01]
B60J 1/06	3-Punkt Untergruppe	. . . comprising more than one pane [1, 2006.01]
B60J 1/08	1-Punkt Untergruppe	. arranged at vehicle sides [1, 2006.01]
B60J 1/10	2-Punkt Untergruppe	. . fixedly mounted [1, 2006.01]
B60J 1/12	2-Punkt Untergruppe	. . adjustable [1, 2006.01]
B60J 1/14	3-Punkt Untergruppe	. . . with pivotal or rotary movement [1, 2006.01]
B60J 1/16	3-Punkt Untergruppe	. . . slidable [1, 2006.01]
B60J 1/17	4-Punkt Untergruppe	. . . . vertically [2, 2006.01]
B60J 1/18	1-Punkt Untergruppe	. arranged at the vehicle rear [1, 2006.01]
B60J 1/20	1-Punkt Untergruppe	. Accessories, e.g. wind deflectors, blinds (antiglare provisions B60J 3/00; wind deflectors associated with roof openings B60J 7/22; removable external protective coverings for windows or windscreens B60J 11/08; heating arrangements specially adapted for transparent or reflecting areas H05B 3/84) [1, 2006.01]
B60J 3/00	**Hauptgruppe**	**Antiglare equipment associated with windows or windscreens (optical viewing arrangements for vehicles B60R 1/00); Sun visors for vehicles (sun visors having appliances for stowing or holding personal property B60R 7/05) [1, 2, 5, 2006.01]**
B60J 3/02	1-Punkt Untergruppe	. adjustable in position [1, 2006.01]
B60J 3/04	1-Punkt Untergruppe	. adjustable in transparency [1, 2006.01]
B60J 3/06	1-Punkt Untergruppe	. using polarising effect [1, 2006.01]
B60J 5/00	**Hauptgruppe**	**Doors (B60J 10/00 takes precedence; window aspects B60J 1/00) [1, 5, 2006.01]**
B60J 5/02	1-Punkt Untergruppe	. arranged at the vehicle front [1, 2006.01]
B60J 5/04	1-Punkt Untergruppe	. arranged at the vehicle sides [1, 2006.01]
B60J 5/06	2-Punkt Untergruppe	. . slidable; foldable [1, 2006.01]
B60J 5/08	3-Punkt Untergruppe	. . . of roller-blind type [1, 2006.01]
B60J 5/10	1-Punkt Untergruppe	. arranged at the vehicle rear (B60J 5/04 takes precedence) [1, 2006.01]
B60J 5/12	2-Punkt Untergruppe	. . slidable; foldable [1, 2006.01]
B60J 5/14	3-Punkt Untergruppe	. . . of roller-blind type [1, 2006.01]
B60J 7/00	**Hauptgruppe**	**Non-fixed roofs; Roofs with movable panels (B60J 10/00 takes precedence; window aspects B60J 1/00; fixed roofs B62D 25/06; mechanisms for operating wings E05F 11/00, E05F 15/00) [1, 4, 5, 2006.01]**

Symbol	Typ	Titel
B60J 7/02	1-Punkt Untergruppe	. of sliding type [1, 2006.01]
B60J 7/04	2-Punkt Untergruppe	. . with rigid plate-like element or elements [1, 2006.01]
B60J 7/043	3-Punkt Untergruppe	. . . Sunroofs (B60J 7/047-B60J 7/053 take precedence) [4, 2006.01]
B60J 7/047	3-Punkt Untergruppe	. . . movable to overlapping or nested relationship [4, 2006.01]
B60J 7/05	3-Punkt Untergruppe	. . . pivoting upwardly to vent mode and moving downward before sliding to fully open mode [4, 2006.01]
B60J 7/053	3-Punkt Untergruppe	. . . sliding with final closing motion having vertical component to attain closed and sealed condition [4, 2006.01]
B60J 7/057	3-Punkt Untergruppe	. . . Driving or actuating arrangements (B60J 7/047-B60J 7/053 take precedence) [4, 2006.01]
B60J 7/06	2-Punkt Untergruppe	. . with non-rigid element or elements [1, 2006.01]
B60J 7/08	1-Punkt Untergruppe	. of non-sliding type, i.e. movable or removable roofs or panels, e.g. let-down tops or roofs capable of being easily detached or of assuming a collapsed or inoperative position [1, 2006.01]
B60J 7/10	2-Punkt Untergruppe	. . readily detachable, e.g. tarpaulins with frames, or fastenings for tarpaulins (covering of loads on vehicles by tarpaulins B60P 7/04) [1, 2006.01]
B60J 7/11	3-Punkt Untergruppe	. . . Removable panels, e.g. sunroofs [4, 2006.01]
B60J 7/12	2-Punkt Untergruppe	. . foldable; Tensioning mechanisms therefor, e.g. struts (B60J 7/10 takes precedence) [1, 2006.01]
B60J 7/14	3-Punkt Untergruppe	. . . with a plurality of plate-like elements [1, 2006.01]
B60J 7/16	2-Punkt Untergruppe	. . non-foldable (B60J 7/10 takes precedence) [1, 2006.01]
B60J 7/185	1-Punkt Untergruppe	. Locking arrangements (locks in general E05B) [4, 2006.01]
B60J 7/19	2-Punkt Untergruppe	. . for rigid panels [4, 2006.01]
B60J 7/20	1-Punkt Untergruppe	. Vehicle storage compartments for roof parts [1, 2006.01]
B60J 7/22	1-Punkt Untergruppe	. Wind deflectors for open roofs [1, 2006.01]
B60J 9/00	**Hauptgruppe**	**Devices not provided for in one of main groups B60J 1/00-B60J 7/00 (B60J 10/00 takes precedence) [1, 3, 5, 2006.01]**
B60J 9/02	1-Punkt Untergruppe	. Entrance or exit closures other than windows, doors, or in roofs, e.g. emergency escape closures in vehicle bottom [1, 2006.01]
B60J 9/04	1-Punkt Untergruppe	. Air curtains (in general F24F) [1, 2006.01]
B60J 10/00	**Hauptgruppe**	**Sealing arrangements [5, 2006.01, 2016.01]**
B60J 10/15	1-Punkt Untergruppe	. characterised by the material [2016.01]
B60J 10/16	2-Punkt Untergruppe	. . consisting of two or more plastic materials having different physical or chemical properties (B60J 10/17 takes precedence) [2016.01]
B60J 10/17	2-Punkt Untergruppe	. . provided with a low-friction material on the surface [2016.01]
B60J 10/18	2-Punkt Untergruppe	. . provided with reinforcements or inserts [2016.01]
B60J 10/20	1-Punkt Untergruppe	. characterised by the shape [2016.01]
B60J 10/21	2-Punkt Untergruppe	. . having corner parts or bends [2016.01]
B60J 10/22	2-Punkt Untergruppe	. . having varying cross-section in the longitudinal direction [2016.01]
B60J 10/23	2-Punkt Untergruppe	. . assembled from two or more parts (B60J 10/21 takes precedence) [2016.01]

Symbol	Typ	Titel
B60J 10/235	3-Punkt Untergruppe	. . . the parts being joined along their longitudinal direction [2016.01]
B60J 10/24	2-Punkt Untergruppe	. . having tubular parts [2016.01]
B60J 10/242	3-Punkt Untergruppe	. . . with vent holes [2016.01]
B60J 10/244	3-Punkt Untergruppe	. . . inflatable or deflatable [2016.01]
B60J 10/246	3-Punkt Untergruppe	. . . having projections, e.g. ribs, within the tubular parts [2016.01]
B60J 10/248	3-Punkt Untergruppe	. . . having two or more tubular cavities, e.g. formed by partition walls [2016.01]
B60J 10/25	2-Punkt Untergruppe	. . characterised by water drainage means [2016.01]
B60J 10/26	2-Punkt Untergruppe	. . characterised by the surface shape [2016.01]
B60J 10/265	3-Punkt Untergruppe	. . . the surface being primarily decorative [2016.01]
B60J 10/27	2-Punkt Untergruppe	. . having projections, grooves or channels in the longitudinal direction (for separately inserted fastening means, e.g. beads or strips, B60J 10/36) [2016.01]
B60J 10/273	3-Punkt Untergruppe	. . . for enclosing or housing devices for purposes other than sealing, e.g. cables [2016.01]
B60J 10/277	3-Punkt Untergruppe	. . . for facilitating specific deformation of sealing parts, e.g. for ensuring proper folding [2016.01]
B60J 10/30	1-Punkt Untergruppe	. characterised by the fastening means [2016.01]
B60J 10/32	2-Punkt Untergruppe	. . using integral U-shaped retainers [2016.01]
B60J 10/33	3-Punkt Untergruppe	. . . characterised by the configuration of the retaining lips [2016.01]
B60J 10/34	2-Punkt Untergruppe	. . using adhesives [2016.01]
B60J 10/35	3-Punkt Untergruppe	. . . using adhesive tapes, e.g. double-sided tapes [2016.01]
B60J 10/36	2-Punkt Untergruppe	. . using separately inserted fastening means, e.g. using clips, beads or strips [2016.01]
B60J 10/38	2-Punkt Untergruppe	. . using magnetic means [2016.01]
B60J 10/40	1-Punkt Untergruppe	. characterised by contact between two or more cooperating sealing arrangements [2016.01]
B60J 10/50	1-Punkt Untergruppe	. characterised by means for prevention or reduction of noise, e.g. of rattling or vibration of windows [2016.01]
B60J 10/60	1-Punkt Untergruppe	. characterised by defrosting arrangements [2016.01]
B60J 10/70	1-Punkt Untergruppe	. specially adapted for windows or windscreens [2016.01]
B60J 10/72	2-Punkt Untergruppe	. . with integral wind-deflecting means, e.g. for preventing soiling [2016.01]
B60J 10/74	2-Punkt Untergruppe	. . for sliding window panes, e.g. sash guides [2016.01]
B60J 10/75	3-Punkt Untergruppe	. . . for sealing the lower part of the panes [2016.01]
B60J 10/76	3-Punkt Untergruppe	. . . for window sashes; for glass run channels [2016.01]
B60J 10/763	4-Punkt Untergruppe	. . . . for preventing outward displacement of windows when at high speed [2016.01]
B60J 10/767	4-Punkt Untergruppe	. . . . for reducing air resistance due to the panes not being flush with the sash guide or glass run channel [2016.01]
B60J 10/77	3-Punkt Untergruppe	. . . for sashless windows, i.e. for frameless windows forming a seal directly with the vehicle body [2016.01]

Symbol	Typ	Titel
B60J 10/773	4-Punkt Untergruppe	. . . . for preventing outward displacement of windows when at high speed [2016.01]
B60J 10/777	4-Punkt Untergruppe	. . . . the sealing arrangement being between the edges of adjacent panes [2016.01]
B60J 10/78	3-Punkt Untergruppe	. . . adjacent to corner pieces, mirror supports or quarter windows [2016.01]
B60J 10/79	3-Punkt Untergruppe	. . . for flush-glass windows, i.e. for windows flush with the vehicle body or the window frame [2016.01]
B60J 10/80	1-Punkt Untergruppe	. specially adapted for opening panels, e.g. doors (for non-fixed roofs B60J 10/90) [2016.01]
B60J 10/82	2-Punkt Untergruppe	. . for movable panels in roofs [2016.01]
B60J 10/84	2-Punkt Untergruppe	. . arranged on the vehicle body [2016.01]
B60J 10/86	2-Punkt Untergruppe	. . arranged on the opening panel [2016.01]
B60J 10/88	3-Punkt Untergruppe	. . . mounted on, or integral with, the glass-run seals [2016.01]
B60J 10/90	1-Punkt Untergruppe	. specially adapted for non-fixed roofs, e.g. foldable roofs or removable hard-tops [2016.01]
B60J 11/00	**Hauptgruppe**	**Removable external protective coverings specially adapted for vehicles or parts of vehicles, e.g. parking covers (covering of load on vehicles B60P 7/00; guard strips for body finishing, identifying or decorating B60R 13/04; tents for use as garages E04H 15/00) [1, 2006.01]**
B60J 11/02	1-Punkt Untergruppe	. Covers wound on rollers [2006.01]
B60J 11/04	1-Punkt Untergruppe	. for covering at least the roof of the vehicle, e.g. for covering the whole vehicle [2006.01]
B60J 11/06	1-Punkt Untergruppe	. for covering only specific parts of the vehicle, e.g. for doors (covers or guards for traction couplings, hitches, draw-gear or towing devices B60D 1/60; guards for wheels, radiators or bumpers B60R 19/00) [2006.01]
B60J 11/08	2-Punkt Untergruppe	. . for windows or windscreens (antiglare equipment B60J 3/00) [2006.01]
B60J 11/10	2-Punkt Untergruppe	. . for wheels (hub caps or the like B60B 7/00; external spare wheel stowing, holding or mounting arrangements B62D 43/02) [2006.01]