

Symbol	Typ	Titel
B	Sektion	PERFORMING OPERATIONS; TRANSPORTING
B60	Untersektion	TRANSPORTING
B60	Klasse	VEHICLES IN GENERAL
B60Q	Unterklasse	ARRANGEMENT OF SIGNALLING OR LIGHTING DEVICES, THE MOUNTING OR SUPPORTING THEREOF OR CIRCUITS THEREFOR, FOR VEHICLES IN GENERAL [4]
B60Q 1/00	Hauptgruppe	Arrangement of optical signalling or lighting devices, the mounting or supporting thereof or circuits therefor (for lighting vehicle interior B60Q 3/00) [1, 4, 2006.01]
B60Q 1/02	1-Punkt Untergruppe	. the devices being primarily intended to illuminate the way ahead or to illuminate other areas of way or environments [1, 2006.01]
B60Q 1/04	2-Punkt Untergruppe	. . the devices being headlights [1, 2006.01]
B60Q 1/05	3-Punkt Untergruppe	. . . retractable [5, 2006.01]
B60Q 1/06	3-Punkt Untergruppe	. . . adjustable, e.g. remotely-controlled from inside vehicle (B60Q 1/05 takes precedence) [1, 5, 2006.01]
B60Q 1/064	4-Punkt Untergruppe	 by fluid means [5, 2006.01]
B60Q 1/068	4-Punkt Untergruppe	 by mechanical means [5, 2006.01]
B60Q 1/072	5-Punkt Untergruppe	 comprising a flexible element, e.g. chain [5, 2006.01]
B60Q 1/076	4-Punkt Untergruppe	 by electric means [5, 2006.01]
B60Q 1/08	4-Punkt Untergruppe	 automatically [1, 2006.01]
B60Q 1/10	5-Punkt Untergruppe	 due to vehicle inclination, e.g. due to load distribution [1, 2006.01]
B60Q 1/105	6-Punkt Untergruppe	 by fluid means [5, 2006.01]
B60Q 1/11	6-Punkt Untergruppe	 by mechanical means [5, 2006.01]
B60Q 1/115	6-Punkt Untergruppe	 by electric means [5, 2006.01]
B60Q 1/12	5-Punkt Untergruppe	 due to steering position [1, 2006.01]
B60Q 1/124	6-Punkt Untergruppe	 by mechanical means [5, 2006.01]
B60Q 1/128	7-Punkt Untergruppe	 comprising a flexible element, e.g. chain [5, 2006.01]
B60Q 1/132	7-Punkt Untergruppe	 comprising meshing gear elements [5, 2006.01]
B60Q 1/136	7-Punkt Untergruppe	 comprising rigid link elements [5, 2006.01]
B60Q 1/14	3-Punkt Untergruppe	. . . having dimming means [1, 2006.01]
B60Q 1/16	3-Punkt Untergruppe	. . . illuminating the way asymmetrically [1, 2006.01]
B60Q 1/18	3-Punkt Untergruppe	. . . being additional front lights [1, 2006.01]
B60Q 1/20	4-Punkt Untergruppe	 Fog lights [1, 2006.01]
B60Q 1/22	2-Punkt Untergruppe	. . for reverse drive [1, 2006.01]
B60Q 1/24	2-Punkt Untergruppe	. . for lighting other areas than only the way ahead [1, 2006.01]
B60Q 1/26	1-Punkt Untergruppe	. the devices being primarily intended to indicate the vehicle, or parts thereof, or to give signals, to other traffic [1, 2006.01]

Symbol	Typ	Titel
B60Q 1/28	2-Punkt Untergruppe	. . for indicating front of vehicle [1, 2006.01]
B60Q 1/30	2-Punkt Untergruppe	. . for indicating rear of vehicle, e.g. by means of reflecting surfaces [1, 2006.01]
B60Q 1/32	2-Punkt Untergruppe	. . for indicating vehicle sides [1, 2006.01]
B60Q 1/34	2-Punkt Untergruppe	. . for indicating change of drive direction (B60Q 1/22 takes precedence) [1, 2006.01]
B60Q 1/36	3-Punkt Untergruppe	. . . using movable members, e.g. arms with built-in flashing lamps [1, 2006.01]
B60Q 1/38	3-Punkt Untergruppe	. . . using immovably-mounted light sources, e.g. fixed flashing lamps [1, 2006.01]
B60Q 1/40	3-Punkt Untergruppe	. . . having automatic return to inoperative position [1, 2006.01]
B60Q 1/42	4-Punkt Untergruppe	 due to steering-wheel position [1, 2006.01]
B60Q 1/44	2-Punkt Untergruppe	. . for indicating braking action [1, 2006.01]
B60Q 1/46	2-Punkt Untergruppe	. . for giving flashing caution signals during drive, other than signalling change of direction, e.g. flashing the headlights [1, 2006.01]
B60Q 1/48	2-Punkt Untergruppe	. . for parking purposes [1, 2006.01]
B60Q 1/50	2-Punkt Untergruppe	. . for indicating other intentions or conditions, e.g. request for waiting or overtaking [1, 2006.01]
B60Q 1/52	3-Punkt Untergruppe	. . . for indicating emergencies [1, 2006.01]
B60Q 1/54	3-Punkt Untergruppe	. . . for indicating speed [1, 2006.01]
B60Q 1/56	2-Punkt Untergruppe	. . for illuminating registrations or the like [1, 2006.01]
B60Q 3/00	Hauptgruppe	Arrangement of lighting devices for vehicle interiors ; Lighting devices specially adapted for vehicle interiors [1, 4, 2006.01, 2017.01]
B60Q 3/02	Gelöscht	(transferred to B60Q 3/00; B60Q 3/20-B60Q 3/292; B60Q 3/40-B60Q 3/88)
B60Q 3/04	Gelöscht	(transferred to B60Q 3/10-B60Q 3/18; B60Q 3/40-B60Q 3/78)
B60Q 3/06	Gelöscht	(transferred to B60Q 3/30-B60Q 3/35; B60Q 3/60-B60Q 3/88)
<i>B60Q 3/10</i>	<i>1-Punkt Untergruppe</i>	<i>. . for dashboards [2017.01]</i>
<i>B60Q 3/12</i>	<i>2-Punkt Untergruppe</i>	<i>. . lighting onto the surface to be illuminated [2017.01]</i>
<i>B60Q 3/14</i>	<i>2-Punkt Untergruppe</i>	<i>. . lighting through the surface to be illuminated [2017.01]</i>
<i>B60Q 3/16</i>	<i>2-Punkt Untergruppe</i>	<i>. . Circuits ; Control arrangements [2017.01]</i>
<i>B60Q 3/18</i>	<i>3-Punkt Untergruppe</i>	<i>. . . for varying the light intensity [2017.01]</i>
<i>B60Q 3/20</i>	<i>1-Punkt Untergruppe</i>	<i>. . for lighting specific fittings of passenger or driving compartments ; mounted on specific fittings of passenger or driving compartments (lighting for dashboards B60Q 3/10) [2017.01]</i>
<i>B60Q 3/208</i>	<i>2-Punkt Untergruppe</i>	<i>. . Sun roofs ; Windows [2017.01]</i>
<i>B60Q 3/217</i>	<i>2-Punkt Untergruppe</i>	<i>. . Doors, e.g. door sills ; Steps [2017.01]</i>
<i>B60Q 3/225</i>	<i>2-Punkt Untergruppe</i>	<i>. . Small compartments, e.g. glove compartments [2017.01]</i>
<i>B60Q 3/233</i>	<i>2-Punkt Untergruppe</i>	<i>. . Seats ; Arm rests ; Head rests [2017.01]</i>
<i>B60Q 3/242</i>	<i>2-Punkt Untergruppe</i>	<i>. . Safety belts ; Body harnesses [2017.01]</i>
<i>B60Q 3/252</i>	<i>2-Punkt Untergruppe</i>	<i>. . Sun visors [2017.01]</i>
<i>B60Q 3/258</i>	<i>2-Punkt Untergruppe</i>	<i>. . Rear-view mirrors [2017.01]</i>

Symbol	Typ	Titel
B60Q 3/267	2-Punkt Untergruppe	. . Door handles ; Hand grips [2017.01]
B60Q 3/275	2-Punkt Untergruppe	. . Smoking-related fittings, e.g. cigarette lighters or ashtrays [2017.01]
B60Q 3/283	2-Punkt Untergruppe	. . Steering wheels ; Gear levers [2017.01]
B60Q 3/292	2-Punkt Untergruppe	. . Ignition locks [2017.01]
B60Q 3/30	1-Punkt Untergruppe	. for compartments other than passenger or driving compartments, e.g. luggage or engine compartments [2017.01]
B60Q 3/35	2-Punkt Untergruppe	. . Portable lighting devices [2017.01]
B60Q 3/40	1-Punkt Untergruppe	. specially adapted for specific vehicle types [2017.01]
B60Q 3/41	2-Punkt Untergruppe	. . for mass transit vehicles, e.g. buses [2017.01]
B60Q 3/43	3-Punkt Untergruppe	. . . General lighting [2017.01]
B60Q 3/44	3-Punkt Untergruppe	. . . Spotlighting, e.g. reading lamps [2017.01]
B60Q 3/46	3-Punkt Untergruppe	. . . Emergency lighting, e.g. for escape routes [2017.01]
B60Q 3/47	3-Punkt Untergruppe	. . . Circuits ; Control arrangements [2017.01]
B60Q 3/49	2-Punkt Untergruppe	. . for vehicles with non-fixed roofs, e.g. convertibles [2017.01]
B60Q 3/50	1-Punkt Untergruppe	. Mounting arrangements (for compartments other than passenger or driving compartments B60Q 3/30 ; specially adapted for specific vehicle types B60Q 3/40) [2017.01]
B60Q 3/51	2-Punkt Untergruppe	. . for mounting lighting devices onto vehicle interior, e.g. onto ceiling or floor [2017.01]
B60Q 3/53	3-Punkt Untergruppe	. . . Modular mounting systems, e.g. using tracks, rails or multiple plugs [2017.01]
B60Q 3/54	2-Punkt Untergruppe	. . Lighting devices embedded in interior trim, e.g. in roof liners [2017.01]
B60Q 3/56	2-Punkt Untergruppe	. . Lighting devices mounted on elongate supports, e.g. on flexible arms [2017.01]
B60Q 3/57	2-Punkt Untergruppe	. . Retractable or concealable lighting devices [2017.01]
B60Q 3/59	2-Punkt Untergruppe	. . Lighting devices mounted in the vehicle interior and adapted for portability [2017.01]
B60Q 3/60	1-Punkt Untergruppe	. characterised by optical aspects [2017.01]
B60Q 3/62	2-Punkt Untergruppe	. . using light guides [2017.01]
B60Q 3/64	3-Punkt Untergruppe	. . . for a single lighting device [2017.01]
B60Q 3/66	3-Punkt Untergruppe	. . . for distributing light among several lighting devices [2017.01]
B60Q 3/68	2-Punkt Untergruppe	. . using ultra-violet light [2017.01]
B60Q 3/70	1-Punkt Untergruppe	. characterised by the purpose [2017.01]
B60Q 3/72	2-Punkt Untergruppe	. . for preventing the driver from being dazzled [2017.01]
B60Q 3/74	2-Punkt Untergruppe	. . for overall compartment lighting ; for overall compartment lighting in combination with specific lighting, e.g. room lamps with reading lamps (general lighting mounted on specific fittings B60Q 3/20 ; general lighting for mass transit vehicles B60Q 3/43) [2017.01]
B60Q 3/76	2-Punkt Untergruppe	. . for spotlighting, e.g. reading lamps (spotlighting on or for specific fittings B60Q 3/20 ; spotlighting in mass transit vehicles B60Q 3/44) [2017.01]

Symbol	Typ	Titel
B60Q 3/78	2-Punkt Untergruppe	. . for generating luminous strips, e.g. for marking trim component edges [2017.01]
B60Q 3/80	1-Punkt Untergruppe	. Circuits; Control arrangements (for dashboards B60Q 3/16; for mass transit vehicles B60Q 3/47) [2017.01]
B60Q 3/82	2-Punkt Untergruppe	. . Switches specially adapted for vehicle interior lighting, e.g. switching by tilting the lens [2017.01]
B60Q 3/85	2-Punkt Untergruppe	. . for manual control of the light, e.g. of colour, orientation or intensity [2017.01]
B60Q 3/88	2-Punkt Untergruppe	. . Means for plugging to the electrical power supply of the vehicle, e.g. by using cigarette lighter sockets [2017.01]
B60Q 5/00	Hauptgruppe	Arrangement or adaptation of acoustic signal devices [1, 2006.01]
B60Q 7/00	Hauptgruppe	Arrangement or adaptation of portable emergency signal devices on vehicles [1, 2006.01]
B60Q 7/02	1-Punkt Untergruppe	. to be attached to overhanging loads or extending parts of vehicle [1, 2006.01]
B60Q 9/00	Hauptgruppe	Arrangement or adaptation of signal devices not provided for in one of main groups B60Q 1/00-B60Q 7/00 [1, 2006.01]
B60Q 11/00	Hauptgruppe	Arrangement of monitoring devices for devices provided for in groups B60Q 1/00-B60Q 9/00 [2, 2006.01]