

| Symbol           | Typ                 | Titel                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>B</b>         | <b>Sektion</b>      | <b>PERFORMING OPERATIONS; TRANSPORTING</b>                                                                                                                                                                                                                                                                                                                                                     |
| <b>B60</b>       | <b>Untersektion</b> | <b>TRANSPORTING</b>                                                                                                                                                                                                                                                                                                                                                                            |
| <b>B60</b>       | <b>Klasse</b>       | <b>VEHICLES IN GENERAL</b>                                                                                                                                                                                                                                                                                                                                                                     |
| <b>B60R</b>      | <b>Unterklasse</b>  | <b>VEHICLES, VEHICLE FITTINGS, OR VEHICLE PARTS, NOT OTHERWISE PROVIDED FOR (fire prevention, containment or extinguishing specially adapted for vehicles A62C 3/07)</b>                                                                                                                                                                                                                       |
| <b>B60R 1/00</b> | <b>Hauptgruppe</b>  | <b>Optical viewing arrangements (antiglare equipment, e.g. polarising, for windscreens or windows B60J 3/00) [1, 2, 2006.01]</b>                                                                                                                                                                                                                                                               |
| B60R 1/02        | 1-Punkt Untergruppe | . Rear-view mirror arrangements (periscope arrangements B60R 1/10) [1, 2006.01]                                                                                                                                                                                                                                                                                                                |
| B60R 1/04        | 2-Punkt Untergruppe | . . mounted inside vehicle (B60R 1/08 takes precedence) [1, 7, 2006.01]                                                                                                                                                                                                                                                                                                                        |
| B60R 1/06        | 2-Punkt Untergruppe | . . mounted on vehicle exterior (B60R 1/08 takes precedence) [1, 7, 2006.01]                                                                                                                                                                                                                                                                                                                   |
| B60R 1/062       | 3-Punkt Untergruppe | . . . with remote control for adjusting position [7, 2006.01]                                                                                                                                                                                                                                                                                                                                  |
| B60R 1/064       | 4-Punkt Untergruppe | . . . . by manually powered actuator [7, 2006.01]                                                                                                                                                                                                                                                                                                                                              |
| B60R 1/066       | 5-Punkt Untergruppe | . . . . . for adjusting the mirror relative to its housing [7, 2006.01]                                                                                                                                                                                                                                                                                                                        |
| B60R 1/068       | 6-Punkt Untergruppe | . . . . . using cables [7, 2006.01]                                                                                                                                                                                                                                                                                                                                                            |
| B60R 1/07        | 4-Punkt Untergruppe | . . . . by electrically powered actuator [7, 2006.01]                                                                                                                                                                                                                                                                                                                                          |
| B60R 1/072       | 5-Punkt Untergruppe | . . . . . for adjusting the mirror relative to its housing [7, 2006.01]                                                                                                                                                                                                                                                                                                                        |
| B60R 1/074       | 5-Punkt Untergruppe | . . . . . for retracting the mirror arrangements to a non-use position alongside the vehicle [7, 2006.01]                                                                                                                                                                                                                                                                                      |
| B60R 1/076       | 3-Punkt Untergruppe | . . . yieldable to excessive external force and provided with an indexed use position (B60R 1/062 takes precedence) [7, 2006.01]                                                                                                                                                                                                                                                               |
| B60R 1/078       | 3-Punkt Untergruppe | . . . easily removable; mounted for bodily outward movement, e.g. when towing [7, 2006.01]                                                                                                                                                                                                                                                                                                     |
| B60R 1/08        | 2-Punkt Untergruppe | . . involving special optical features, e.g. avoiding blind spots [1, 2006.01]                                                                                                                                                                                                                                                                                                                 |
| B60R 1/10        | 1-Punkt Untergruppe | . Front-view mirror arrangements; Periscope arrangements [1, 2006.01]                                                                                                                                                                                                                                                                                                                          |
| B60R 1/12        | 1-Punkt Untergruppe | . Mirror assemblies combined with other articles, e.g. clocks [1, 2006.01]                                                                                                                                                                                                                                                                                                                     |
| <b>B60R 3/00</b> | <b>Hauptgruppe</b>  | <b>Arrangements of steps, e.g. running-boards (constructed as superstructure sub-units of road vehicles B62D 25/22) [1, 2006.01]</b>                                                                                                                                                                                                                                                           |
| B60R 3/02        | 1-Punkt Untergruppe | . Retractable steps [1, 2006.01]                                                                                                                                                                                                                                                                                                                                                               |
| B60R 3/04        | 1-Punkt Untergruppe | . with provisions for shoe-scraping [1, 2006.01]                                                                                                                                                                                                                                                                                                                                               |
| <b>B60R 5/00</b> | <b>Hauptgruppe</b>  | <b>Compartments within vehicle body primarily intended or sufficiently spacious for trunks, suit-cases, or the like (primarily intended for stowing loads in load-transporting vehicles B60P; arrangements for stowing spare wheels B62D 43/06) [1, 2006.01]</b>                                                                                                                               |
| B60R 5/02        | 1-Punkt Untergruppe | . arranged at front of vehicle [1, 2006.01]                                                                                                                                                                                                                                                                                                                                                    |
| B60R 5/04        | 1-Punkt Untergruppe | . arranged at rear of vehicle [1, 2006.01]                                                                                                                                                                                                                                                                                                                                                     |
| <b>B60R 7/00</b> | <b>Hauptgruppe</b>  | <b>Stowing or holding appliances inside of vehicle primarily intended for personal property smaller than suit-cases, e.g. travelling articles, or maps (for radio sets, television sets, telephones, or the like, mounting of cameras operative during drive, tools, or spare parts B60R 11/02-B60R 11/06; for receptacles for refuse, food, beverages, cigarettes B60N 3/00) [1, 2006.01]</b> |
| B60R 7/02        | 1-Punkt Untergruppe | . in a separate luggage compartment [1, 2006.01]                                                                                                                                                                                                                                                                                                                                               |
| B60R 7/04        | 1-Punkt Untergruppe | . in driver or passenger space [1, 2006.01]                                                                                                                                                                                                                                                                                                                                                    |

| Symbol            | Typ                 | Titel                                                                                                                                                        |
|-------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B60R 7/05         | 2-Punkt Untergruppe | . . mounted on sun visor [5, 2006.01]                                                                                                                        |
| B60R 7/06         | 2-Punkt Untergruppe | . . mounted on or below dashboards [1, 2006.01]                                                                                                              |
| B60R 7/08         | 1-Punkt Untergruppe | . Disposition of racks, clips, or the like [1, 2006.01]                                                                                                      |
| B60R 7/10         | 2-Punkt Untergruppe | . . for supporting hats, clothes or clothes hangers [5, 2006.01]                                                                                             |
| B60R 7/12         | 2-Punkt Untergruppe | . . for supporting umbrellas [5, 2006.01]                                                                                                                    |
| B60R 7/14         | 2-Punkt Untergruppe | . . for supporting weapons [5, 2006.01]                                                                                                                      |
| <b>B60R 9/00</b>  | <b>Hauptgruppe</b>  | <b>Supplementary fittings on vehicle exterior for carrying loads, e.g. luggage, sports gear or the like [1, 5, 2006.01]</b>                                  |
| B60R 9/02         | 1-Punkt Untergruppe | . at the sides, e.g. on running-board [1, 2006.01]                                                                                                           |
| B60R 9/04         | 1-Punkt Untergruppe | . Carriers associated with vehicle roof (B60R 9/08 takes precedence) [1, 5, 2006.01]                                                                         |
| B60R 9/042        | 2-Punkt Untergruppe | . . Carriers characterised by means to facilitate loading or unloading of the load, e.g. rollers, tracks, or the like [5, 2006.01]                           |
| B60R 9/045        | 2-Punkt Untergruppe | . . Carriers being adjustable or transformable, e.g. expansible, collapsible [5, 2006.01]                                                                    |
| B60R 9/048        | 2-Punkt Untergruppe | . . Carriers characterised by article-gripping, -retaining, or -locking means [5, 2006.01]                                                                   |
| B60R 9/05         | 2-Punkt Untergruppe | . . Carriers characterised by wind deflecting means [5, 2006.01]                                                                                             |
| B60R 9/052        | 2-Punkt Untergruppe | . . Carriers comprising elongate members extending only transversely of vehicle (B60R 9/08 takes precedence ) [5, 2006.01]                                   |
| B60R 9/055        | 2-Punkt Untergruppe | . . Enclosure-type carriers, e.g. containers, boxes (B60R 9/048 takes precedence) [5, 2006.01]                                                               |
| B60R 9/058        | 2-Punkt Untergruppe | . . characterised by releasable attaching means between carrier and roof [5, 2006.01]                                                                        |
| B60R 9/06         | 1-Punkt Untergruppe | . at vehicle front or rear [1, 2006.01]                                                                                                                      |
| B60R 9/08         | 1-Punkt Untergruppe | . specially adapted for sports gear [1, 2006.01]                                                                                                             |
| B60R 9/10         | 2-Punkt Untergruppe | . . for cycles [1, 2006.01]                                                                                                                                  |
| B60R 9/12         | 2-Punkt Untergruppe | . . for skis [1, 2006.01]                                                                                                                                    |
| <b>B60R 11/00</b> | <b>Hauptgruppe</b>  | <b>Arrangements for holding or mounting articles, not otherwise provided for [1, 2006.01]</b>                                                                |
| B60R 11/02        | 1-Punkt Untergruppe | . for radio sets, television sets, telephones, or the like; Arrangement of controls thereof [1, 2006.01]                                                     |
| B60R 11/04        | 1-Punkt Untergruppe | . Mounting of cameras operative during drive; Arrangement of controls thereof relative to the vehicle [1, 2006.01]                                           |
| B60R 11/06        | 1-Punkt Untergruppe | . for tools or spare parts (for spare wheels B62D 43/00) [1, 2006.01]                                                                                        |
| <b>B60R 13/00</b> | <b>Hauptgruppe</b>  | <b>Elements for body-finishing, identifying, or decorating; Arrangements or adaptations for advertising purposes [1, 2006.01]</b>                            |
| B60R 13/01        | 1-Punkt Untergruppe | . Liners for load platforms or load compartments [5, 2006.01]                                                                                                |
| B60R 13/02        | 1-Punkt Untergruppe | . Trim mouldings; Ledges; Wall liners; Roof liners (B60R 13/01 takes precedence) [1, 5, 2006.01]                                                             |
| B60R 13/04        | 1-Punkt Untergruppe | . Ornamental or guard strips; Ornamental inscriptive devices [1, 2006.01]                                                                                    |
| B60R 13/06        | 1-Punkt Untergruppe | . Sealing strips [1, 2006.01]                                                                                                                                |
| B60R 13/07        | 1-Punkt Untergruppe | . Water drainage or guide means not integral with roof structure (B60R 13/06 takes precedence; water deflectors for bonnets or lids B62D 25/13) [4, 2006.01] |

| Symbol            | Typ                 | Titel                                                                                                                                                                                                                             |
|-------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B60R 13/08        | 1-Punkt Untergruppe | . Insulating elements, e.g. for sound insulation [1, 4, 2006.01]                                                                                                                                                                  |
| B60R 13/10        | 1-Punkt Untergruppe | . Registration, licensing, or like devices [1, 2006.01]                                                                                                                                                                           |
| <b>B60R 15/00</b> | <b>Hauptgruppe</b>  | <b>Arrangements or adaptations of sanitation devices [1, 2006.01]</b>                                                                                                                                                             |
| B60R 15/02        | 1-Punkt Untergruppe | . Washing facilities [1, 2006.01]                                                                                                                                                                                                 |
| B60R 15/04        | 1-Punkt Untergruppe | . Toilet facilities [1, 2006.01]                                                                                                                                                                                                  |
| <b>B60R 16/00</b> | <b>Hauptgruppe</b>  | <b>Electric or fluid circuits specially adapted for vehicles and not otherwise provided for; Arrangement of elements of electric or fluid circuits specially adapted for vehicles and not otherwise provided for [3, 2006.01]</b> |
| B60R 16/02        | 1-Punkt Untergruppe | . electric [3, 2006.01]                                                                                                                                                                                                           |
| B60R 16/023       | 2-Punkt Untergruppe | . . for transmission of signals between vehicle parts or subsystems [2006.01]                                                                                                                                                     |
| B60R 16/027       | 3-Punkt Untergruppe | . . . between relatively movable parts of the vehicle, e.g. between steering wheel and column [2006.01]                                                                                                                           |
| B60R 16/03        | 2-Punkt Untergruppe | . . for supply of electrical power to vehicle subsystems [2006.01]                                                                                                                                                                |
| B60R 16/033       | 3-Punkt Untergruppe | . . . characterised by the use of electrical cells or batteries [2006.01]                                                                                                                                                         |
| B60R 16/037       | 2-Punkt Untergruppe | . . for occupant comfort [2006.01]                                                                                                                                                                                                |
| B60R 16/04        | 2-Punkt Untergruppe | . . Arrangement of batteries [3, 6, 2006.01]                                                                                                                                                                                      |
| B60R 16/06        | 2-Punkt Untergruppe | . . for carrying-off electrostatic charges [3, 2006.01]                                                                                                                                                                           |
| B60R 16/08        | 1-Punkt Untergruppe | . fluid [3, 2006.01]                                                                                                                                                                                                              |
| <b>B60R 17/00</b> | <b>Hauptgruppe</b>  | <b>Arrangements or adaptations of lubricating systems or devices [1, 2006.01]</b>                                                                                                                                                 |
| B60R 17/02        | 1-Punkt Untergruppe | . Systems, e.g. central lubrication systems [1, 2006.01]                                                                                                                                                                          |
| <b>B60R 19/00</b> | <b>Hauptgruppe</b>  | <b>Wheel guards; Radiator guards; Obstruction removers; Fittings damping bouncing force in collisions (mudguards B62D 25/16) [1, 2006.01]</b>                                                                                     |
| B60R 19/02        | 1-Punkt Untergruppe | . Bumpers, i.e. impact receiving or absorbing members for protecting vehicles or fending off blows from other vehicles or objects (integral with waterborne vessels or specially adapted therefor B63B 59/02) [1, 4, 2006.01]     |
| B60R 19/03        | 2-Punkt Untergruppe | . . characterised by material, e.g. composite (B60R 19/18 takes precedence) [4, 2006.01]                                                                                                                                          |
| B60R 19/04        | 2-Punkt Untergruppe | . . formed from more than one section (B60R 19/18 takes precedence) [1, 4, 2006.01]                                                                                                                                               |
| B60R 19/12        | 3-Punkt Untergruppe | . . . vertically spaced [4, 2006.01]                                                                                                                                                                                              |
| B60R 19/14        | 3-Punkt Untergruppe | . . . having folding parts [4, 2006.01]                                                                                                                                                                                           |
| B60R 19/16        | 3-Punkt Untergruppe | . . . having deflecting members, e.g. rollers, balls [4, 2006.01]                                                                                                                                                                 |
| B60R 19/18        | 2-Punkt Untergruppe | . . Means within the bumper to absorb impact [4, 2006.01]                                                                                                                                                                         |
| B60R 19/20        | 3-Punkt Untergruppe | . . . containing gas or liquid, e.g. inflatable [4, 2006.01]                                                                                                                                                                      |
| B60R 19/22        | 3-Punkt Untergruppe | . . . containing cellular material, e.g. solid foam [4, 2006.01]                                                                                                                                                                  |
| B60R 19/24        | 2-Punkt Untergruppe | . . Arrangements for mounting bumpers on vehicles [4, 2006.01]                                                                                                                                                                    |
| B60R 19/26        | 3-Punkt Untergruppe | . . . comprising yieldable mounting means [4, 2006.01]                                                                                                                                                                            |
| B60R 19/28        | 4-Punkt Untergruppe | . . . . Metallic springs [4, 2006.01]                                                                                                                                                                                             |
| B60R 19/30        | 4-Punkt Untergruppe | . . . . Elastomeric material [4, 2006.01]                                                                                                                                                                                         |

| Symbol            | Typ                 | Titel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B60R 19/32        | 4-Punkt Untergruppe | . . . . Fluid shock absorbers [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| B60R 19/34        | 4-Punkt Untergruppe | . . . . destroyed upon impact, e.g. one-shot type [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| B60R 19/36        | 4-Punkt Untergruppe | . . . . Combinations of yieldable mounting means of different types [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| B60R 19/38        | 3-Punkt Untergruppe | . . . adjustably or movably mounted, e.g. horizontally displaceable for securing a space between parked vehicles [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                    |
| B60R 19/40        | 4-Punkt Untergruppe | . . . . in the direction of an obstacle before a collision [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| B60R 19/42        | 2-Punkt Untergruppe | . . extending primarily along the sides of, or completely encircling, a vehicle [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                     |
| B60R 19/44        | 2-Punkt Untergruppe | . . Bumper guards [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| B60R 19/46        | 3-Punkt Untergruppe | . . . spring- or pivotally-mounted [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| B60R 19/48        | 2-Punkt Untergruppe | . . combined with, or convertible into, other devices or objects, e.g. bumpers combined with road brushes, bumpers convertible into beds [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                            |
| B60R 19/50        | 3-Punkt Untergruppe | . . . with lights or registration plates [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| B60R 19/52        | 1-Punkt Untergruppe | . Radiator or grille guards [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| B60R 19/54        | 1-Punkt Untergruppe | . Obstruction removers or deflectors (B60R 19/16, B60R 21/34 take precedence) [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                       |
| B60R 19/56        | 1-Punkt Untergruppe | . Arrangements on high-riding vehicles, e.g. lorries, for preventing vehicles or objects from running thereunder [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>B60R 21/00</b> | <b>Hauptgruppe</b>  | <b>Arrangements or fittings on vehicles for protecting or preventing injuries to occupants or pedestrians in case of accidents or other traffic risks (safety belts or body harnesses in vehicles B60R 22/00; seats constructed to protect the occupant from the effect of abnormal g-forces, e.g. crash or safety seats, B60N 2/42; energy-absorbing arrangements for hand wheels for steering vehicles B62D 1/11; energy-absorbing arrangements for vehicle steering columns B62D 1/19) [1, 4, 5, 2006.01]</b> |
| B60R 21/01        | 1-Punkt Untergruppe | . Electrical circuits for triggering safety arrangements in case of vehicle accidents or impending vehicle accidents [7, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                |
| B60R 21/013       | 2-Punkt Untergruppe | . . including means for detecting collisions, impending collisions or roll-over [2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                        |
| B60R 21/0132      | 3-Punkt Untergruppe | . . . responsive to vehicle motion parameters [2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| B60R 21/0134      | 3-Punkt Untergruppe | . . . responsive to imminent contact with an obstacle [2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| B60R 21/0136      | 3-Punkt Untergruppe | . . . responsive to actual contact with an obstacle [2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| B60R 21/015       | 2-Punkt Untergruppe | . . including means for detecting the presence or position of passengers, passenger seats or child seats, e.g. for disabling triggering [2006.01]                                                                                                                                                                                                                                                                                                                                                                |
| B60R 21/017       | 2-Punkt Untergruppe | . . including arrangements for providing electric power to the safety arrangements [2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                     |
| B60R 21/02        | 1-Punkt Untergruppe | . Occupant safety arrangements or fittings [1, 4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| B60R 21/04        | 2-Punkt Untergruppe | . . Padded linings for the vehicle interior [1, 4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| B60R 21/045       | 3-Punkt Untergruppe | . . . associated with the instrument panel or dashboard [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| B60R 21/05        | 3-Punkt Untergruppe | . . . associated with the steering wheel, hand lever or column [4, 5, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| B60R 21/055       | 2-Punkt Untergruppe | . . Padded fittings, e.g. head rests, sun visors [4, 2006.01]                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| B60R 21/06        | 2-Punkt Untergruppe | . . Safety nets, transparent sheets, curtains, or the like, e.g. between occupants and glass (B60R 21/11, B60R 21/12, B60R 21/16 take precedence) [1, 4, 2006.01]                                                                                                                                                                                                                                                                                                                                                |

| Symbol       | Typ                 | Titel                                                                                                                                                                        |
|--------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B60R 21/08   | 3-Punkt Untergruppe | . . . movable from an inoperative to an operative position, e.g. in a collision [1, 4, 7, 2006.01]                                                                           |
| B60R 21/09   | 2-Punkt Untergruppe | . . Control elements or operating handles movable from an operative to an out-of-the way position, e.g. switch knobs, window cranks [4, 2006.01]                             |
| B60R 21/11   | 2-Punkt Untergruppe | . . Overhead guards, e.g. against loads falling down [4, 2006.01]                                                                                                            |
| B60R 21/12   | 2-Punkt Untergruppe | . . which protect the occupants against personal attack from the inside or the outside of the vehicle [1, 4, 2006.01]                                                        |
| B60R 21/13   | 2-Punkt Untergruppe | . . Roll-over protection [4, 7, 2006.01]                                                                                                                                     |
| B60R 21/16   | 2-Punkt Untergruppe | . . Inflatable occupant restraints or confinements designed to inflate upon impact or impending impact, e.g. air bags [4, 2006.01]                                           |
| B60R 21/18   | 3-Punkt Untergruppe | . . . the inflatable member formed as a belt or harness or combined with a belt or harness arrangement [4, 2006.01]                                                          |
| B60R 21/20   | 3-Punkt Untergruppe | . . . Arrangements for storing inflatable members in their non-use or deflated condition; Arrangement or mounting of air bag modules or components [4, 2006.01, 2011.01]     |
| B60R 21/201  | 4-Punkt Untergruppe | . . . . Packaging straps or envelopes for inflatable members [2011.01]                                                                                                       |
| B60R 21/203  | 4-Punkt Untergruppe | . . . . in steering wheels or steering columns [2006.01]                                                                                                                     |
| B60R 21/205  | 4-Punkt Untergruppe | . . . . in dashboards [2006.01, 2011.01]                                                                                                                                     |
| B60R 21/206  | 5-Punkt Untergruppe | . . . . . in the lower part of dashboards, e.g. for protecting the knees [2011.01]                                                                                           |
| B60R 21/207  | 4-Punkt Untergruppe | . . . . in vehicle seats [2006.01]                                                                                                                                           |
| B60R 21/21   | 4-Punkt Untergruppe | . . . . in vehicle side panels, e.g. doors (pillar mounted arrangements B60R 21/213) [2006.01, 2011.01]                                                                      |
| B60R 21/213  | 4-Punkt Untergruppe | . . . . in vehicle roof frames or pillars [2006.01, 2011.01]                                                                                                                 |
| B60R 21/214  | 4-Punkt Untergruppe | . . . . in roof panels [2011.01]                                                                                                                                             |
| B60R 21/215  | 4-Punkt Untergruppe | . . . . characterised by the covers for the inflatable member [2006.01, 2011.01]                                                                                             |
| B60R 21/2155 | 5-Punkt Untergruppe | . . . . . with complex motion of the cover; Retraction under the lining during opening [2011.01]                                                                             |
| B60R 21/216  | 5-Punkt Untergruppe | . . . . . comprising tether means for limitation of cover motion during deployment [2011.01]                                                                                 |
| B60R 21/2165 | 5-Punkt Untergruppe | . . . . . characterised by a tear line for defining a deployment opening [2011.01]                                                                                           |
| B60R 21/217  | 4-Punkt Untergruppe | . . . . Inflation fluid source retainers, e.g. reaction canisters; Connection of bags, covers, diffusers or inflation fluid sources therewith or together [2006.01, 2011.01] |
| B60R 21/23   | 3-Punkt Untergruppe | . . . Inflatable members (B60R 21/18 takes precedence) [2006.01]                                                                                                             |
| B60R 21/231  | 4-Punkt Untergruppe | . . . . characterised by their shape, construction or spatial configuration [2006.01, 2011.01]                                                                               |
| B60R 21/232  | 5-Punkt Untergruppe | . . . . . Curtain-type airbags deploying mainly in a vertical direction from their top edge [2011.01]                                                                        |
| B60R 21/233  | 5-Punkt Untergruppe | . . . . . comprising a plurality of individual compartments; comprising two or more bag-like members, one within the other (B60R 21/232 takes precedence) [2006.01]          |
| B60R 21/2334 | 5-Punkt Untergruppe | . . . . . Expansion control features [2011.01]                                                                                                                               |
| B60R 21/2338 | 6-Punkt Untergruppe | . . . . . Tethers [2011.01]                                                                                                                                                  |
| B60R 21/2342 | 6-Punkt Untergruppe | . . . . . Tear seams [2011.01]                                                                                                                                               |

| Symbol            | Typ                 | Titel                                                                                                                               |
|-------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| B60R 21/2346      | 6-Punkt Untergruppe | . . . . . Soft diffusers [2011.01]                                                                                                  |
| B60R 21/235       | 4-Punkt Untergruppe | . . . . characterised by their material [2006.01]                                                                                   |
| B60R 21/237       | 4-Punkt Untergruppe | . . . . characterised by the way they are folded [2006.01]                                                                          |
| B60R 21/239       | 4-Punkt Untergruppe | . . . . characterised by their venting means [2006.01]                                                                              |
| B60R 21/26        | 3-Punkt Untergruppe | . . . characterised by the inflation fluid source or means to control inflation fluid flow [4, 2006.01, 2011.01]                    |
| B60R 21/261       | 4-Punkt Untergruppe | . . . . with means other than bag structure to diffuse or guide inflation fluid [2011.01]                                           |
| B60R 21/262       | 5-Punkt Untergruppe | . . . . . Elongated tubular diffusers, e.g. curtain-type [2011.01]                                                                  |
| B60R 21/263       | 4-Punkt Untergruppe | . . . . using a variable source, e.g. plural stage or controlled output (hybrid inflator B60R 21/272) [2011.01]                     |
| B60R 21/264       | 4-Punkt Untergruppe | . . . . using instantaneous generation of gas, e.g. pyrotechnic (B60R 21/268 takes precedence) [2006.01]                            |
| B60R 21/268       | 4-Punkt Untergruppe | . . . . using instantaneous release of stored pressurised gas [2006.01, 2011.01]                                                    |
| B60R 21/272       | 5-Punkt Untergruppe | . . . . . with means for increasing the pressure of the gas just before or during liberation, e.g. hybrid inflators [2006.01]       |
| B60R 21/274       | 5-Punkt Untergruppe | . . . . . characterised by means to rupture or open the fluid source [2011.01]                                                      |
| B60R 21/276       | 4-Punkt Untergruppe | . . . . with means to vent the inflation fluid source, e.g. in case of overpressure [2006.01]                                       |
| B60R 21/30        | 4-Punkt Untergruppe | . . . . with means to draw ambient air into the flow line and mix such air with the inflation fluid [4, 2006.01]                    |
| B60R 21/33        | 3-Punkt Untergruppe | . . . Arrangements for non-electric triggering of inflation [2006.01]                                                               |
| B60R 21/34        | 1-Punkt Untergruppe | . Protecting non-occupants of a vehicle, e.g. pedestrians [4, 2006.01, 2011.01]                                                     |
| B60R 21/36        | 2-Punkt Untergruppe | . . using airbags [2011.01]                                                                                                         |
| B60R 21/38        | 2-Punkt Untergruppe | . . using means for lifting bonnets [2011.01]                                                                                       |
| <b>B60R 22/00</b> | <b>Hauptgruppe</b>  | <b>Safety belts or body harnesses in vehicles [4, 2006.01]</b>                                                                      |
| B60R 22/02        | 1-Punkt Untergruppe | . Semi-passive restraint systems, e.g. systems applied or removed automatically but not both [4, 2006.01]                           |
| B60R 22/03        | 2-Punkt Untergruppe | . . Means for presenting the belt or part thereof to the wearer [6, 2006.01]                                                        |
| B60R 22/04        | 1-Punkt Untergruppe | . Passive restraint systems, i.e. systems both applied and removed automatically, e.g. by movement of the vehicle door [4, 2006.01] |
| B60R 22/06        | 2-Punkt Untergruppe | . . having the belt or harness connected to a member slidable in a vehicle-mounted track [4, 2006.01]                               |
| B60R 22/08        | 2-Punkt Untergruppe | . . having the belt retractor mounted on or in a vehicle closure, e.g. the door [4, 2006.01]                                        |
| B60R 22/10        | 1-Punkt Untergruppe | . specially adapted for children or animals [4, 2006.01]                                                                            |
| B60R 22/12        | 1-Punkt Untergruppe | . Construction of belts or harnesses (B60R 21/18 takes precedence) [4, 2006.01]                                                     |
| B60R 22/14        | 2-Punkt Untergruppe | . . incorporating enlarged restraint areas, e.g. vests, nets [4, 2006.01]                                                           |
| B60R 22/16        | 2-Punkt Untergruppe | . . using belts which become permanently deformed, i.e. one time use [4, 2006.01]                                                   |
| B60R 22/18        | 1-Punkt Untergruppe | . Anchoring devices [4, 2006.01]                                                                                                    |
| B60R 22/185       | 2-Punkt Untergruppe | . . with stopping means for acting directly upon the belt in an emergency, e.g. by clamping or friction [7, 2006.01]                |
| B60R 22/19        | 2-Punkt Untergruppe | . . with means for reducing belt tension during use under normal conditions [7, 2006.01]                                            |

| Symbol            | Typ                 | Titel                                                                                                                                                             |
|-------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B60R 22/195       | 2-Punkt Untergruppe | . . with means to tension the belt in an emergency [7, 2006.01]                                                                                                   |
| B60R 22/20        | 2-Punkt Untergruppe | . . adjustable in position, e.g. in height [4, 2006.01]                                                                                                           |
| B60R 22/22        | 2-Punkt Untergruppe | . . secured to the vehicle floor [4, 2006.01]                                                                                                                     |
| B60R 22/24        | 2-Punkt Untergruppe | . . secured to the side, door, or roof of the vehicle [4, 2006.01]                                                                                                |
| B60R 22/26        | 2-Punkt Untergruppe | . . secured to the seat [4, 2006.01]                                                                                                                              |
| B60R 22/28        | 1-Punkt Untergruppe | . incorporating energy-absorbing devices [4, 2006.01]                                                                                                             |
| B60R 22/30        | 1-Punkt Untergruppe | . Coupling devices other than buckles, including length-adjusting fittings [4, 2006.01]                                                                           |
| B60R 22/32        | 1-Punkt Untergruppe | . Devices for releasing in an emergency, e.g. after an accident [4, 2006.01]                                                                                      |
| B60R 22/34        | 1-Punkt Untergruppe | . Belt retractors, e.g. reels (anchoring devices with means to tension the belt in an emergency B60R 22/195) [4, 7, 2006.01]                                      |
| B60R 22/343       | 2-Punkt Untergruppe | . . with electrically actuated locking means [6, 2006.01]                                                                                                         |
| B60R 22/347       | 2-Punkt Untergruppe | . . with means for permanently locking the retractor during the wearing of the belt (B60R 22/343, B60R 22/415 take precedence) [6, 2006.01]                       |
| B60R 22/35        | 3-Punkt Untergruppe | . . . the locking means being automatically actuated [6, 2006.01]                                                                                                 |
| B60R 22/353       | 4-Punkt Untergruppe | . . . . in response to belt movement when a wearer applies the belt [6, 2006.01]                                                                                  |
| B60R 22/357       | 4-Punkt Untergruppe | . . . . in response to fastening of the belt buckle [6, 2006.01]                                                                                                  |
| B60R 22/36        | 2-Punkt Untergruppe | . . self-locking in an emergency (B60R 22/343 takes precedence) [4, 2006.01]                                                                                      |
| B60R 22/38        | 3-Punkt Untergruppe | . . . responsive only to belt movement [4, 2006.01]                                                                                                               |
| B60R 22/40        | 3-Punkt Untergruppe | . . . responsive only to vehicle movement [4, 2006.01]                                                                                                            |
| B60R 22/405       | 3-Punkt Untergruppe | . . . responsive to belt movement and vehicle movement [6, 2006.01]                                                                                               |
| B60R 22/41        | 3-Punkt Untergruppe | . . . with additional means for preventing locking under predetermined conditions [6, 2006.01]                                                                    |
| B60R 22/415       | 3-Punkt Untergruppe | . . . with additional means allowing a permanent locking of the retractor during the wearing of the belt [6, 2006.01]                                             |
| B60R 22/42        | 3-Punkt Untergruppe | . . . having means for acting directly upon the belt, e.g. by clamping or friction [4, 2006.01]                                                                   |
| B60R 22/44        | 2-Punkt Untergruppe | . . with means for reducing belt tension during use under normal conditions [4, 2006.01]                                                                          |
| B60R 22/46        | 2-Punkt Untergruppe | . . with means to tension the belt in an emergency [4, 7, 2006.01]                                                                                                |
| B60R 22/48        | 1-Punkt Untergruppe | . Control systems, alarms, or interlock systems, for the correct application of the belt or harness [4, 2006.01]                                                  |
| <b>B60R 25/00</b> | <b>Hauptgruppe</b>  | <b>Fittings or systems for preventing or indicating unauthorised use or theft of vehicles (locks for vehicles E05B 77/00-E05B 85/00) [1, 5, 2006.01, 2013.01]</b> |
| B60R 25/01        | 1-Punkt Untergruppe | . operating on vehicle systems or fittings, e.g. on doors, seats or windscreens [2013.01]                                                                         |
| B60R 25/02        | 2-Punkt Untergruppe | . . operating on the steering mechanism [1, 2006.01, 2013.01]                                                                                                     |
| B60R 25/021       | 3-Punkt Untergruppe | . . . restraining movement of the steering column or steering wheel hub, e.g. restraining means controlled by ignition switch [2013.01]                           |
| B60R 25/0215      | 4-Punkt Untergruppe | . . . . using electric means, e.g. electric motors or solenoids [2013.01]                                                                                         |

| Symbol            | Typ                 | Titel                                                                                                                                              |
|-------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| B60R 25/022       | 3-Punkt Untergruppe | . . . operating on the steering wheel, e.g. bars locked to the steering wheel rim (B60R 25/021 takes precedence) [2013.01]                         |
| B60R 25/023       | 3-Punkt Untergruppe | . . . Countermeasures against the physical destruction of the steering lock [2013.01]                                                              |
| B60R 25/04        | 2-Punkt Untergruppe | . . operating on the propulsion system, e.g. engine or drive motor [1, 2006.01, 2013.01]                                                           |
| B60R 25/042       | 3-Punkt Untergruppe | . . . operating on the fuel supply [2013.01]                                                                                                       |
| B60R 25/043       | 3-Punkt Untergruppe | . . . by blocking the exhaust [2013.01]                                                                                                            |
| B60R 25/044       | 3-Punkt Untergruppe | . . . by limiting or blocking the air supply [2013.01]                                                                                             |
| B60R 25/045       | 3-Punkt Untergruppe | . . . by limiting or cutting the electrical supply to the propulsion unit [2013.01]                                                                |
| B60R 25/06        | 3-Punkt Untergruppe | . . . operating on the vehicle transmission [1, 2006.01]                                                                                           |
| B60R 25/08        | 2-Punkt Untergruppe | . . operating on brakes or brake systems [1, 2006.01]                                                                                              |
| B60R 25/09        | 2-Punkt Untergruppe | . . by restraining wheel rotation, e.g. wheel clamps [2013.01]                                                                                     |
| B60R 25/10        | 1-Punkt Untergruppe | . actuating a signalling device [1, 2006.01, 2013.01]                                                                                              |
| B60R 25/102       | 2-Punkt Untergruppe | . . a signal being sent to a remote location, e.g. a radio signal being transmitted to a police station, a security company or the owner [2013.01] |
| B60R 25/104       | 2-Punkt Untergruppe | . . characterised by the type of theft warning signal, e.g. visual or audible signals with special characteristics [2013.01]                       |
| B60R 25/20        | 1-Punkt Untergruppe | . Means to switch the anti-theft system on or off [2013.01]                                                                                        |
| B60R 25/21        | 2-Punkt Untergruppe | . . using hidden switches [2013.01]                                                                                                                |
| B60R 25/22        | 2-Punkt Untergruppe | . . using mechanical identifiers [2013.01]                                                                                                         |
| B60R 25/23        | 2-Punkt Untergruppe | . . using manual input of alphanumerical codes [2013.01]                                                                                           |
| B60R 25/24        | 2-Punkt Untergruppe | . . using electronic identifiers containing a code not memorised by the user [2013.01]                                                             |
| B60R 25/25        | 2-Punkt Untergruppe | . . using biometry [2013.01]                                                                                                                       |
| B60R 25/30        | 1-Punkt Untergruppe | . Detection related to theft or to other events relevant to anti-theft systems [2013.01]                                                           |
| B60R 25/31        | 2-Punkt Untergruppe | . . of human presence inside or outside the vehicle [2013.01]                                                                                      |
| B60R 25/32        | 2-Punkt Untergruppe | . . of vehicle dynamic parameters, e.g. speed or acceleration [2013.01]                                                                            |
| B60R 25/33        | 2-Punkt Untergruppe | . . of global position, e.g. by providing GPS coordinates [2013.01]                                                                                |
| B60R 25/34        | 2-Punkt Untergruppe | . . of conditions of vehicle components, e.g. of windows, door locks or gear selectors [2013.01]                                                   |
| B60R 25/40        | 1-Punkt Untergruppe | . Features of the power supply for the anti-theft system, e.g. anti-theft batteries, back-up power supply or means to save battery power [2013.01] |
| <b>B60R 99/00</b> | <b>Hauptgruppe</b>  | <b>Subject matter not provided for in other groups of this subclass [2009.01]</b>                                                                  |