

Symbol	Typ	Titel
B	Sektion	SECTION B — PERFORMING OPERATIONS; TRANSPORTING
B61	Klasse	RAILWAYS
B61G	Unterklasse	COUPLINGS; DRAUGHT OR BUFFING APPLIANCES (vehicle connections in general B60D)
		<u>Couplings peculiar to railway vehicles</u>
B61G 1/00	Hauptgruppe	Couplings comprising interengaging parts of different shape or form and having links, bars, pins, shackles, or hooks as coupling means
B61G 1/02	1-Punkt Untergruppe	. having links or bars coupling or uncoupling by rotating around a transverse horizontal axis
B61G 1/04	2-Punkt Untergruppe	. . Operating devices therefor (B61G 1/08 takes precedence)
B61G 1/06	2-Punkt Untergruppe	. . and coupling when the coupling halves are pushed together
B61G 1/08	3-Punkt Untergruppe	. . . Control devices therefor
B61G 1/10	1-Punkt Untergruppe	. having links or bars coupling or uncoupling by rotating around a vertical axis
B61G 1/12	2-Punkt Untergruppe	. . Operating devices therefor (B61G 1/16 takes precedence)
B61G 1/14	2-Punkt Untergruppe	. . and coupling when the coupling halves are pushed together
B61G 1/16	3-Punkt Untergruppe	. . . Control devices therefor
B61G 1/18	1-Punkt Untergruppe	. having links or bars coupling or uncoupling by rotating axially
B61G 1/20	2-Punkt Untergruppe	. . Operating devices therefor
B61G 1/22	1-Punkt Untergruppe	. having screws incorporated in the links for lengthening or shortening the couplings
B61G 1/24	2-Punkt Untergruppe	. . Operating devices therefor (B61G 1/26 takes precedence)
B61G 1/26	2-Punkt Untergruppe	. . and coupling when the coupling halves are pushed together; Control devices therefor
B61G 1/28	1-Punkt Untergruppe	. with vertical bolt or pin
B61G 1/30	2-Punkt Untergruppe	. . Operating devices therefor
B61G 1/32	1-Punkt Untergruppe	. with horizontal bolt or pin
B61G 1/34	2-Punkt Untergruppe	. . Operating devices therefor
B61G 1/36	1-Punkt Untergruppe	. with shackles and hooks, e.g. specially adapted for mine cars
B61G 1/38	2-Punkt Untergruppe	. . rotatable about line of traction, e.g. for cars which are tiltable when coupled
B61G 1/40	1-Punkt Untergruppe	. with coupling bars having an enlarged or recessed end which slips into the opposite coupling part and is gripped thereby, e.g. arrow-head type; with coupling parts having a tong-like gripping action
B61G 1/42	2-Punkt Untergruppe	. . Operating devices therefor
B61G 3/00	Hauptgruppe	Couplings comprising mating parts of similar shape or form which can be coupled without the use of any additional element or elements
B61G 3/02	1-Punkt Untergruppe	. with interengaging movably-mounted hooks or links guided into alignment by a gathering device, e.g. "Dowty" type
B61G 3/04	1-Punkt Untergruppe	. with coupling head having a guard arm on one side and a knuckle with angularly-disposed nose and tail portions pivoted to the other side thereof, the nose of the knuckle being the coupling part, and means to lock the knuckle in coupling position, e.g. "A.A.R." or "Janney" type
B61G 3/06	2-Punkt Untergruppe	. . Knuckle-locking devices

Symbol	Typ	Titel
B61G 3/08	2-Punkt Untergruppe	. . Control devices, e.g. for uncoupling
B61G 3/10	1-Punkt Untergruppe	. with coupling heads in the form of hook-like interengaging rigid jaws, e.g. "Willison" type
B61G 3/12	2-Punkt Untergruppe	. . Jaw-locking devices
B61G 3/14	2-Punkt Untergruppe	. . Control devices, e.g. for uncoupling
B61G 3/16	1-Punkt Untergruppe	. with coupling heads rigidly connected by rotatable hook plates or discs and balancing links, the coupling members forming a parallelogram, e.g. "Scharfenberg" type
B61G 3/18	2-Punkt Untergruppe	. . Locking devices
B61G 3/20	2-Punkt Untergruppe	. . Control devices, e.g. for uncoupling
B61G 3/22	1-Punkt Untergruppe	. with coupling heads rigidly connected by locks consisting of pivoted latches
B61G 3/24	2-Punkt Untergruppe	. . Latch-locking devices
B61G 3/26	2-Punkt Untergruppe	. . Control devices, e.g. for uncoupling
B61G 3/28	1-Punkt Untergruppe	. with coupling heads rigidly connected by locks consisting of slidable pins
B61G 3/30	1-Punkt Untergruppe	. with coupling heads rigidly connected by pins having locking noses which are brought into locking position by rotating the pins
B61G 5/00	Hauptgruppe	Couplings for special purposes not otherwise provided for
B61G 5/02	1-Punkt Untergruppe	. for coupling articulated trains, locomotives and tenders, or the bogies of a vehicle; Coupling by means of a single coupling bar; Couplings preventing or limiting relative lateral movement of vehicles
B61G 5/04	1-Punkt Untergruppe	. for matching couplings of different types, e.g. transitional couplings
B61G 5/06	1-Punkt Untergruppe	. for, or combined with, couplings or connectors for fluid conduits or electric cables
B61G 5/08	2-Punkt Untergruppe	. . for fluid conduits
B61G 5/10	2-Punkt Untergruppe	. . for electric cables
B61G 7/00	Hauptgruppe	Details or accessories
B61G 7/02	1-Punkt Untergruppe	. Hand tools for coupling or uncoupling
B61G 7/04	1-Punkt Untergruppe	. Coupling or uncoupling by means of trackside apparatus
B61G 7/06	1-Punkt Untergruppe	. Coupling heads constructed to facilitate alignment
B61G 7/08	1-Punkt Untergruppe	. Adjustable coupling heads
B61G 7/10	1-Punkt Untergruppe	. Mounting of the couplings on the vehicle
B61G 7/12	2-Punkt Untergruppe	. . Adjustable coupling bars, e.g. for centralisation purposes
B61G 7/14	1-Punkt Untergruppe	. Safety devices
		<u>Draught or buffing appliances peculiar to railway or tramway vehicles</u>
B61G 9/00	Hauptgruppe	Draw-gear
B61G 9/02	1-Punkt Untergruppe	. Draw-gear and non-integral buffing appliances with combined action or acting on the same spring
B61G 9/04	1-Punkt Untergruppe	. Draw-gear combined with buffing appliances (continuous B61G 9/12)
B61G 9/06	2-Punkt Untergruppe	. . with rubber springs
B61G 9/08	2-Punkt Untergruppe	. . with fluid springs or fluid shock-absorbers; Combinations thereof

Symbol	Typ	Titel
B61G 9/10	2-Punkt Untergruppe	. . with separate mechanical friction shock-absorbers
B61G 9/12	1-Punkt Untergruppe	. Continuous draw-gear combined with buffing appliances, e.g. incorporated in a centre sill
B61G 9/14	2-Punkt Untergruppe	. . with rubber springs
B61G 9/16	2-Punkt Untergruppe	. . with fluid springs or fluid shock-absorbers; Combinations thereof
B61G 9/18	2-Punkt Untergruppe	. . with separate mechanical friction shock-absorbers
B61G 9/20	1-Punkt Untergruppe	. Details; Accessories
B61G 9/22	2-Punkt Untergruppe	. . Supporting framework, e.g. cradles; Spring housings
B61G 9/24	2-Punkt Untergruppe	. . Linkages between draw-bar and framework (adjustable coupling bars B61G 7/12)
B61G 11/00	Hauptgruppe	Buffers (springs F16F)
B61G 11/02	1-Punkt Untergruppe	. with metal springs
B61G 11/04	2-Punkt Untergruppe	. . with helical springs
B61G 11/06	3-Punkt Untergruppe	. . . arranged to damp each other by mutual friction
B61G 11/08	1-Punkt Untergruppe	. with rubber springs
B61G 11/10	1-Punkt Untergruppe	. with combined rubber and metal springs
B61G 11/12	1-Punkt Untergruppe	. with fluid springs or shock-absorbers; Combinations thereof
B61G 11/14	1-Punkt Untergruppe	. absorbing shocks by mechanical friction action; Combinations of mechanical shock-absorbers and springs (B61G 11/06 takes precedence)
B61G 11/16	1-Punkt Untergruppe	. absorbing shocks by permanent deformation of buffer element
B61G 11/18	1-Punkt Untergruppe	. Details