

Symbol	Typ	Titel
B	Sektion	PERFORMING OPERATIONS; TRANSPORTING
B62	Klasse	LAND VEHICLES FOR TRAVELLING OTHERWISE THAN ON RAILS
B62D	Unterklasse	MOTOR VEHICLES; TRAILERS (steering, or guiding on a desired track, of agricultural machines or implements A01B 69/00; wheels, castors, axles, increasing wheel adhesion B60B; vehicle tyres, tyre inflation or tyre changing B60C; connections between vehicles of a train or the like B60D; vehicles for use on rail and road, amphibious or convertible vehicles B60F; suspension arrangements B60G; heating, cooling, ventilating or other air treating devices B60H; windows, windcreens, non-fixed roofs, doors or similar devices, protective coverings for vehicles not in use B60J; propulsion plant arrangements, auxiliary drives, transmissions, controls, instrumentation or dashboards B60K; electric equipment or propulsion of electrically-propelled vehicles B60L; power supply for electrically-propelled vehicles B60M; passenger accommodation not otherwise provided for B60N; adaptations for load transportation or to carry special loads or objects B60P; arrangement of signalling or lighting devices, the mounting or supporting thereof or circuits therefor, for vehicles in general B60Q; vehicles, vehicle fittings or vehicle parts, not otherwise provided for B60R; servicing, cleaning, repairing, supporting, lifting, or manoeuvring, not otherwise provided for B60S; brake arrangements, brake control systems or parts thereof B60T; air-cushion vehicles B60V; motorcycles, accessories therefor B62J , B62K; testing of vehicles G01M)
		<u>Steering of motor vehicles or trailers (steering devices applicable only to steerable undercarriages for aircraft B64C 25/50) [3]</u>
B62D 1/00	Hauptgruppe	Steering controls, i.e. means for initiating a change of direction of the vehicle [4, 5]
B62D 1/02	1-Punkt Untergruppe	. vehicle-mounted
B62D 1/04	2-Punkt Untergruppe	. . Hand wheels
B62D 1/06	3-Punkt Untergruppe	. . . Rims, e.g. with heating means; Rim covers (B62D 1/11 takes precedence) [5]
B62D 1/08	3-Punkt Untergruppe	. . . Spokes, e.g. resilient (B62D 1/11 takes precedence) [5]
B62D 1/10	3-Punkt Untergruppe	. . . Hubs; Connecting hubs to steering columns, e.g. adjustable (B62D 1/11 takes precedence) [5]
B62D 1/11	3-Punkt Untergruppe	. . . incorporating energy-absorbing arrangements, e.g. by being yieldable or collapsible (padded linings associated with the steering wheel B60R 21/05; shock absorbers using plastic deformation of members in general F16F 7/12) [5]
B62D 1/12	2-Punkt Untergruppe	. . Hand levers
B62D 1/14	3-Punkt Untergruppe	. . . Tillers, i.e. hand levers operating on steering columns
B62D 1/16	2-Punkt Untergruppe	. . Steering columns
B62D 1/18	3-Punkt Untergruppe	. . . yieldable or adjustable, e.g. tiltable (padded linings associated with the steering column B60R 21/05)
<i>B62D 1/181</i>	<i>4-Punkt Untergruppe</i>	<i>. . . . with power actuated adjustment, e.g. with position memory [7]</i>
<i>B62D 1/183</i>	<i>4-Punkt Untergruppe</i>	<i>. . . . adjustable between in-use and out-of-use positions, e.g. to improve access [7]</i>
<i>B62D 1/184</i>	<i>4-Punkt Untergruppe</i>	<i>. . . . Mechanisms for locking columns at selected positions [7]</i>
<i>B62D 1/185</i>	<i>4-Punkt Untergruppe</i>	<i>. . . . adjustable by axial displacement, e.g. telescopically (B62D 1/183 , B62D 1/187 , B62D 1/19 take precedence) [7]</i>
<i>B62D 1/187</i>	<i>4-Punkt Untergruppe</i>	<i>. . . . with tilt adjustment ; with tilt and axial adjustment (B62D 1/183 , B62D 1/19 take precedence) [7]</i>
<i>B62D 1/189</i>	<i>5-Punkt Untergruppe</i>	<i>. the entire steering column being tiltable as a unit [7]</i>

Symbol	Typ	Titel
B62D 1/19	4-Punkt Untergruppe	 incorporating energy-absorbing arrangements, e.g. by being yieldable or collapsible (shock-absorbers using plastic deformation of members in general F16F 7/12) [5]
B62D 1/20	3-Punkt Untergruppe	. . . Connecting steering column to steering gear
B62D 1/22	2-Punkt Untergruppe	. . Alternative steering-control elements, e.g. for teaching purposes
B62D 1/24	1-Punkt Untergruppe	. not vehicle-mounted
B62D 1/26	2-Punkt Untergruppe	. . mechanical, e.g. by a non-load-bearing guide (railways B61)
B62D 1/28	2-Punkt Untergruppe	. . non-mechanical
B62D 3/00	Hauptgruppe	Steering gears (power assisted or power driven B62D 5/00; steering linkages B62D 7/00; for non-deflectable wheels B62D 11/00; gearing in general F16H)
B62D 3/02	1-Punkt Untergruppe	. mechanical
B62D 3/04	2-Punkt Untergruppe	. . of worm type
B62D 3/06	3-Punkt Untergruppe	. . . with screw and nut
B62D 3/08	4-Punkt Untergruppe	 using intermediate balls or the like
B62D 3/10	3-Punkt Untergruppe	. . . with worm engaging in sector or roller gear
B62D 3/12	2-Punkt Untergruppe	. . of rack-and-pinion type
B62D 3/14	1-Punkt Untergruppe	. hydraulic
B62D 5/00	Hauptgruppe	Power-assisted or power-driven steering (for non-deflectable wheels B62D 11/00; fluid-pressure servomotors in general F15B)
B62D 5/02	1-Punkt Untergruppe	. mechanical, e.g. using a power-take-off mechanism for taking power from a rotating shaft of the vehicle and applying it to the steering gear
B62D 5/04	1-Punkt Untergruppe	. electrical, e.g. using an electric servo-motor connected to, or forming part of, the steering gear
B62D 5/06	1-Punkt Untergruppe	. fluid, i.e. using a pressurised fluid for most or all the force required for steering a vehicle [4]
<i>B62D 5/065</i>	<i>2-Punkt Untergruppe</i>	<i>. . characterised by specially adapted means for varying pressurised fluid supply based on need, e.g. on-demand, variable assist [7]</i>
B62D 5/07	2-Punkt Untergruppe	. . Supply of pressurised fluid for steering also supplying other consumers [4]
B62D 5/08	2-Punkt Untergruppe	. . characterised by type of valve used (valves in general F16K) [4]
B62D 5/083	3-Punkt Untergruppe	. . . Rotary valves [4]
B62D 5/087	3-Punkt Untergruppe	. . . Sliding spool valves [4]
B62D 5/09	2-Punkt Untergruppe	. . characterised by means for actuating valves [4]
B62D 5/093	3-Punkt Untergruppe	. . . Telemotor driven by steering wheel movement (hydraulic steering gear B62D 3/14) [4]
B62D 5/097	4-Punkt Untergruppe	 gerotor type [4]
B62D 5/10	2-Punkt Untergruppe	. . characterised by type of power unit [4]
B62D 5/12	3-Punkt Untergruppe	. . . Piston and cylinder [4]
B62D 5/14	3-Punkt Untergruppe	. . . Rotary motor [4]
B62D 5/16	3-Punkt Untergruppe	. . . Expansible chamber with flexible wall [4]

Symbol	Typ	Titel
B62D 5/18	2-Punkt Untergruppe	. . characterised by power transmitting means [4]
B62D 5/20	2-Punkt Untergruppe	. . specially adapted for particular type of steering gear or particular application (steering gears per se B62D 3/00; steering linkages not characterised by being power-assisted or power-driven B62D 7/00) [4]
B62D 5/22	3-Punkt Untergruppe	. . . for rack-and-pinion type [4]
B62D 5/24	3-Punkt Untergruppe	. . . for worm type [4]
B62D 5/26	3-Punkt Untergruppe	. . . for pivoted axles [4]
B62D 5/28	3-Punkt Untergruppe	. . . for pivoted bogies [4]
B62D 5/30	2-Punkt Untergruppe	. . Safety devices, e.g. alternate emergency power supply or transmission means to ensure steering upon failure of the primary steering means [4]
B62D 5/32	3-Punkt Untergruppe	. . . for telemotor systems [4]
B62D 6/00	Hauptgruppe	Arrangements for automatically controlling steering depending on driving conditions sensed and responded to, e.g. control circuits (means for initiating a change in direction B62D 1/00; steering valves B62D 5/06; combined with means for inclining the vehicle body or wheels on bends B62D 9/00) [4, 6]
B62D 6/02	1-Punkt Untergruppe	. responsive only to vehicle speed [4]
B62D 6/04	1-Punkt Untergruppe	. responsive only to forces disturbing the intended course of the vehicle, e.g. forces acting transversely to the direction of vehicle travel [4]
B62D 6/06	1-Punkt Untergruppe	. responsive only to vehicle vibration dampening arrangements (steering dampers for cycles B62K 21/08) [4]
B62D 6/08	1-Punkt Untergruppe	. responsive only to input torque [6]
B62D 6/10	2-Punkt Untergruppe	. . characterised by the means for sensing torque [6]
B62D 7/00	Hauptgruppe	Steering linkage; Stub axles or their mountings (B62D 13/00 takes precedence; power-assisted or power-driven steering B62D 5/00) [5]
B62D 7/02	1-Punkt Untergruppe	. for pivoted bogies
B62D 7/04	2-Punkt Untergruppe	. . with more than one wheel
B62D 7/06	1-Punkt Untergruppe	. for individually-pivoted wheels, e.g. on king-pins
B62D 7/08	2-Punkt Untergruppe	. . the pivotal axes being situated in a single plane transverse to the longitudinal centre line of the vehicle
B62D 7/09	3-Punkt Untergruppe	. . . characterised by means varying the ratio between the steering angles of the steered wheels (varying the ratio automatically depending on driving conditions B62D 6/00) [5]
B62D 7/10	3-Punkt Untergruppe	. . . with single-output steering gear
B62D 7/12	3-Punkt Untergruppe	. . . with twin-output steering gear
B62D 7/14	2-Punkt Untergruppe	. . the pivotal axes being situated in more than one plane transverse to the longitudinal centre line of the vehicle, e.g. all-wheel steering
B62D 7/15	3-Punkt Untergruppe	. . . characterised by means varying the ratio between the steering angles of the steered wheels (varying the ratio automatically depending on driving conditions B62D 6/00) [5]
B62D 7/16	1-Punkt Untergruppe	. Arrangement of linkage connections (pivots per se F16C)
B62D 7/18	1-Punkt Untergruppe	. Steering knuckles; King-pins
B62D 7/20	1-Punkt Untergruppe	. Links, e.g. track rods (means for adjusting camber, castor, or toe-in B62D 17/00)

Symbol	Typ	Titel
B62D 7/22	1-Punkt Untergruppe	. Arrangements for reducing or eliminating reaction, e.g. vibration, from parts, e.g. wheels, of the steering system [5]
B62D 9/00	Hauptgruppe	Steering deflectable wheels not otherwise provided for (steering-position indicators B62D 15/02)
B62D 9/02	1-Punkt Untergruppe	. combined with means for inwardly-inclining vehicle body on bends
B62D 9/04	1-Punkt Untergruppe	. combined with means for inclining vehicle wheels on bends (B62D 9/02 takes precedence) [5]
B62D 11/00	Hauptgruppe	Steering non-deflectable wheels; Steering endless tracks or the like
B62D 11/02	1-Punkt Untergruppe	. by differentially driving ground-engaging elements on opposite vehicle sides
B62D 11/04	2-Punkt Untergruppe	. . by means of separate power sources
B62D 11/06	2-Punkt Untergruppe	. . by means of a single main power source
B62D 11/08	3-Punkt Untergruppe	. . . using brakes or clutches as main steering-effecting means
B62D 11/10	3-Punkt Untergruppe	. . . using gearings with differential power outputs on opposite sides, e.g. twin- differential or epicyclic gears
B62D 11/12	4-Punkt Untergruppe	 using separate change-speed gearings
B62D 11/14	4-Punkt Untergruppe	 differential power outputs being effected by additional power supply to one side, e.g. power originating from secondary power source
B62D 11/16	5-Punkt Untergruppe	 the additional power supply being supplied mechanically
B62D 11/18	5-Punkt Untergruppe	 the additional power supply being supplied hydraulically
B62D 11/20	1-Punkt Untergruppe	. Endless-track steering having pivoted bogie carrying track (B62D 11/02 takes precedence)
B62D 11/22	1-Punkt Untergruppe	. Endless-track steering being effected by deflecting endless-track rollers or the like
B62D 11/24	1-Punkt Untergruppe	. Endless-track steering specially adapted for vehicles having both steerable wheels and endless track
B62D 12/00	Hauptgruppe	Steering specially adapted for vehicles operating in tandem or having pivotally connected frames (steering endless tracks or the like B62D 11/00; steering specially adapted for trailers B62D 13/00) [4]
B62D 12/02	1-Punkt Untergruppe	. for vehicles operating in tandem [4]
B62D 13/00	Hauptgruppe	Steering specially adapted for trailers (combined traction and steering hitches B60D)
B62D 13/02	1-Punkt Untergruppe	. for centrally-pivoted axles
B62D 13/04	1-Punkt Untergruppe	. for individually-pivoted wheels
B62D 13/06	1-Punkt Untergruppe	. for backing a normally-drawn trailer
B62D 15/00	Hauptgruppe	Steering not otherwise provided for
B62D 15/02	1-Punkt Untergruppe	. Steering position indicators [4]
B62D 17/00	Hauptgruppe	Means on vehicle for adjusting camber, castor, or toe-in
B62D 19/00	Hauptgruppe	Radius rods, i.e. distance members
B62D 21/00	Hauptgruppe	<u>Understructures; Superstructures; Vehicle bodies</u> Understructures, i.e. chassis frame on which a vehicle body may be mounted (combined frame and vehicle body B62D 23/00)
B62D 21/02	1-Punkt Untergruppe	. comprising longitudinally or transversely arranged frame members [4]
B62D 21/03	2-Punkt Untergruppe	. . transverse members providing body support [4]
B62D 21/04	2-Punkt Untergruppe	. . single longitudinal type

Symbol	Typ	Titel
B62D 21/05	2-Punkt Untergruppe	. . pinched frame type, i.e. formed of at least two longitudinal frame sections connected by other longitudinal frame sections of lesser transverse dimension [4]
B62D 21/06	1-Punkt Untergruppe	. of X-shaped or fork-shaped construction, i.e. having members which form an X or fork as the frame is seen in plan view
B62D 21/07	1-Punkt Untergruppe	. wide-hipped frame type, i.e. a wide box-shaped mid portion with narrower sections extending from said mid portion in both fore and aft directions [4]
B62D 21/08	1-Punkt Untergruppe	. built-up with interlaced cross members ("Fachwerkrahmen")
B62D 21/09	1-Punkt Untergruppe	. Means for mounting load bearing surfaces [4]
B62D 21/10	1-Punkt Untergruppe	. in which the main member is plate-like
B62D 21/11	1-Punkt Untergruppe	. with resilient means for suspension [4]
B62D 21/12	1-Punkt Untergruppe	. assembled from readily-detachable parts
B62D 21/14	1-Punkt Untergruppe	. of adjustable length or width
B62D 21/15	1-Punkt Untergruppe	. having impact absorbing means, e.g. a frame designed to permanently or temporarily change shape or dimension upon impact with another body (bumpers B60R 19/02; shock absorbers in general F16F) [4]
B62D 21/16	1-Punkt Untergruppe	. having fluid storage compartment [4]
B62D 21/17	1-Punkt Untergruppe	. forming fluid or electrical conduit means or having other means to accommodate the transmission of a force or signal [4]
B62D 21/18	1-Punkt Untergruppe	. characterised by the vehicle type and not provided for in groups B62D 21/02 to B62D 21/17 [4]
B62D 21/20	2-Punkt Untergruppe	. . trailer type, i.e. a frame specifically constructed for use in a non-powered vehicle [4]
B62D 23/00	Hauptgruppe	Combined superstructure and frame, i.e. monocoque constructions (superstructure sub-units B62D 25/00)
B62D 24/00	Hauptgruppe	Connections between vehicle body and vehicle frame (B62D 23/00 , B62D 33/077 take precedence) [5]
B62D 24/02	1-Punkt Untergruppe	. Vehicle body, not intended to move relatively to the vehicle frame, and mounted on vibration absorbing mountings, e.g. rubber pads [5]
B62D 24/04	1-Punkt Untergruppe	. Vehicle body mounted on resilient suspension for movement relative to the vehicle frame [5]
B62D 25/00	Hauptgruppe	Superstructure sub-units; Parts or details thereof not otherwise provided for
B62D 25/02	1-Punkt Untergruppe	. Side panels
B62D 25/04	1-Punkt Untergruppe	. Door pillars
B62D 25/06	1-Punkt Untergruppe	. Fixed roofs (non-fixed roofs or roofs with movable panels B60J 7/00; roof liners B60R 13/02; insulating elements B60R 13/08)
B62D 25/07	2-Punkt Untergruppe	. . having water drainage or guide means integral with roof structure [4]
B62D 25/08	1-Punkt Untergruppe	. Front or rear portions
B62D 25/10	2-Punkt Untergruppe	. . Bonnets or lids
B62D 25/12	3-Punkt Untergruppe	. . . Parts or details thereof (locks E05B; hinges E05D; counterbalancing means E05F; springs F16F)
B62D 25/13	4-Punkt Untergruppe	 Water deflectors [5]
B62D 25/14	2-Punkt Untergruppe	. . Dashboards as superstructure sub-unit (other dashboard aspects B60K)

Symbol	Typ	Titel
B62D 25/16	2-Punkt Untergruppe	. . Mud-guards or wings; Wheel cover panels (equipped with means for freeing wheels or tyres from foreign matter B60S)
B62D 25/18	3-Punkt Untergruppe	. . . Parts or details thereof, e.g. mud-guard flaps
B62D 25/20	1-Punkt Untergruppe	. Floors or bottom sub-units
B62D 25/22	1-Punkt Untergruppe	. Running-boards, steps, or the like, as superstructure sub-unit (other arrangements of steps, ladders, or running-boards in vehicles B60R)
B62D 25/24	1-Punkt Untergruppe	. Superstructure sub-units with access openings having movable or removable closures (inlet covers for vehicle fuel tanks B60K 15/05) [5]
B62D 27/00	Hauptgruppe	Connections between superstructure sub-units
B62D 27/02	1-Punkt Untergruppe	. rigid
B62D 27/04	1-Punkt Untergruppe	. resilient
B62D 27/06	1-Punkt Untergruppe	. readily releasable
B62D 29/00	Hauptgruppe	Superstructures characterised by material thereof
B62D 29/02	1-Punkt Untergruppe	. predominantly of wood
B62D 29/04	1-Punkt Untergruppe	. predominantly of synthetic material (working of plastics or substances in a plastic state B29)
B62D 31/00	Hauptgruppe	Superstructures for passenger vehicles (passenger vehicles specially adapted to co-operate with aircraft or terminal buildings B64F 1/31)
B62D 31/02	1-Punkt Untergruppe	. for carrying large numbers of passengers, e.g. omnibus
B62D 31/04	1-Punkt Untergruppe	. with more than one deck
B62D 33/00	Hauptgruppe	Superstructures for load-carrying vehicles (in which a load-carrying element is movable B60P; liners B60R 13/00)
B62D 33/02	1-Punkt Untergruppe	. Platforms; Open load compartments
B62D 33/023	2-Punkt Untergruppe	. . Sideboard or tailgate structures [5]
B62D 33/027	3-Punkt Untergruppe	. . . movable [5]
B62D 33/03	4-Punkt Untergruppe	 by swinging down [5]
B62D 33/033	4-Punkt Untergruppe	 removable [5]
B62D 33/037	4-Punkt Untergruppe	 Latching means therefor [5]
B62D 33/04	1-Punkt Untergruppe	. Enclosed load compartments
B62D 33/06	1-Punkt Untergruppe	. Drivers' cabs
B62D 33/063	2-Punkt Untergruppe	. . movable from one position into at least one other position, e.g. tiltable, pivotable about a vertical axis, displaceable from one side of the vehicle to the other [5]
B62D 33/067	3-Punkt Untergruppe	. . . tiltable [5]
B62D 33/07	4-Punkt Untergruppe	 characterised by the device for locking the cab in the tilted or in the driving position [5]
B62D 33/073	3-Punkt Untergruppe	. . . characterised by special adaptations of vehicle control devices [5]
B62D 33/077	1-Punkt Untergruppe	. characterised by the connection of the superstructure to the vehicle frame [5]
B62D 33/08	2-Punkt Untergruppe	. . comprising adjustable means (B62D 33/10 takes precedence) [5]

Symbol	Typ	Titel
B62D 33/10	2-Punkt Untergruppe	. . comprising means for the suspension of the superstructure on the frame [5]
B62D 35/00	Hauptgruppe	Vehicle bodies characterised by streamlining
B62D 35/02	1-Punkt Untergruppe	. Streamlining the undersurfaces
B62D 37/00	Hauptgruppe	Stabilising vehicle bodies without controlling suspension arrangements
B62D 37/02	1-Punkt Untergruppe	. by aerodynamic means
B62D 37/04	1-Punkt Untergruppe	. by means of movable masses
B62D 37/06	2-Punkt Untergruppe	. . using gyroscopes
B62D 39/00	Hauptgruppe	Vehicle bodies not otherwise provided for
B62D 41/00	Hauptgruppe	Fittings for identifying vehicles in case of collision; Fittings for marking or recording collision areas
B62D 43/00	Hauptgruppe	Spare wheel stowing, holding, or mounting arrangements
B62D 43/02	1-Punkt Untergruppe	. external to the vehicle body
B62D 43/04	2-Punkt Untergruppe	. . attached beneath the vehicle body
B62D 43/06	1-Punkt Untergruppe	. within the vehicle body
B62D 43/08	2-Punkt Untergruppe	. . and arranged substantially vertical
B62D 43/10	2-Punkt Untergruppe	. . and arranged substantially horizontal
		<u>Motor vehicles or trailers classified according to type; Parts or accessories thereof not otherwise provided for (understructures, i.e. chassis frames, characterised by the vehicle type B62D 21/18)</u>
B62D 47/00	Hauptgruppe	Motor vehicles or trailers predominantly for carrying passengers (superstructures B62D 31/00) [3]
B62D 47/02	1-Punkt Untergruppe	. for large numbers of passengers, e.g. omnibus
B62D 49/00	Hauptgruppe	Tractors (of walk type B62D 51/04; endless-track features B62D 55/00)
B62D 49/02	1-Punkt Untergruppe	. modified to take lifting devices
B62D 49/04	1-Punkt Untergruppe	. modified to take pushing devices
B62D 49/06	1-Punkt Untergruppe	. adapted for multi-purpose use
B62D 49/08	1-Punkt Untergruppe	. having means for preventing overturning or tipping (safety devices for propulsion-unit control, specially adapted for, or arranged in, vehicles B60K 28/00) [4]
B62D 51/00	Hauptgruppe	Motor vehicles characterised by the driver not being seated
B62D 51/02	1-Punkt Untergruppe	. the driver standing in the vehicle
B62D 51/04	1-Punkt Untergruppe	. the driver walking
B62D 51/06	2-Punkt Untergruppe	. . Uniaxle walk-type tractors
B62D 53/00	Hauptgruppe	Tractor-trailer combinations; Road trains (traction couplings other than fifth-wheel couplings B60D)
B62D 53/02	1-Punkt Untergruppe	. comprising a uniaxle tractor unit and a uniaxle trailer unit
B62D 53/04	1-Punkt Untergruppe	. comprising a vehicle carrying an essential part of the other vehicle's load by having supporting means for the front or rear part of the other vehicle
B62D 53/06	2-Punkt Untergruppe	. . Semi-trailers
B62D 53/08	2-Punkt Untergruppe	. . Fifth-wheel traction couplings
B62D 53/10	3-Punkt Untergruppe	. . . with means for preventing accidental uncoupling

Symbol	Typ	Titel
B62D 53/12	3-Punkt Untergruppe	. . . engaging automatically
B62D 55/00	Hauptgruppe	Endless-track vehicles (steering aspects B62D 11/00)
B62D 55/02	1-Punkt Untergruppe	. with tracks and additional ground wheels
B62D 55/04	1-Punkt Untergruppe	. with tracks and alternative ground wheels, e.g. changeable from endless-track vehicle into wheeled vehicle and vice versa
B62D 55/06	1-Punkt Untergruppe	. with tracks and without ground wheels
B62D 55/065	2-Punkt Untergruppe	. . Multi-track vehicles, i.e. more than two tracks [4]
B62D 55/07	2-Punkt Untergruppe	. . Mono-track vehicles [4]
B62D 55/075	2-Punkt Untergruppe	. . Tracked vehicles for ascending or descending stairs (magnetic or pneumatic ground-engaging parts B62D 55/265; chairs or multi-track cycles specially adapted for invalids A61G 5/00) [4]
B62D 55/08	1-Punkt Untergruppe	. Endless-track units; Parts thereof
B62D 55/084	2-Punkt Untergruppe	. . Endless-track units or carriages mounted separably, adjustably or extensibly on vehicles, e.g. portable track units (B62D 55/07 takes precedence) [4]
B62D 55/088	2-Punkt Untergruppe	. . with means to exclude or remove foreign matter e.g. sealing means, self-cleaning track links or sprockets, deflector plates or scrapers [4]
B62D 55/092	2-Punkt Untergruppe	. . with lubrication means (lubricating in general F16N) [4]
B62D 55/096	2-Punkt Untergruppe	. . with noise reducing means [4]
B62D 55/10	2-Punkt Untergruppe	. . Bogies; Frames (track-tensioning means B62D 55/30)
B62D 55/104	2-Punkt Untergruppe	. . Suspension devices for wheels, rollers, bogies or frames (vehicle suspension in general B60G) [4]
B62D 55/108	3-Punkt Untergruppe	. . . with mechanical springs, e.g. torsion bars [4]
B62D 55/112	3-Punkt Untergruppe	. . . with fluid springs, e.g. hydraulic, pneumatic [4]
B62D 55/116	3-Punkt Untergruppe	. . . Attitude or position control of chassis by action on suspension, e.g. to compensate for a slope [4]
B62D 55/12	2-Punkt Untergruppe	. . Arrangement, location, or adaptation of driving sprockets
B62D 55/125	3-Punkt Untergruppe	. . . Final drives [4]
B62D 55/13	4-Punkt Untergruppe	 readily interchangeable modular type [4]
B62D 55/135	3-Punkt Untergruppe	. . . with dismountable driving crown [4]
B62D 55/14	2-Punkt Untergruppe	. . Arrangement, location, or adaptation of rollers
B62D 55/15	3-Punkt Untergruppe	. . . Mounting devices, e.g. bushings, axles, bearings, sealings [4]
B62D 55/18	2-Punkt Untergruppe	. . Tracks (self-cleaning track links B62D 55/088) [4]
B62D 55/20	3-Punkt Untergruppe	. . . of articulated type, e.g. chains
B62D 55/205	4-Punkt Untergruppe	 Connections between track links [4]
B62D 55/21	5-Punkt Untergruppe	 Links connected by transverse pivot pins [4]
B62D 55/215	5-Punkt Untergruppe	 Resilient connections between links [4]
B62D 55/22	4-Punkt Untergruppe	 Arrangements for preventing or modifying back-flexing

Symbol	Typ	Titel
B62D 55/24	3-Punkt Untergruppe	. . . of continuously-flexible type, e.g. rubber belts
B62D 55/247	4-Punkt Untergruppe	 Gas filled or inflatable flexible tracks (connection of valves to inflatable elastic bodies B60C 29/00) [4]
B62D 55/253	4-Punkt Untergruppe	 having elements interconnected by one or more cables or like elements [4]
B62D 55/26	3-Punkt Untergruppe	. . . Ground-engaging parts or elements
B62D 55/265	4-Punkt Untergruppe	 having magnetic or pneumatic adhesion [4]
B62D 55/27	4-Punkt Untergruppe	 having different types of crampons for progression over varying ground [4]
B62D 55/275	4-Punkt Untergruppe	 with street plate, i.e. means to prevent tread from cutting into road surface [4]
B62D 55/28	4-Punkt Untergruppe	 detachable
B62D 55/30	2-Punkt Untergruppe	. . Track-tensioning means
B62D 55/32	1-Punkt Untergruppe	. Assembly, disassembly, repair or servicing of endless-track systems [4]
B62D 57/00	Hauptgruppe	Vehicles characterised by having other propulsion or other ground-engaging means than wheels or endless track, alone or in addition to wheels or endless track (sledges B62B; motor sledges B62M) [5]
B62D 57/02	1-Punkt Untergruppe	. with ground-engaging propulsion means, e.g. walking members
B62D 57/024	2-Punkt Untergruppe	. . specially adapted for moving on inclined or vertical surfaces (endless-track vehicles for ascending or descending stairs B62D 55/075; hand-carts with provision for travelling up or down stairs B62B 5/02) [5]
B62D 57/028	2-Punkt Untergruppe	. . having wheels and mechanical legs (B62D 57/024 takes precedence; ground-engaging vehicle fittings for supporting, lifting or manoeuvring the vehicle, wholly or in part B60S 9/00) [5]
B62D 57/032	2-Punkt Untergruppe	. . with alternately or sequentially lifted supporting base and leg; with alternately or sequentially lifted feet or skid (B62D 57/024 takes precedence) [5]
B62D 57/036	2-Punkt Untergruppe	. . screw type, e.g. Archimedian screw (B62D 57/024 takes precedence) [5]
B62D 57/04	1-Punkt Untergruppe	. having other than ground-engaging propulsion means, e.g. having propellers (arrangement of jet-propulsion units B60K)
B62D 59/00	Hauptgruppe	Trailers with driven ground wheels or the like
B62D 59/02	1-Punkt Untergruppe	. driven from external propulsion unit
B62D 59/04	1-Punkt Untergruppe	. driven from propulsion unit on trailer
B62D 61/00	Hauptgruppe	Motor vehicles or trailers, characterised by the arrangement or number of wheels, not otherwise provided for, e.g. four wheels in diamond pattern
B62D 61/02	1-Punkt Untergruppe	. with two road wheels in tandem on the longitudinal centre line of the vehicle
B62D 61/04	2-Punkt Untergruppe	. . with two other wheels which are coaxial
B62D 61/06	1-Punkt Untergruppe	. with only three wheels
B62D 61/08	2-Punkt Untergruppe	. . with single front wheel
B62D 61/10	1-Punkt Untergruppe	. with more than four wheels
B62D 61/12	1-Punkt Untergruppe	. with variable number of ground-engaging wheels, e.g. with some wheels arranged higher than others, or with retractable wheels (for manoeuvring purposes only B60S)
B62D 63/00	Hauptgruppe	Motor vehicles or trailers not otherwise provided for
B62D 63/02	1-Punkt Untergruppe	. Motor vehicles

Symbol	Typ	Titel
B62D 63/04	2-Punkt Untergruppe	. . Component parts or accessories
B62D 63/06	1-Punkt Untergruppe	. Trailers (vehicles comprising living accommodation for people, e.g. caravans, camping or like vehicles, B60P 3/32)
B62D 63/08	2-Punkt Untergruppe	. . Component parts or accessories
B62D 65/00	Hauptgruppe	Designing, manufacturing, e.g. assembling, facilitating disassembly, or structurally modifying motor vehicles or trailers, not otherwise provided for
<i>B62D 65/02</i>	<i>1-Punkt Untergruppe</i>	<i>. Joining sub-units or components to, or positioning sub-units or components with respect to, body shell or other sub-units or components [7]</i>
<i>B62D 65/04</i>	<i>2-Punkt Untergruppe</i>	<i>. . Joining preassembled modular units composed of sub-units performing diverse functions, e.g. engine and bonnet (B62D 65/06 to B62D 65/16 take precedence) [7]</i>
<i>B62D 65/06</i>	<i>2-Punkt Untergruppe</i>	<i>. . the sub-units or components being doors, windows, openable roofs, lids, bonnets, or weather strips or seals therefor [7]</i>
<i>B62D 65/08</i>	<i>3-Punkt Untergruppe</i>	<i>. . . Weather strips or seals [7]</i>
<i>B62D 65/10</i>	<i>2-Punkt Untergruppe</i>	<i>. . the sub-units or components being engines, clutches or transmissions [7]</i>
<i>B62D 65/12</i>	<i>2-Punkt Untergruppe</i>	<i>. . the sub-units or components being suspensions, brakes or wheel units [7]</i>
<i>B62D 65/14</i>	<i>2-Punkt Untergruppe</i>	<i>. . the sub-units or components being passenger compartment fittings, e.g. seats, linings, trim, instrument panels [7]</i>
<i>B62D 65/16</i>	<i>2-Punkt Untergruppe</i>	<i>. . the sub-units or components being exterior fittings, e.g. bumpers, lights, wipers [7]</i>
<i>B62D 65/18</i>	<i>1-Punkt Untergruppe</i>	<i>. Transportation, conveyor or haulage systems specially adapted for motor vehicle or trailer assembly lines [7]</i>
B62D 67/00	Hauptgruppe	Systematic disassembly of vehicles for recovery of salvageable components, e.g. for recycling (for disposal of vehicles by destroying or transformation B09B 3/00 , B09B 5/00) [7] <u>Indexing scheme associated with group B62D 6/00 (but excluding groups B62D 6/02 to B62D 6/10) ; relating to driving conditions sensed and responded to. The indexing codes should be unlinked. [5]</u>
B62D 101/00	Hauptgruppe	Road speed [5]
B62D 103/00	Hauptgruppe	Acceleration or deceleration in the direction of travel [5]
B62D 105/00	Hauptgruppe	Loss of traction, e.g. wheel spin or skid [5]
B62D 107/00	Hauptgruppe	Temperature [5]
B62D 109/00	Hauptgruppe	Presence, absence or inactivity of driver or operator, e.g. by sensing the operation of the clutch, brake or throttle [5]
B62D 111/00	Hauptgruppe	Forces disturbing the intended course of the vehicle, e.g. forces acting transversely of the direction of travel [5]
B62D 113/00	Hauptgruppe	Position of parts of the steering mechanism, e.g. the steered wheels or the steering wheel [5]
B62D 115/00	Hauptgruppe	Angle of articulation of articulated vehicle; Angle of tow-bar to towing vehicle [5]
B62D 117/00	Hauptgruppe	Angular velocity of steering wheel [5]
B62D 119/00	Hauptgruppe	Steering wheel torque [5]
B62D 121/00	Hauptgruppe	Force applied to the steering linkage [5]
B62D 123/00	Hauptgruppe	Fluid pressure supply for vehicle equipment, e.g. for power-assisted steering; Presence, failure or threshold values thereof; Lubricating or other fluid capacities [5]
B62D 125/00	Hauptgruppe	Particular gear ratio selected [5]
B62D 127/00	Hauptgruppe	Engine speed [5]
B62D 131/00	Hauptgruppe	Load, including height of vehicle dependent on load; State of vehicle vibration damping means [5]
B62D 133/00	Hauptgruppe	Trim or inclination, including road gradient [5]
B62D 135/00	Hauptgruppe	Air moisture content [5]
B62D 137/00	Hauptgruppe	Conditions not specified in groups B62D 101/00 to B62D 135/00 [5]

Symbol	Typ	Titel
<u>Indexing scheme associated with group B62D 6/00 , relating to the nature of the steering system.</u> <u>The indexing codes should be unlinked. [6]</u>		
B62D 151/00	Hauptgruppe	All-wheel steering, e.g. four-wheel steering [6]
B62D 153/00	Hauptgruppe	Electric power steering [6]
B62D 155/00	Hauptgruppe	Steering by differential drive or braking [6]