

Symbol	Typ	Titel
<b>B</b>	<b>Sektion</b>	<b>SECTION B — PERFORMING OPERATIONS; TRANSPORTING</b>
<b>B64</b>	<b>Klasse</b>	<b>AIRCRAFT; AVIATION; COSMONAUTICS</b>
<b>B64C</b>	<b>Unterklasse</b>	<b>AEROPLANES; HELICOPTERS (air-cushion vehicles B60V)</b> <b><u>Aircraft structures or fairings (boundary-layer controls B64C 21/00)</u></b>
<b>B64C 1/00</b>	<b>Hauptgruppe</b>	<b>Fuselages; Constructional features common to fuselages, wings, stabilising surfaces, or the like ( aerodynamical features common to fuselages, wings, stabilising surfaces, or the like B64C 23/00; flight-deck installations B64D)</b>
B64C 1/06	1-Punkt Untergruppe	. Frames; Stringers; Longerons
B64C 1/08	2-Punkt Untergruppe	. . Geodetic or other open-frame structures
B64C 1/10	2-Punkt Untergruppe	. . Bulkheads
B64C 1/12	2-Punkt Untergruppe	. . Construction or attachment of skin panels
B64C 1/14	1-Punkt Untergruppe	. Windows; Doors; Hatch covers or access panels; Surrounding frame structures; Canopies; Windscreens ( fairings movable in conjunction with undercarriage elements B64C 25/16; bomb doors B64D 1/06)
B64C 1/16	1-Punkt Untergruppe	. specially adapted for mounting power plant
B64C 1/18	1-Punkt Untergruppe	. Floors
B64C 1/20	2-Punkt Untergruppe	. . specially adapted for freight
B64C 1/22	1-Punkt Untergruppe	. Other structures integral with fuselages to facilitate loading
B64C 1/24	1-Punkt Untergruppe	. Steps mounted on, and retractable within, fuselages (readily removable B64D 9/00)
B64C 1/26	1-Punkt Untergruppe	. Attaching the wing or tail units or stabilising surfaces
B64C 1/28	1-Punkt Untergruppe	. Parts of fuselage relatively movable to improve pilots view
B64C 1/30	1-Punkt Untergruppe	. Parts of fuselage relatively movable to reduce overall dimensions of aircraft
B64C 1/32	1-Punkt Untergruppe	. Severable or jettisonable parts of fuselage facilitating emergency escape (ejector seats B64D 25/10)
B64C 1/34	1-Punkt Untergruppe	. comprising inflatable structural components (connection of valves to inflatable elastic bodies B60C 29/00)
B64C 1/36	1-Punkt Untergruppe	. adapted to receive aerials or radomes (aerials or radomes <u>per se</u> H01Q)
B64C 1/38	1-Punkt Untergruppe	. Constructions adapted to reduce effects of aerodynamic or other external heating
B64C 1/40	1-Punkt Untergruppe	. Sound or heat insulation
<b>B64C 3/00</b>	<b>Hauptgruppe</b>	<b>Wings (stabilising surfaces B64C 5/00; ornithopter wings B64C 33/02)</b>
B64C 3/10	1-Punkt Untergruppe	. Shape of wings
B64C 3/14	2-Punkt Untergruppe	. . Aerofoil profile
B64C 3/16	2-Punkt Untergruppe	. . Frontal aspect
B64C 3/18	1-Punkt Untergruppe	. Spars; Ribs; Stringers (attaching wing unit to fuselage B64C 1/26)
B64C 3/20	1-Punkt Untergruppe	. Integral or sandwich constructions (layered products or sandwich constructions in general B32B)
B64C 3/22	1-Punkt Untergruppe	. Geodetic or other open-frame structures
B64C 3/24	1-Punkt Untergruppe	. Moulded or cast structures

Symbol	Typ	Titel
B64C 3/26	1-Punkt Untergruppe	. Construction, shape, or attachment of separate skins, e.g. panels
B64C 3/28	1-Punkt Untergruppe	. Leading or trailing edges attached to primary structures, e.g. forming fixed slots
B64C 3/30	1-Punkt Untergruppe	. comprising inflatable structural components (connection of valves to inflatable elastic bodies B60C 29/00)
B64C 3/32	1-Punkt Untergruppe	. specially adapted for mounting power plant
B64C 3/34	1-Punkt Untergruppe	. Integrally-constructed tanks, e.g. for fuel (other aircraft fuel tanks or fuel systems B64D)
B64C 3/36	1-Punkt Untergruppe	. Structures adapted to reduce effects of aerodynamic or other external heating
B64C 3/38	1-Punkt Untergruppe	. Adjustment of complete wings or parts thereof
B64C 3/40	2-Punkt Untergruppe	. . Varying angle of sweep
B64C 3/42	2-Punkt Untergruppe	. . Adjusting about chordwise axes
B64C 3/44	2-Punkt Untergruppe	. . Varying camber
B64C 3/46	3-Punkt Untergruppe	. . . by inflatable elements (connection of valves to inflatable elastic bodies B60C 29/00)
B64C 3/48	3-Punkt Untergruppe	. . . by relatively-movable parts of wing structures
B64C 3/50	3-Punkt Untergruppe	. . . by leading or trailing edge flaps (ailerons B64C 9/00)
B64C 3/52	2-Punkt Untergruppe	. . Warping
B64C 3/54	2-Punkt Untergruppe	. . Varying in area (flaps extendable to increase camber B64C 3/44)
B64C 3/56	2-Punkt Untergruppe	. . Folding or collapsing to reduce overall dimensions of aircraft
B64C 3/58	1-Punkt Untergruppe	. provided with fences or spoilers (adjustable for control purposes B64C 9/00)
<b>B64C 5/00</b>	<b>Hauptgruppe</b>	<b>Stabilising surfaces (attaching stabilising surfaces to fuselage B64C 1/26)</b>
B64C 5/02	1-Punkt Untergruppe	. Tailplanes (fins B64C 5/06)
B64C 5/04	1-Punkt Untergruppe	. Noseplanes
B64C 5/06	1-Punkt Untergruppe	. Fins (specially for wings B64C 5/08)
B64C 5/08	1-Punkt Untergruppe	. mounted on, or supported by, wings
B64C 5/10	1-Punkt Untergruppe	. adjustable
B64C 5/12	2-Punkt Untergruppe	. . for retraction against or within fuselage or nacelle
B64C 5/14	2-Punkt Untergruppe	. . Varying angle of sweep
B64C 5/16	2-Punkt Untergruppe	. . about spanwise axes
B64C 5/18	2-Punkt Untergruppe	. . in area
<b>B64C 7/00</b>	<b>Hauptgruppe</b>	<b>Structures or fairings not otherwise provided for</b>
B64C 7/02	1-Punkt Untergruppe	. Nacelles
<b>B64C 9/00</b>	<b>Hauptgruppe</b>	<b>Adjustable control surfaces or members, e.g. rudders (trimming stabilising surfaces B64C 5/10; systems for actuating flying-control surfaces B64C 13/00)</b>
B64C 9/02	1-Punkt Untergruppe	. Mounting or supporting thereof
B64C 9/04	1-Punkt Untergruppe	. with compound dependent movements

Symbol	Typ	Titel
B64C 9/06	1-Punkt Untergruppe	. with two or more independent movements
B64C 9/08	1-Punkt Untergruppe	. bodily displaceable (varying camber of wings B64C 3/44)
B64C 9/10	1-Punkt Untergruppe	. one surface adjusted by movement of another, e.g. servo tabs (B64C 9/04 takes precedence; adjusting surfaces of different type or function B64C 9/12)
B64C 9/12	1-Punkt Untergruppe	. surfaces of different type or function being simultaneously adjusted
B64C 9/14	1-Punkt Untergruppe	. forming slots (boundary-layer control B64C 21/00)
B64C 9/16	2-Punkt Untergruppe	. . at the rear of the wing
B64C 9/18	3-Punkt Untergruppe	. . . by single flaps
B64C 9/20	3-Punkt Untergruppe	. . . by multiple flaps
B64C 9/22	2-Punkt Untergruppe	. . at the front of the wing
B64C 9/24	3-Punkt Untergruppe	. . . by single flap
B64C 9/26	3-Punkt Untergruppe	. . . by multiple flaps
B64C 9/28	2-Punkt Untergruppe	. . by flaps at both the front and rear of the wing operating in unison
B64C 9/30	1-Punkt Untergruppe	. Balancing hinged surfaces, e.g. dynamically
B64C 9/32	1-Punkt Untergruppe	. Air braking surfaces (braking by parachutes B64D 17/80)
B64C 9/34	1-Punkt Untergruppe	. collapsing or retracting against or within other surfaces or other members
B64C 9/36	2-Punkt Untergruppe	. . the members being fuselages or nacelles
B64C 9/38	1-Punkt Untergruppe	. Jet flaps
<b>B64C 11/00</b>	<b>Hauptgruppe</b>	<b>Propellers, e.g. of ducted type; Features common to propellers and rotors for rotorcraft (rotors specially adapted for rotorcraft B64C 27/32)</b>
B64C 11/02	1-Punkt Untergruppe	. Hub construction
B64C 11/04	2-Punkt Untergruppe	. . Blade mountings
B64C 11/06	3-Punkt Untergruppe	. . . for variable-pitch blades
B64C 11/08	3-Punkt Untergruppe	. . . for non-adjustable blades
B64C 11/10	4-Punkt Untergruppe	. . . . rigid
B64C 11/12	4-Punkt Untergruppe	. . . . flexible
B64C 11/14	2-Punkt Untergruppe	. . Spinners
B64C 11/16	1-Punkt Untergruppe	. Blades
B64C 11/18	2-Punkt Untergruppe	. . Aerodynamic features
B64C 11/20	2-Punkt Untergruppe	. . Constructional features
B64C 11/22	3-Punkt Untergruppe	. . . Solid blades
B64C 11/24	3-Punkt Untergruppe	. . . Hollow blades
B64C 11/26	3-Punkt Untergruppe	. . . Fabricated blades

Symbol	Typ	Titel
B64C 11/28	3-Punkt Untergruppe	. . . Collapsible or foldable blades
B64C 11/30	1-Punkt Untergruppe	. Blade pitch-changing mechanisms
B64C 11/32	2-Punkt Untergruppe	. . mechanical
B64C 11/34	3-Punkt Untergruppe	. . . automatic
B64C 11/36	3-Punkt Untergruppe	. . . non-automatic
B64C 11/38	2-Punkt Untergruppe	. . fluid, e.g. hydraulic
B64C 11/40	3-Punkt Untergruppe	. . . automatic
B64C 11/42	3-Punkt Untergruppe	. . . non-automatic
B64C 11/44	2-Punkt Untergruppe	. . electric
B64C 11/46	1-Punkt Untergruppe	. Arrangements of, or constructional features peculiar to, multiple propellers
B64C 11/48	2-Punkt Untergruppe	. . Units of two or more coaxial propellers
B64C 11/50	2-Punkt Untergruppe	. . Phase synchronisation between multiple propellers
<b>B64C 13/00</b>	<b>Hauptgruppe</b>	<b>Control systems or transmitting systems for actuating flying-control surfaces, lift-increasing flaps, air brakes, or spoilers</b>
B64C 13/02	1-Punkt Untergruppe	. Initiating means
B64C 13/04	2-Punkt Untergruppe	. . actuated personally
B64C 13/06	3-Punkt Untergruppe	. . . adjustable to suit individual persons
B64C 13/08	3-Punkt Untergruppe	. . . Trimming zero positions
B64C 13/10	3-Punkt Untergruppe	. . . comprising warning devices
B64C 13/12	3-Punkt Untergruppe	. . . Dual control apparatus
B64C 13/14	3-Punkt Untergruppe	. . . lockable (locking in position to suit individual persons B64C 13/06)
B64C 13/16	2-Punkt Untergruppe	. . actuated automatically, e.g. responsive to gust detectors
B64C 13/18	3-Punkt Untergruppe	. . . using automatic pilot (automatic pilots <u>per se</u> G05D 1/00)
B64C 13/20	3-Punkt Untergruppe	. . . using radiated signals
B64C 13/22	3-Punkt Untergruppe	. . . readily revertible to personal control
B64C 13/24	1-Punkt Untergruppe	. Transmitting means
B64C 13/26	2-Punkt Untergruppe	. . without power amplification or where power amplification is irrelevant
B64C 13/28	3-Punkt Untergruppe	. . . mechanical
B64C 13/30	4-Punkt Untergruppe	. . . . using cable, chain, or rod mechanisms
B64C 13/32	4-Punkt Untergruppe	. . . . using cam mechanisms
B64C 13/34	4-Punkt Untergruppe	. . . . using toothed gearing
B64C 13/36	3-Punkt Untergruppe	. . . fluid

Symbol	Typ	Titel
B64C 13/38	2-Punkt Untergruppe	. . with power amplification
B64C 13/40	3-Punkt Untergruppe	. . . using fluid pressure
B64C 13/42	4-Punkt Untergruppe	. . . . having duplication or stand-by provisions
B64C 13/44	4-Punkt Untergruppe	. . . . overriding of personal controls; with automatic return to inoperative position
B64C 13/46	4-Punkt Untergruppe	. . . . with artificial feel
B64C 13/48	4-Punkt Untergruppe	. . . . characterised by the fluid being gaseous
B64C 13/50	3-Punkt Untergruppe	. . . using electrical energy
<b>B64C 15/00</b>	<b>Hauptgruppe</b>	<b>Attitude, flight direction, or altitude control by jet reaction (details of jet-engine plants, e.g. of nozzles or jet pipes, F02K) [3]</b>
B64C 15/02	1-Punkt Untergruppe	. the jets being propulsion jets
B64C 15/12	2-Punkt Untergruppe	. . the power plant being tiltable
B64C 15/14	1-Punkt Untergruppe	. the jets being other than main propulsion jets (jet flaps B64C 9/38)
<b>B64C 17/00</b>	<b>Hauptgruppe</b>	<b>Aircraft stabilisation not otherwise provided for</b>
B64C 17/02	1-Punkt Untergruppe	. by gravity or inertia-actuated apparatus
B64C 17/04	2-Punkt Untergruppe	. . by pendular bodies
B64C 17/06	2-Punkt Untergruppe	. . by gyroscopic apparatus (automatic-pilot control B64C 13/18)
B64C 17/08	1-Punkt Untergruppe	. by ballast supply or discharge (for lighter-than-air aircraft B64B)
B64C 17/10	1-Punkt Untergruppe	. Transferring fuel to adjust trim
<b>B64C 19/00</b>	<b>Hauptgruppe</b>	<b>Aircraft control not otherwise provided for</b>
B64C 19/02	1-Punkt Untergruppe	. Conjoint controls
		<b><u>Influencing air-flow over aircraft surfaces, not otherwise provided for</u></b>
<b>B64C 21/00</b>	<b>Hauptgruppe</b>	<b>Influencing air-flow over aircraft surfaces by affecting boundary-layer flow (boundary-layer control in general F15D)</b>
B64C 21/02	1-Punkt Untergruppe	. by use of slot, ducts, porous areas, or the like
B64C 21/04	2-Punkt Untergruppe	. . for blowing (B64C 21/08 takes precedence)
B64C 21/06	2-Punkt Untergruppe	. . for sucking (B64C 21/08 takes precedence)
B64C 21/08	2-Punkt Untergruppe	. . adjustable
B64C 21/10	1-Punkt Untergruppe	. using other surface properties, e.g. roughness
<b>B64C 23/00</b>	<b>Hauptgruppe</b>	<b>Influencing air-flow over aircraft surfaces, not otherwise provided for</b>
B64C 23/02	1-Punkt Untergruppe	. by means of rotating members of cylindrical or similar form
B64C 23/04	1-Punkt Untergruppe	. by generating shock waves
B64C 23/06	1-Punkt Untergruppe	. by generating vortices
B64C 23/08	1-Punkt Untergruppe	. using Magnus effect
<b>B64C 25/00</b>	<b>Hauptgruppe</b>	<b>Alighting gear (air-cushion alighting gear B60V 3/08)</b>
B64C 25/02	1-Punkt Untergruppe	. Undercarriages

Symbol	Typ	Titel
B64C 25/04	2-Punkt Untergruppe	. . Arrangement or disposition on aircraft
B64C 25/06	2-Punkt Untergruppe	. . fixed
B64C 25/08	2-Punkt Untergruppe	. . non-fixed, e.g. jettisonable
B64C 25/10	3-Punkt Untergruppe	. . . retractable, foldable, or the like
B64C 25/12	4-Punkt Untergruppe	. . . . sideways
B64C 25/14	4-Punkt Untergruppe	. . . . fore-and-aft
B64C 25/16	4-Punkt Untergruppe	. . . . Fairings movable in conjunction with undercarriage elements
B64C 25/18	4-Punkt Untergruppe	. . . . Operating mechanisms
B64C 25/20	5-Punkt Untergruppe	. . . . . mechanical
B64C 25/22	5-Punkt Untergruppe	. . . . . fluid
B64C 25/24	5-Punkt Untergruppe	. . . . . electric
B64C 25/26	5-Punkt Untergruppe	. . . . . Control or locking systems therefor
B64C 25/28	6-Punkt Untergruppe	. . . . . with indicating or warning devices
B64C 25/30	6-Punkt Untergruppe	. . . . . emergency actuated
B64C 25/32	1-Punkt Untergruppe	. characterised by elements which contact the ground or similar surface (arrester hooks B64C 25/68)
B64C 25/34	2-Punkt Untergruppe	. . wheeled type, e.g. multi-wheeled bogies
B64C 25/36	3-Punkt Untergruppe	. . . Arrangements or adaptations of wheels, tyres, or axles in general (construction of wheels or axles B60B; construction of tyres in general B60C)
B64C 25/38	2-Punkt Untergruppe	. . endless-track type
B64C 25/40	2-Punkt Untergruppe	. . the elements being rotated before touch-down
B64C 25/42	2-Punkt Untergruppe	. . Arrangement or adaptation of brakes (the ground braking force being regulated, at least in part, by a speed condition, e.g. acceleration or deceleration of the ground engaging alighting gear, B60T 8/32) [4]
B64C 25/44	3-Punkt Untergruppe	. . . Actuating mechanisms
B64C 25/46	4-Punkt Untergruppe	. . . . Brake regulators for preventing skidding or aircraft somersaulting
B64C 25/48	4-Punkt Untergruppe	. . . . differentially operated for steering purposes
B64C 25/50	2-Punkt Untergruppe	. . Steerable undercarriages; Shimmy-damping (steering devices applicable to land vehicles B62D)
B64C 25/52	2-Punkt Untergruppe	. . Skis or runners
B64C 25/54	2-Punkt Untergruppe	. . Floats
B64C 25/56	3-Punkt Untergruppe	. . . inflatable (connection of valves to inflatable elastic bodies B60C 29/00)
B64C 25/58	2-Punkt Untergruppe	. . Arrangements or adaptations of shock-absorbers or springs (shimmy-dampers B64C 25/50; vehicle suspension arrangements in general B60G; shock-absorbers <u>per se</u> F16F)
B64C 25/60	3-Punkt Untergruppe	. . . Oleo legs
B64C 25/62	3-Punkt Untergruppe	. . . Spring shock-absorbers; Springs

Symbol	Typ	Titel
B64C 25/64	4-Punkt Untergruppe	. . . . using rubber or like elements
B64C 25/66	2-Punkt Untergruppe	. . Convertible alighting gear; Combinations of different kinds of ground or like engaging elements
B64C 25/68	1-Punkt Untergruppe	. Arrestor hooks (arresting gear, e.g. on aircraft carriers, B64F)
<b><u>Aircraft kinds or components not otherwise provided for</u></b>		
<b>B64C 27/00</b>	<b>Hauptgruppe</b>	<b>Rotorcraft; Rotors peculiar thereto (alighting gear B64C 25/00)</b>
B64C 27/02	1-Punkt Untergruppe	. Gyroplanes
B64C 27/04	1-Punkt Untergruppe	. Helicopters
B64C 27/06	2-Punkt Untergruppe	. . with single rotor
B64C 27/08	2-Punkt Untergruppe	. . with two or more rotors
B64C 27/10	3-Punkt Untergruppe	. . . arranged coaxially
B64C 27/12	2-Punkt Untergruppe	. . Rotor drives
B64C 27/14	3-Punkt Untergruppe	. . . Direct drive between power plant and rotor hub
B64C 27/16	3-Punkt Untergruppe	. . . Drive of rotors by means, e.g. propellers, mounted on rotor blades
B64C 27/18	4-Punkt Untergruppe	. . . . the means being jet-reaction apparatus
B64C 27/20	1-Punkt Untergruppe	. Rotorcraft characterised by having shrouded rotors, e.g. flying platforms
B64C 27/22	1-Punkt Untergruppe	. Compound rotorcraft, i.e. aircraft using in flight the features of both aeroplane and rotorcraft
B64C 27/24	2-Punkt Untergruppe	. . with rotor blades fixed in flight to act as lifting surfaces
B64C 27/26	2-Punkt Untergruppe	. . characterised by provision of fixed wings
B64C 27/28	2-Punkt Untergruppe	. . with forward-propulsion propellers pivotable to act as lifting rotors
B64C 27/30	2-Punkt Untergruppe	. . with provision for reducing drag of inoperative rotor
B64C 27/32	1-Punkt Untergruppe	. Rotors (features common to rotors and propellers B64C 11/00)
B64C 27/33	2-Punkt Untergruppe	. . having flexing arms [3]
B64C 27/35	2-Punkt Untergruppe	. . having elastomeric joints [3]
B64C 27/37	2-Punkt Untergruppe	. . having articulated joints (B64C 27/33, B64C 27/35 take precedence) [3]
B64C 27/39	3-Punkt Untergruppe	. . . with individually articulated blades, i.e. with flapping or drag hinges [3]
B64C 27/41	3-Punkt Untergruppe	. . . with flapping hinge or universal joint, common to the blades [3]
B64C 27/43	4-Punkt Untergruppe	. . . . see-saw type, i.e. two-bladed rotor [3]
B64C 27/45	3-Punkt Untergruppe	. . . with a feathering hinge only [3]
B64C 27/46	2-Punkt Untergruppe	. . Blades
B64C 27/467	3-Punkt Untergruppe	. . . Aerodynamic features [6]
B64C 27/473	3-Punkt Untergruppe	. . . Constructional features [6]
B64C 27/48	4-Punkt Untergruppe	. . . . Root attachment to rotor head
B64C 27/50	4-Punkt Untergruppe	. . . . Blades foldable to facilitate stowage of aircraft

Symbol	Typ	Titel
B64C 27/51	1-Punkt Untergruppe	. Damping of blade movements [3]
B64C 27/52	1-Punkt Untergruppe	. Tilting of rotor bodily relative to fuselage (of see-saw type construction B64C 27/43)
B64C 27/54	1-Punkt Untergruppe	. Mechanisms for controlling blade adjustment or movement relative to rotor head, e.g. lag-lead movement
B64C 27/56	2-Punkt Untergruppe	. . characterised by the control initiating means, e.g. manually actuated (B64C 27/58 takes precedence)
B64C 27/57	3-Punkt Untergruppe	. . . automatic or condition responsive, e.g. responsive to rotor speed, torque or thrust [3]
B64C 27/58	2-Punkt Untergruppe	. . Transmitting means, e.g. interrelated with initiating means or means acting on blades (initiating means B64C 27/56; means acting on blades B64C 27/72)
B64C 27/59	3-Punkt Untergruppe	. . . mechanical [3]
B64C 27/605	4-Punkt Untergruppe	. . . . including swash plate, spider or cam mechanisms [3]
B64C 27/615	4-Punkt Untergruppe	. . . . including flaps mounted on blades [3]
B64C 27/625	4-Punkt Untergruppe	. . . . including rotating masses or servo rotors [3]
B64C 27/635	4-Punkt Untergruppe	. . . . specially for controlling lag-lead movements of blades [3]
B64C 27/64	3-Punkt Untergruppe	. . . using fluid pressure, e.g. having fluid power amplification [3]
B64C 27/68	3-Punkt Untergruppe	. . . using electrical energy, e.g. having electrical power amplification [3]
B64C 27/72	2-Punkt Untergruppe	. . Means acting on blades
B64C 27/78	2-Punkt Untergruppe	. . in association with pitch adjustment of blades of anti-torque rotor
B64C 27/80	2-Punkt Untergruppe	. . for differential adjustment of blade pitch between two or more lifting rotors
B64C 27/82	1-Punkt Untergruppe	. characterised by the provision of an auxiliary rotor or fluid-jet device for counter-balancing lifting-rotor torque or changing direction of rotorcraft
<b>B64C 29/00</b>	<b>Hauptgruppe</b>	<b>Aircraft capable of landing or taking-off vertically (attitude, flight direction, or altitude control by jet reaction B64C 15/00; rotorcraft B64C 27/00; air-cushion vehicles B60V; details of jet-engine plants, e.g. of nozzles or jet pipes, F02K)</b>
B64C 29/02	1-Punkt Untergruppe	. having its flight directional axis vertical when grounded
B64C 29/04	2-Punkt Untergruppe	. . characterised by jet-reaction propulsion
<b>B64C 30/00</b>	<b>Hauptgruppe</b>	<b>Supersonic type aircraft [3]</b>
<b>B64C 31/00</b>	<b>Hauptgruppe</b>	<b>Aircraft intended to be sustained without power plant; Powered hang-glider-type aircraft; Microlight-type aircraft</b>
B64C 31/02	1-Punkt Untergruppe	. Gliders, e.g. sailplanes (hang-gliders B64C 31/028) [6]
B64C 31/024	2-Punkt Untergruppe	. . with auxiliary power plant [6]
B64C 31/028	1-Punkt Untergruppe	. Hang-glider-type aircraft; Microlight-type aircraft [6]
B64C 31/032	2-Punkt Untergruppe	. . having delta shaped wing [6]
B64C 31/036	2-Punkt Untergruppe	. . having parachute-type wing (parachutes B64D 17/00) [6]
B64C 31/04	1-Punkt Untergruppe	. Man-powered aircraft (ornithopters B64C 33/00)
B64C 31/06	1-Punkt Untergruppe	. Kites (hang-gliders B64C 31/028; toy aspects A63H 27/08; towed targets F41J)
<b>B64C 33/00</b>	<b>Hauptgruppe</b>	<b>Ornithopters</b>
B64C 33/02	1-Punkt Untergruppe	. Wings; Actuating mechanisms therefor



Symbol	Typ	Titel
<b>B64C 35/00</b>	<b>Hauptgruppe</b>	<b>Flying-boats; Seaplanes (alighting gear B64C 25/00)</b>
B64C 35/02	1-Punkt Untergruppe	. Flying-boat hulls [3]
<b>B64C 37/00</b>	<b>Hauptgruppe</b>	<b>Convertible aircraft (vehicles capable of travelling in or on different media B60F)</b>
B64C 37/02	1-Punkt Untergruppe	. Flying units formed by separate aircraft (towing, air-refuelling, or aircraft-carrying aircraft B64D)
<b>B64C 39/00</b>	<b>Hauptgruppe</b>	<b>Aircraft not otherwise provided for</b>
B64C 39/02	1-Punkt Untergruppe	. characterised by special use
B64C 39/04	1-Punkt Untergruppe	. having multiple fuselages or tail booms [3]
B64C 39/06	1-Punkt Untergruppe	. having disc- or ring-shaped wings [3]
B64C 39/08	1-Punkt Untergruppe	. having multiple wings [3]
B64C 39/10	1-Punkt Untergruppe	. All-wing aircraft [3]
B64C 39/12	1-Punkt Untergruppe	. Canard-type aircraft [3]