E	Sektion	SECTION E — FIXED CONSTRUCTIONS
E05	Klasse	LOCKS; KEYS; WINDOW OR DOOR FITTINGS; SAFES
E05B	Unterklasse	LOCKS; ACCESSORIES THEREFOR; HANDCUFFS
		Parts of locks or the like mountable on or in wings
E05B 1/00	Hauptgruppe	Knobs or handles for wings (for furniture A47B 95/02); Knobs, handles, or press buttons for locks or latches on wings (E05B 5/00, E05B 7/00 take precedence)
E05B 1/02	1-Punkt Untergruppe	. of solid material
E05B 1/04	1-Punkt Untergruppe	. with inner rigid member and outer cover or covers
E05B 1/06	1-Punkt Untergruppe	. of sheet material
E05B 3/00	Hauptgruppe	Fastening handles to lock or latch parts
E05B 3/02	1-Punkt Untergruppe	. Fastening handles to the spindle by pinning or riveting
E05B 3/04	1-Punkt Untergruppe	. Fastening the handle shank to the spindle by screws, springs, or snap bolts
E05B 3/06	1-Punkt Untergruppe	. by means arranged in or on the rose
E05B 3/08	1-Punkt Untergruppe	. Fastening the spindle to the follower
E05B 3/10	1-Punkt Untergruppe	. by a bipartite or cleft spindle in the follower or in the handle shank
E05B 5/00	Hauptgruppe	Handles completely let into the surface of the wing
E05B 5/02	1-Punkt Untergruppe	. able to be turned outwards before operation
E05B 5/04	1-Punkt Untergruppe	. able to be shifted parallel to the wing after being pulled out
E05B 7/00	Hauptgruppe	Handles pivoted about an axis parallel to the wing (E05B 5/00 takes precedence)
E05B 9/00	Hauptgruppe	Lock or latch-mechanism casings (padlock casings E05B 67/02)
E05B 9/02	1-Punkt Untergruppe	. of latch-bolt locks
E05B 9/04	1-Punkt Untergruppe	. of cylinder locks
E05B 9/06	1-Punkt Untergruppe	. Fastening together the parts of casings
E05B 9/08	1-Punkt Untergruppe	. Fastening the casings of latch-bolt locks or cylinder locks to the wing
E05B 9/10	1-Punkt Untergruppe	. Coupling devices for the two halves of double cylinder locks
E05B 11/00	Hauptgruppe	Devices preventing keys from being removed from the lock
E05B 11/02	1-Punkt Untergruppe	. before the wing is locked
E05B 11/04	1-Punkt Untergruppe	. before the wing is closed
E05B 11/06	1-Punkt Untergruppe	. for catching skeleton or incorrect keys
E05B 13/00	Hauptgruppe	Devices preventing the key or the handle or both from being used
E05B 13/02	1-Punkt Untergruppe	. shaped as sectors of escutcheons, arranged in the keyhole
E05B 13/04	1-Punkt Untergruppe	. shaped as fork-like implements grasping and fixing the key
E05B 13/06	1-Punkt Untergruppe	. shaped as bolt detents arranged in the path of motion of the key bit
E05B 13/08	1-Punkt Untergruppe	. formed by longitudinal bolt or cross-bar connecting the handle with a stationary lock part or fitting
E05B 13/10	1-Punkt Untergruppe	. formed by a lock arranged in the handle

Symbol	Тур	Titel
E05B 15/00	Hauptgruppe	Other details of locks; Parts for engagement by bolts of fastening devices (fastening devices for wings other than locks or associated with locks E05C)
E05B 15/02	1-Punkt Untergruppe	. Striking-plates; Keepers; Bolt staples; Escutcheons
E05B 15/04	1-Punkt Untergruppe	. Spring arrangements in locks
E05B 15/06	1-Punkt Untergruppe	. Lock wards
E05B 15/08	1-Punkt Untergruppe	. Key guides; Key pins
E05B 15/10	1-Punkt Untergruppe	. Bolts of locks or night latches
E05B 15/12	1-Punkt Untergruppe	. Pins or detents for locking bolts
E05B 15/14	1-Punkt Untergruppe	. Tumblers
E05B 15/16	1-Punkt Untergruppe	. Use of special materials for parts of locks (for handles E05B 1/00)
E05B 17/00	Hauptgruppe	Accessories in connection with locks (locks with indicating or timing devices E05B 39/00-E05B 45/00; buffers E05F 5/00; means for preventing rattling of wings E05F 7/04; means for taking the weight of the wing E05F 7/06) [4]
E05B 17/02	1-Punkt Untergruppe	. Coupling devices for double doors, i.e. two doors one behind the other and hinged on the same side
E05B 17/04	1-Punkt Untergruppe	. Devices for coupling the turning cylinder of a single or double cylinder lock with the bolt-operating member
E05B 17/06	1-Punkt Untergruppe	. Templates for marking the position of apertures in fittings of wings
E05B 17/08	1-Punkt Untergruppe	. Lubricating devices
E05B 17/10	1-Punkt Untergruppe	. Illuminating devices on, or for, locks or keys
E05B 17/12	1-Punkt Untergruppe	. Devices for removing keys stuck in the lock
E05B 17/14	1-Punkt Untergruppe	. Closures or guards for keyholes
E05B 17/16	2-Punkt Untergruppe	shaped as pins or key bits
E05B 17/18	2-Punkt Untergruppe	shaped as lids or slides
E05B 17/20	1-Punkt Untergruppe	. Means independent of the locking mechanism for preventing unauthorised opening, e.g. for securing the bolt in the fastening position (pins or detents E05B 15/12) [4]
E05B 17/22	1-Punkt Untergruppe	. Means for operating or controlling lock or fastening device accessories, i.e. other than the fastening members, e.g. switches, indicators [4]
E05B 19/00	Hauptgruppe	Keys; Accessories therefor (making keys, <u>see</u> the relevant places, e.g. B21D 53/42; milling
		grooves in keys B23C 3/35)
E05B 19/02	1-Punkt Untergruppe	. Construction of the shank of the key
E05B 19/04	1-Punkt Untergruppe	. Construction of the bow of the key; Construction of flat keys
E05B 19/06	1-Punkt Untergruppe	. Key bits; Flat key bits
E05B 19/08	2-Punkt Untergruppe	Special forms of key bits, e.g. double key bits, folding key bits
E05B 19/10	1-Punkt Untergruppe	. Fastening the key bit and bow on the shank of the key
E05B 19/12	1-Punkt Untergruppe	. Keys with several bits moving relatively to each other when in use
E05B 19/14	1-Punkt Untergruppe	. Double keys

Symbol Typ			2005
E038 19/18 1-Punkt Untergruppe Keys adjustable before use E038 19/20 1-Punkt Untergruppe Skeleton keys, Devices for picking locks, Other devices for similar purposes E038 19/22 1-Punkt Untergruppe Keys with devices for indicating whether the last operation was locking or unlocking E038 19/24 1-Punkt Untergruppe Keys defininguishing marks E038 19/25 Punkt Untergruppe Locks with trotary, keys moving lameliliform tumblers perpendicular to the key E038 21/00 Hauptgruppe Locks with tumblers not following the movement of the bolt E038 21/01 Punkt Untergruppe Cylinder locks, e.g., prosector locks E038 21/01 Punkt Untergruppe Cylinder locks, e.g., prosector locks E038 23/01 Punkt Untergruppe Cylinder locks, e.g., prosector locks E038 23/01 Punkt Untergruppe Locks with tumblers following the movement of the bolt E038 23/01 Punkt Untergruppe With tumblers in the cut-out of which the key bit is moved E038 23/01 Punkt Untergruppe With tumblers in which the stop pin is guided from one locked position to the other along a curved path E038 23/01 Punkt Untergruppe With tumblers in which the stop pin is guided from one locked position to the other along a curved path E038 23/01 Punkt Untergruppe With tumblers in which the stop pin is guided from one locked position to the other along a curved path E038 23/01 Punkt Untergruppe With tumblers in which the stop pin is guided from one locked position to the other along a curved path E038 23/01 Punkt Untergruppe With tumblers in which the stop pin is guided from one locked position to the other along a curved path E038 23/01 Punkt Untergruppe With tumblers with movebbe pawks engaging the key E038 23/01 Punkt Untergruppe With tumblers with movebbe pawks engaging the key E038 23/01 Punkt Untergruppe With tumblers formed to engage one another to determine their unlocked position E038 23/01 Punkt Untergruppe With tumblers formed to engage one another to determine their unlocked position E038 23/01 Punkt Untergruppe	Symbol	Тур	Titel
E058 19/20 1-Punkt Untergruppe . Keys with devices for picking locks, Other devices for similar purposes E058 19/24 1-Punkt Untergruppe . Keys with devices for picking whether the last operation was locking or unlocking E058 19/26 1-Punkt Untergruppe . Keys with devices for indicating whether the last operation was locking or unlocking E058 19/26 1-Punkt Untergruppe . Meet of special materials for keys Locks with trather keys E058 21/00 1-Punkt Untergruppe . Joe of special materials for keys E058 21/01 1-Punkt Untergruppe . with Identical tumblers E058 21/02 1-Punkt Untergruppe . with Identical tumblers E058 21/03 1-Punkt Untergruppe . with storp pins on the tumbler (E058 21/02 takes precedence) E058 21/03 1-Punkt Untergruppe . Locks with tumblers in the cut-out of which the key lit is moved E058 25/03 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction E058 25/03 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path E058 25/03 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path E058 25/03 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path E058 25/03 1-Punkt Untergruppe . with tumblers in make the stop pin is guided from one locked position to the other along a curved path E058 25/03 1-Punkt Untergruppe . with tumblers from the stop pin is guided from one locked position to the other along a curved path E058 25/03 1-Punkt Untergruppe . with tumblers from the stop pin is guided from one locked position to the other along a curved path E058 25/03 1-Punkt Untergruppe . with tumblers from enter see set by pushing the key in E058 25/03 1-Punkt Untergruppe . perseted by the edge of the key E058 25/03 1-Punkt Untergruppe . perseted by the edge of the key E058 25/03 1-Punkt Untergruppe . perseted by the e	E05B 19/16	1-Punkt Untergruppe	. Extremely thin keys acting without rotation
E058 19/22 1-Punkt Untergruppe Keys with devices for indicating whether the last operation was locking or unlocking E058 19/26 1-Punkt Untergruppe Key-distinguishing marks E058 19/26 Punkt Untergruppe Locks with tramblers for keys E058 21/00 Hauptgruppe Locks with tramblers not following the movement of the bolt E058 21/00 Punkt Untergruppe with identical tumblers E058 21/00 Punkt Untergruppe with storp pins on the tumbler (E058 21/02 takes precedence) E058 21/00 Punkt Untergruppe with storp pins on the tumbler (E058 21/02 takes precedence) E058 21/00 Punkt Untergruppe Cocks with sumblers following the movement of the bolt E058 23/00 Hauptgruppe Locks with sumblers following the movement of the bolt E058 25/00 Punkt Untergruppe with tumblers following the movement of the bolt E058 25/00 Punkt Untergruppe with tumblers in the cut-out of which the key bit is moved E058 25/00 Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction E058 25/00 Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction E058 25/00 Punkt Untergruppe with tumblers with movable pawls engaging the key E058 27/00 Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position E058 27/00 Punkt Untergruppe penated by the edge of the key E058 27/00 Punkt Untergruppe penated by the edge of the key E058 27/00 Punkt Untergruppe penated by other surfaces of the key, e.g., openings receiving projections on the tumblers E058 29/00 Punkt Untergruppe penated by other surfaces of the key, e.g., openings receiving projections on the tumblers E058 29/00 Punkt Untergruppe penated by other surfaces of the key, e.g., openings receiving projections on the tumblers E058 29/00 Punkt Untergruppe penated by other surfaces of the key E058 29/00 Punkt Untergruppe penate	E05B 19/18	1-Punkt Untergruppe	. Keys adjustable before use
E058 1974 1-Punkt Untergruppe Use of special materials for keys	E05B 19/20	1-Punkt Untergruppe	. Skeleton keys; Devices for picking locks; Other devices for similar purposes
E058 23/00 Hauptgruppe Use of special materials for keys Locks with tratary keys moving lamelliform tumblers perpendicular to the key Locks with tumblers not following the movement of the bolt	E05B 19/22	1-Punkt Untergruppe	. Keys with devices for indicating whether the last operation was locking or unlocking
EOSB 21/00 Hauptgruppe Locks with tumblers not following the movement of the bolt EOSB 22/02 1-Punkt Untergruppe with identical tumblers EOSB 21/04 1-Punkt Untergruppe with stop pins on the tumbler (EOSB 21/02 takes precedence) EOSB 21/06 1-Punkt Untergruppe 2-Vilinder locks, e.g., protector locks EOSB 23/00 Hauptgruppe Locks with tumblers following the movement of the bolt EOSB 25/00 1-Punkt Untergruppe Locks with special tumblers EOSB 25/00 1-Punkt Untergruppe with tumblers in the cut-out of which the key bit is moved EOSB 25/00 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction EOSB 25/00 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin is guided from one locked position to the other along a curved path the stop pin stop pink the stop pink the stop pink the stop p	E05B 19/24	1-Punkt Untergruppe	. Key-distinguishing marks
ESB 21/00 Hauptgruppe Locks with tumblers not following the movement of the bolt 658 21/02 1-Punkt Untergruppe with identical tumblers 658 21/04 1-Punkt Untergruppe with stop pins on the tumbler (EOSB 21/02 takes precedence) 658 21/06 1-Punkt Untergruppe Locks with tumblers following the movement of the bolt 658 25/06 Hauptgruppe Locks with tumblers following the movement of the bolt 658 25/06 1-Punkt Untergruppe with tumblers in the cut-out of which the key bit is moved 658 25/06 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction 658 25/06 1-Punkt Untergruppe with tumblers with movable pawls engaging the key 658 25/06 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position 658 25/06 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position 658 25/06 1-Punkt Untergruppe Cylinder locks with tumbler pins or balls 658 27/06 2-Punkt Untergruppe - operated by the edge of the key 658 27/06 2-Punkt Untergruppe - operated by other surfaces of the key, e.g. openings receiving pro	E05B 19/26	1-Punkt Untergruppe	. Use of special materials for keys
E058 21/04 1-Punkt Untergruppe with stop pins on the tumblers (E058 21/02 takes precedence) E058 21/06 1-Punkt Untergruppe cylinder locks. e.g. protector locks E058 23/00 Hauptgruppe Locks with tumblers following the movement of the bolt E058 25/00 Hauptgruppe Locks with special tumblers E058 25/00 Hauptgruppe Locks with special tumblers E058 25/00 1-Punkt Untergruppe with tumblers in the cut-out of which the key bit is moved E058 25/00 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction E058 25/06 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction E058 25/06 1-Punkt Untergruppe with tumblers with movable pawls engaging the key E058 25/08 1-Punkt Untergruppe with tumblers with movable pawls engaging the key E058 27/00 Hauptgruppe Cylinder locks with tumbler are set by pushing the key in E058 27/00 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position E058 27/00 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position E058 27/00 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position E058 27/00 1-Punkt Untergruppe with tumblers are set by pushing the key in E058 27/00 1-Punkt Untergruppe with tumblers are set by pushing the key in E058 27/00 1-Punkt Untergruppe with tumblers are set by pushing the key in E058 27/00 1-Punkt Untergruppe with tumblers are set by pushing the key in E058 29/00 1-Punkt Untergruppe with tumblers surfaces of the key with tumblers projections on the tumblers E058 29/00 1-Punkt Untergruppe with tumblers are set by the edge of the key E058 29/00 1-Punkt Untergruppe with tumblers pushed by the edge of the key E058 29/00 1-Punkt Untergruppe with tumblers pushed by the edge of the key E058 29/00 1-Punkt Untergruppe with tumblers pushed by the edge of the key E058 29/00 1-Punkt Untergrupp			Locks with rotary keys moving lamelliform tumblers perpendicular to the key
E058 21/04 1-Punkt Untergruppe . with stop pins on the tumbler (E058 21/02 takes precedence)	E05B 21/00	Hauptgruppe	Locks with tumblers not following the movement of the bolt
COSB 21/06 1. Punkt Untergruppe C. Cylinder locks, e.g., protector locks EOSB 23/00 Hauptgruppe Locks with tumblers following the movement of the bolt EOSB 25/02 1. Punkt Untergruppe . with tumblers in the cut-out of which the key bit is moved EOSB 25/04 1. Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction EOSB 25/06 1. Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path EOSB 25/06 1. Punkt Untergruppe . with tumblers with movable pawls engaging the key EOSB 25/00 1. Punkt Untergruppe . with tumblers with movable pawls engaging the key EOSB 27/00 Hauptgruppe Cylinder locks with tumbler pins or balls EOSB 27/02 1. Punkt Untergruppe . operated by the edge of the key EOSB 27/03 2. Punkt Untergruppe . operated by the edge of the key EOSB 27/06 2. Punkt Untergruppe . arranged radially in one row EOSB 27/08 2. Punkt Untergruppe . operated by the surfaces of the key, e.g. openings receiving projections on the tumblers EOSB 29/00 Hauptgruppe Operated by the edge of the key	E05B 21/02	1-Punkt Untergruppe	. with identical tumblers
EOSB 23/00 Hauptgruppe Hauptgruppe Locks with special tumblers Locks with special tumblers EOSB 25/02 1-Punkt Untergruppe . with tumblers in the cut-out of which the key bit is moved EOSB 25/04 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path EOSB 25/06 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path EOSB 25/08 1-Punkt Untergruppe . with tumblers with movable pawls engaging the key EOSB 25/10 1-Punkt Untergruppe . with tumblers formed to engage one another to determine their unlocked position EOSB 27/00 Hauptgruppe Operated by the edge of the key EOSB 27/02 1-Punkt Untergruppe . arranged radially in one row EOSB 27/04 2-Punkt Untergruppe . arranged radially in more than one row EOSB 27/10 1-Punkt Untergruppe . operated by other surfaces of the key, e.g. openings receiving projections on the tumblers EOSB 27/10 1-Punkt Untergruppe . operated by other surfaces of the key, e.g. openings receiving projections on the tumblers EOSB 29/10 1-Punkt Untergruppe . operated by the edge of the key EOSB 29/10	E05B 21/04	1-Punkt Untergruppe	. with stop pins on the tumbler (E05B 21/02 takes precedence)
E05B 25/00 Hauptgruppe Locks with special tumblers E05B 25/02 1-Punkt Untergruppe . with tumblers in the cut-out of which the key bit is moved E05B 25/04 1-Punkt Untergruppe . with tumblers in which the stop pin is guided from one locked position to the other along a curved path E05B 25/08 1-Punkt Untergruppe . with tumblers with movable pawls engaging the key E05B 25/09 1-Punkt Untergruppe . with tumblers formed to engage one another to determine their unlocked position E05B 27/00 Hauptgruppe Cylinder locks with tumblers are set by pushing the key in E05B 27/00 1-Punkt Untergruppe . operated by the edge of the key E05B 27/02 1-Punkt Untergruppe . arranged radially in one row E05B 27/06 2-Punkt Untergruppe . arranged axially E05B 27/06 2-Punkt Untergruppe . arranged axially E05B 27/06 2-Punkt Untergruppe . operated by other surfaces of the key, e.g. openings receiving projections on the tumblers E05B 27/06 1-Punkt Untergruppe . operated by other surfaces of the key, e.g. openings receiving projections on the tumblers E05B 29/00 1-Punkt Untergruppe . operated by the edge of the key E05B 29/04	E05B 21/06	1-Punkt Untergruppe	. Cylinder locks, e.g. protector locks
1-Punkt Untergruppe with tumblers in the cut-out of which the key bit is moved 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other along a curved path 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other along a curved path 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position 1-Punkt Untergruppe with tumblers are set by pushing the key in 1-Punkt Untergruppe with with the tumblers are set by pushing the key in 1-Punkt Untergruppe with with a degree of the key 1-Punkt Untergruppe with with with with a degree of the key 1-Punkt Untergruppe with with with with a degree of the key 1-Punkt Untergruppe with with with a degree of the key, e.g., openings receiving projections on the tumblers 1-Punkt Untergruppe with a operated by other surfaces of the key, e.g., openings receiving projections on the tumblers 1-Punkt Untergruppe with with a degree of the key 1-Punkt Untergruppe with untergruppe with a operated by the edge of the key 1-Punkt Untergruppe with with a degree of the key 1-Punkt Untergruppe with with a degree of the key 1-Punkt Untergruppe with with with with with with with with	E05B 23/00	Hauptgruppe	Locks with tumblers following the movement of the bolt
E05B 25/04 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction in the position of the other in an inclined direction in the position of the other in an inclined direction in the position of the other along a curved path in the position in the position of the other along a curved path in the position in the position of the other along a curved path in the position in the position in the other along a curved path in the position in	E05B 25/00	Hauptgruppe	Locks with special tumblers
E058 25/06 1-Punkt Untergruppe with tumblers in which the stop pin is guided from one locked position to the other along a curved path E058 25/08 1-Punkt Untergruppe with tumblers with movable pawls engaging the key E058 25/10 1-Punkt Untergruppe with tumblers formed to engage one another to determine their unlocked position E058 27/00 1-Punkt Untergruppe with tumblers are set by pushing the key in Cylinder locks with tumbler pins or balls E058 27/02 1-Punkt Untergruppe with endge of the key E058 27/04 2-Punkt Untergruppe with endge of the key E058 27/06 2-Punkt Untergruppe with a will will will will will will will wi	E05B 25/02		. with tumblers in the cut-out of which the key bit is moved
E05B 25/08	E05B 25/04	1-Punkt Untergruppe	. with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction
E05B 25/10	E05B 25/06	1-Punkt Untergruppe	. with tumblers in which the stop pin is guided from one locked position to the other along a curved path
E05B 27/00 Hauptgruppe Cylinder locks with tumbler pins or balls E05B 27/02 1-Punkt Untergruppe - operated by the edge of the key E05B 27/04 2-Punkt Untergruppe - arranged radially in one row E05B 27/06 2-Punkt Untergruppe - arranged radially in more than one row E05B 27/08 2-Punkt Untergruppe - arranged axially E05B 27/10 1-Punkt Untergruppe - operated by other surfaces of the key, e.g. openings receiving projections on the tumblers E05B 29/00 Hauptgruppe Cylinder locks with plate tumblers E05B 29/02 1-Punkt Untergruppe - operated by the edge of the key E05B 29/04 2-Punkt Untergruppe - arranged singly E05B 29/06 2-Punkt Untergruppe - arranged in pairs E05B 29/08 1-Punkt Untergruppe - operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe - operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe - operated by a curved rib E05B 29/14 1-Punkt Untergruppe - operated by a curved rib E05B 31/00 Hauptgruppe - with both axially and radially arranged plate tumblers <td>E05B 25/08</td> <td>1-Punkt Untergruppe</td> <td>. with tumblers with movable pawls engaging the key</td>	E05B 25/08	1-Punkt Untergruppe	. with tumblers with movable pawls engaging the key
E05B 27/02 1-Punkt Untergruppe . operated by the edge of the key E05B 27/04 2-Punkt Untergruppe . arranged radially in one row E05B 27/06 2-Punkt Untergruppe . arranged radially in more than one row E05B 27/06 2-Punkt Untergruppe . arranged radially in more than one row E05B 27/06 2-Punkt Untergruppe . arranged radially E05B 27/06 1-Punkt Untergruppe . operated by other surfaces of the key, e.g. openings receiving projections on the tumblers E05B 29/00 1-Punkt Untergruppe . operated by the edge of the key E05B 29/02 1-Punkt Untergruppe . operated by the edge of the key E05B 29/04 2-Punkt Untergruppe . arranged singly E05B 29/06 2-Punkt Untergruppe . arranged in pairs E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe . operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe . operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 25/10	1-Punkt Untergruppe	. with tumblers formed to engage one another to determine their unlocked position
E05B 27/02			Locks of which the tumblers are set by pushing the key in
E05B 27/04 2-Punkt Untergruppe arranged radially in more than one row E05B 27/06 2-Punkt Untergruppe arranged axially E05B 27/10 1-Punkt Untergruppe operated by other surfaces of the key, e.g. openings receiving projections on the tumblers E05B 29/00 Hauptgruppe Cylinder locks with plate tumblers E05B 29/02 1-Punkt Untergruppe arranged singly E05B 29/04 2-Punkt Untergruppe arranged singly E05B 29/06 2-Punkt Untergruppe arranged in pairs E05B 29/08 1-Punkt Untergruppe operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 27/00	Hauptgruppe	Cylinder locks with tumbler pins or balls
E05B 27/06 2-Punkt Untergruppe arranged radially in more than one row E05B 27/08 2-Punkt Untergruppe arranged axially E05B 27/10 1-Punkt Untergruppe operated by other surfaces of the key, e.g. openings receiving projections on the tumblers E05B 29/00 Hauptgruppe Cylinder locks with plate tumblers E05B 29/02 1-Punkt Untergruppe . operated by the edge of the key E05B 29/04 2-Punkt Untergruppe arranged singly E05B 29/06 2-Punkt Untergruppe arranged in pairs E05B 29/08 1-Punkt Untergruppe operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/14 1-Punkt Untergruppe with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 27/02	1-Punkt Untergruppe	. operated by the edge of the key
E05B 27/08 2-Punkt Untergruppe arranged axially E05B 29/00 Hauptgruppe Cylinder locks with plate tumblers E05B 29/02 1-Punkt Untergruppe operated by the edge of the key E05B 29/04 2-Punkt Untergruppe arranged singly E05B 29/06 2-Punkt Untergruppe arranged in pairs E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 1-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 27/04	2-Punkt Untergruppe	arranged radially in one row
E05B 29/00 Hauptgruppe Cylinder locks with plate tumblers E05B 29/02 1-Punkt Untergruppe . operated by the edge of the key E05B 29/04 2-Punkt Untergruppe . arranged singly E05B 29/06 2-Punkt Untergruppe . operated by other surfaces of the key E05B 29/06 2-Punkt Untergruppe . operated by other surfaces of the key E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe . operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe . operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 27/06	2-Punkt Untergruppe	arranged radially in more than one row
E05B 29/00 Hauptgruppe Cylinder locks with plate tumblers E05B 29/02 1-Punkt Untergruppe operated by the edge of the key E05B 29/04 2-Punkt Untergruppe or arranged singly E05B 29/06 2-Punkt Untergruppe or arranged in pairs E05B 29/08 1-Punkt Untergruppe or operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe or operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe or operated by a curved rib E05B 29/14 1-Punkt Untergruppe or with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 27/08	2-Punkt Untergruppe	arranged axially
E05B 29/02 1-Punkt Untergruppe . operated by the edge of the key E05B 29/04 2-Punkt Untergruppe arranged singly E05B 29/06 2-Punkt Untergruppe arranged in pairs E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 27/10	1-Punkt Untergruppe	. operated by other surfaces of the key, e.g. openings receiving projections on the tumblers
E05B 29/04 2-Punkt Untergruppe arranged singly E05B 29/06 2-Punkt Untergruppe arranged in pairs E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/00	Hauptgruppe	Cylinder locks with plate tumblers
E05B 29/06 2-Punkt Untergruppe arranged in pairs E05B 29/08 1-Punkt Untergruppe operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/02	1-Punkt Untergruppe	. operated by the edge of the key
E05B 29/08 1-Punkt Untergruppe . operated by other surfaces of the key E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/04	2-Punkt Untergruppe	arranged singly
E05B 29/10 2-Punkt Untergruppe operated by a curved groove or slot E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/06	2-Punkt Untergruppe	arranged in pairs
E05B 29/12 2-Punkt Untergruppe operated by a curved rib E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/08	1-Punkt Untergruppe	. operated by other surfaces of the key
E05B 29/14 1-Punkt Untergruppe . with both axially and radially arranged plate tumblers E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/10	2-Punkt Untergruppe	operated by a curved groove or slot
E05B 31/00 Hauptgruppe Cylinder locks with both tumbler pins or balls and plate tumblers	E05B 29/12	2-Punkt Untergruppe	operated by a curved rib
	E05B 29/14	1-Punkt Untergruppe	. with both axially and radially arranged plate tumblers
E05B 33/00 Hauptgruppe Cylinder locks in which the bolt is moved by means other than the key	E05B 31/00	Hauptgruppe	Cylinder locks with both tumbler pins or balls and plate tumblers
	E05B 33/00	Hauptgruppe	Cylinder locks in which the bolt is moved by means other than the key

Symbol	Тур	Titel
E05B 35/00	Hauptgruppe	Locks for use with special keys or a plurality of keys
E05B 35/02	1-Punkt Untergruppe	. which can be shifted laterally
E05B 35/04	1-Punkt Untergruppe	. for pull keys
E05B 35/06	1-Punkt Untergruppe	. for screw keys
E05B 35/08	1-Punkt Untergruppe	. operable by a plurality of keys
E05B 35/10	2-Punkt Untergruppe	with master and pass keys
E05B 35/12	2-Punkt Untergruppe	requiring the use of two keys, e.g. safe-deposit locks
E05B 35/14	1-Punkt Untergruppe	. with keys of which different parts operate separate mechanisms
E05B 37/00	Hauptgruppe	Permutation locks (electric permutation locks E05B 49/00; for bicycles E05B 71/02); Puzzle locks
E05B 37/02	1-Punkt Untergruppe	. with tumbler discs or rings arranged on a single axis, each disc being adjustable independently of the others
E05B 37/04	1-Punkt Untergruppe	. with tumbler discs on a single axis, all the discs being adjustable by rotating a shiftable knob
E05B 37/06	2-Punkt Untergruppe	in padlocks
E05B 37/08	1-Punkt Untergruppe	. with tumbler discs on a single axis, all the discs being adjustable by a rotary knob which is not shifted
E05B 37/10	2-Punkt Untergruppe	in padlocks
E05B 37/12	1-Punkt Untergruppe	. with tumbler discs on several axes
E05B 37/14	2-Punkt Untergruppe	in padlocks
E05B 37/16	1-Punkt Untergruppe	. with two or more push or pull knobs, slides, or the like
E05B 37/18	2-Punkt Untergruppe	in padlocks
E05B 37/20	1-Punkt Untergruppe	. Puzzle locks
E05B 37/22	2-Punkt Untergruppe	in padlocks
		Locks with indicating or timing devices
E05B 39/00	Hauptgruppe	Locks giving indication of unauthorised unlocking
E05B 39/02	1-Punkt Untergruppe	. with destructible seal closures or paper closures (seals <u>per se</u> G09F 3/00) [4]
E05B 39/04	1-Punkt Untergruppe	. with counting or registering devices
E05B 41/00	Hauptgruppe	Locks with visible indication as to whether the lock is locked or unlocked
E05B 43/00	Hauptgruppe	Time locks (clocks or clock mechanisms with attached or built-in means operating any device at preselected times or after a predetermined time interval G04C 23/00)
E05B 45/00	Hauptgruppe	Alarm locks (alarm devices actuated by tampering with fastenings in general G08B)
E05B 45/02	1-Punkt Untergruppe	. with mechanically-operated bells
E05B 45/04	1-Punkt Untergruppe	. with detonating alarm devices
E05B 45/06	1-Punkt Untergruppe	. Electric alarm locks
E05B 45/08	2-Punkt Untergruppe	with contact making inside the lock or in the striking plate
E05B 45/10	3-Punkt Untergruppe	by introducing the key
E05B 45/12	3-Punkt Untergruppe	by movement of the bolt

Destration or control of locks by non-mechanical means, e.g., from a distance (locking doors simultaneously in passenger vehicles £088 £336; key switches (1901 £27/00)	Symbol	Тур	Titel
simultaneously in passanger vehicles 5038 5336, key switches 1001 27/00) Operating or controlling locks or other fastening devices by electric or magnetic means (electric permutation locks 503 8 4006 holding in open position or limiting movement of wings by magnetic or electromagnetic attraction 805 17/50 [2] 2058 47/02 1-Punkt Untergruppe . Adaptation or flocks, latches, or parts thereof, for movement of the bolt by electromagnetic means 2-Punkt Untergruppe . Controlling mechanically-operated bolts by electromagnetically-operated detents 2-Punkt Untergruppe . With electrical arrangements inside the lock 2-Punkt Untergruppe . With electrical arrangements inside the lock 2-Punkt Untergruppe . With electrical arrangements inside the lock 2-Punkt Untergruppe . With electrical arrangements inside the lock 2-Punkt Untergruppe . Undergruppe . Punkt Untergruppe . Punkt Unt	E05B 45/14	2-Punkt Untergruppe	with contact making outside the lock
permutation locks 6038 49/00; holding in open position or limiting movement of wings by magnetic arteraction E05C 17/56 [2] 1-Punkt Untergruppe			
2-Punkt Untergruppe for unlocking only 2-Punkt Untergruppe the bolt being withdrawn by a spring which is stressed by closing the wing E858 47/08 2-Punkt Untergruppe Electric permutation locks; Circuits therefor E858 49/00 Hauptgruppe Electric permutation locks; Circuits therefor E858 49/00 1-Punkt Untergruppe with electrical arrangements inside the lock E858 84/00 1-Punkt Untergruppe with electrical arrangements outside the lock E858 84/00 1-Punkt Untergruppe by pneumatic or hydraulic means E858 51/00 1-Punkt Untergruppe by pneumatic or hydraulic means E858 51/00 1-Punkt Untergruppe by pneumatic or hydraulic means E858 55/00 1-Punkt Untergruppe the bolt being secured by the tumbler E858 55/00 1-Punkt Untergruppe the bolt being secured by the tumbler E858 55/00 1-Punkt Untergruppe the bolt being secured by the tumbler E858 55/00 1-Punkt Untergruppe the bolt being secured by the tumbler E858 55/00 1-Punkt Untergruppe the bolt being secured by the punktion of a hidden parallel member E858 55/00 2-Punkt Untergruppe without securing the bolt E858 55/10 2-Punkt Untergruppe merely by normal use of the handle on one side of the wing E858 55/10 2-Punkt Untergruppe merely by normal use of the handle on one side of the wing E858 55/10 2-Punkt Untergruppe with a rangements for securing the latch while shooting the lock-bolt. E858 55/10 1-Punkt Untergruppe with a private latch is used also as locking means E858 55/10 1-Punkt Untergruppe with a private latch is used also as locking means E858 55/10 1-Punkt Untergruppe with a private latch is used also as locking means E858 55/10 1-Punkt Untergruppe with a lock-bolt slidable in the latch E868 55/10 1-Punkt Untergruppe with a lock-bolt slidable in the latch E868 55/10 1-Punkt Untergruppe with a lock-bolt slidab	E05B 47/00	Hauptgruppe	permutation locks E05B 49/00; holding in open position or limiting movement of wings by
1-Punkt Untergruppe Controlling mechanically-operated bolts by electromagnetically-operated detents 2-Punkt Untergruppe Controlling mechanically-operated bolts by electromagnetically-operated detents 2-Punkt Untergruppe With electrical arrangements inside the lock 1-Punkt Untergruppe with electrical arrangements inside the lock 1-Punkt Untergruppe Operating or controlling locks or other fastening devices by other non-mechanical means 1-Punkt Untergruppe Department or control of locks by mechanical transmissions, e.g. from a distance (for passenger doors 5038 53/00	E05B 47/02	1-Punkt Untergruppe	. Adaptation of locks, latches, or parts thereof, for movement of the bolt by electromagnetic means
2-Punkt Untergruppe the bolt being withdrawn by a spring which is stressed by closing the wing Electric permutation locks; Circuits therefor 1-Punkt Untergruppe with electrical arrangements inside the lock 1-Punkt Untergruppe with electrical arrangements outside the lock 1-Punkt Untergruppe with electrical arrangements outside the lock 1-Punkt Untergruppe by pneumatic or hydraulic means 1-Punkt Untergruppe by pneumatic or hydraulic means 1-Punkt Untergruppe by pneumatic or hydraulic means 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the bolt being secured by the cross-bar or the tumbuckle and the handle being locked 1-Punkt Untergruppe the bolt being secured by the transmission and the handle being locked 1-Punkt Untergruppe the bolt being secured by the cross-bar or the tumbuckle and the handle being locked 1-Punkt Untergruppe the bolt being secured by the poperation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe without securing the bolt 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe without securing the bolt 1-Punkt Untergruppe without securing the bolt 1-Punkt Untergruppe without securing the latch while shooting the lock-bolt 1-Punkt Untergruppe with a ranagements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe with a promal use of the handle on one side of the wing 1-Punkt Untergruppe with a promal use of the handle on one side of the wing 1-Punkt Untergruppe with a promal use of the handle on one side of the wing 1-Punkt	E05B 47/04	2-Punkt Untergruppe	for unlocking only
Electric permutation locks; Circuits therefor 1Punkt Untergruppe 2. with electrical arrangements inside the lock 2. Punkt Untergruppe 2. with electrical arrangements outside the lock 2. Punkt Untergruppe 2. programments outside the lock 2. Punkt Untergruppe 3. Punkt Untergruppe 3. Punkt Untergruppe 4. Punkt Untergruppe 4. Punkt Untergruppe 5. Docks with provision for latching (for passenger doors E038 65/20) 6. Locks with provision for latching (for passenger doors E038 65/20) 6. Locks with provision for latching (for passenger doors E038 65/20) 6. Locks in which a sliding latch is used also as a locking bott 6. Punkt Untergruppe 6. the bolt being secured by the cross-bar or the turnbuckle and the handle being locked 6. Punkt Untergruppe 6. the bolt being secured by the cross-bar or the turnbuckle and the handle being locked 6. Punkt Untergruppe 6. the bolt being secured by transverse bolts 6. Punkt Untergruppe 6. the bolt being secured by the operation of a hidden parallel member 6. Punkt Untergruppe 6. the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. The bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. The bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. Whe bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. Whe bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. Whe bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. Whe bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. Whe bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 6. Punkt Untergruppe 6. Whe bolt being	E05B 47/06	1-Punkt Untergruppe	. Controlling mechanically-operated bolts by electromagnetically-operated detents
1-Punkt Untergruppe with electrical arrangements inside the lock 1-Punkt Untergruppe Departing or controlling locks or other fastening devices by other non-mechanical means 1-Punkt Untergruppe by pneumatic or hydraulic means 1-Punkt Untergruppe Departing or control of locks by mechanical transmissions, e.g. from a distance (for passenger doors 6058 65/20) 1-Punkt Untergruppe Locks in which a sliding latch is used also as a locking bolt 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the bolt being secured by the cross-bar or the tumbuckle and the handle being locked 1-Punkt Untergruppe the bolt being secured by transverse bolts 1-Punkt Untergruppe the bolt being secured by transverse bolts 1-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe with a lock bolt slidable in the latch 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe with untergruppe with a lock-bolt slidable in the latch 1-Punkt Unterg	E05B 47/08	2-Punkt Untergruppe	the bolt being withdrawn by a spring which is stressed by closing the wing
1-Punkt Untergruppe . with electrical arrangements outside the lock Deparating or controlling locks or other fastening devices by other non-mechanical means 1-Punkt Untergruppe . by pneumatic or hydraulic means Deparating or control of locks by mechanical transmissions, e.g. from a distance (for passenger doors E058 65/20) Locks with provision for latching (for passenger doors E058 65/20) Locks in which a sliding latch is used also as a locking boit 1-Punkt Untergruppe . the boit being secured by the tumbler 1-Punkt Untergruppe . the boit being secured by the cross-bar or the turnbuckle and the handle being locked 1-Punkt Untergruppe . the handle being disconnected 1-Punkt Untergruppe . the bolt being secured by transverse boits 1-Punkt Untergruppe . the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe . the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe . the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe . merely by normal use of the handle on one side of the wing 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe Locks with latches separate from the lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe Cocks with special structural characteristics or for special use 1-Punkt Untergruppe Locks with special structural characteristics 1-Punkt Untergruppe Locks with special structural c	E05B 49/00	Hauptgruppe	Electric permutation locks; Circuits therefor
1-Punkt Untergruppe 1-Punkt Untergruppe 1-Punkt Untergruppe 1-Punkt Untergruppe 2-Punkt Untergruppe 2-Punkt Untergruppe 3-Punkt Untergruppe 3-Punk	E05B 49/02	1-Punkt Untergruppe	. with electrical arrangements inside the lock
2058 51/02 1-Punkt Untergruppe by pneumatic or hydraulic means Deparation or control of locks by mechanical transmissions, e.g. from a distance (for passenger doors 2058 65/20) Locks with provision for latching (for passenger doors 2058 65/20) Locks with provision for latching (for passenger doors 2058 65/20) Locks in which a sliding latch is used also as a locking bolt 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the handle being disconnected 2-Punkt Untergruppe the handle being disconnected 2-Punkt Untergruppe the bolt being secured by transverse bolts 2-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe to the bolk being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 3-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 4-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 3-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 4-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 3-Punkt Untergruppe to the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 4-Punkt Untergruppe to the bo	E05B 49/04	1-Punkt Untergruppe	. with electrical arrangements outside the lock
Departion or control of locks by mechanical transmissions, e.g. from a distance (for passenger doors 6558 65/20) Locks with provision for latching (for passenger doors 658 65/20) Locks in which a sliding latch is used also as a locking bolt 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the bolt being secured by the cross-bar or the tumbuckle and the handle being locked 1-Punkt Untergruppe the bolt being secured by the cross-bar or the tumbuckle and the handle being locked 1-Punkt Untergruppe the bolt being secured by transverse bolts 2-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe toks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe toks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe toks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe toks with latch is lidable in the latch 1-Punkt Untergruppe toks with latch by sold-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe toks with special structural characteristics or for special use 1-Punkt Untergruppe toks with special structural characteristics	E05B 51/00	Hauptgruppe	Operating or controlling locks or other fastening devices by other non-mechanical means
Locks with provision for latching (for passenger doors E058 65/20) Locks in which a sliding latch is used also as a locking bolt 1-Punkt Untergruppe the bolt being secured by the tumbler 1-Punkt Untergruppe the bolt being secured by the cross-bar or the turnbuckle and the handle being locked 1-Punkt Untergruppe the bolt being secured by transverse bolts 1-Punkt Untergruppe the bolt being secured by transverse bolts 2-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe the bol	E05B 51/02	1-Punkt Untergruppe	. by pneumatic or hydraulic means
Locks in which a sliding latch is used also as a locking bolt 1-Punkt Untergruppe . the bolt being secured by the tumbler 1-Punkt Untergruppe . the bolt being secured by the cross-bar or the turnbuckle and the handle being locked 1-Punkt Untergruppe . the handle being disconnected 1-Punkt Untergruppe . the handle being disconnected 2-Punkt Untergruppe the bolt being secured by transverse bolts 2-Punkt Untergruppe the bolt being secured by transverse bolts 1-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe merely by normal use of the handle on one side of the wing 1-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 1-Punkt Untergruppe Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe with a latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe with a latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe with a lock-bolt slidable in the latch 1-Punkt Untergruppe	E05B 53/00	Hauptgruppe	•
1-Punkt Untergruppe . the bolt being secured by the tumbler 1-Punkt Untergruppe . the bolt being secured by the cross-bar or the turnbuckle and the handle being locked 1-Punkt Untergruppe . the handle being disconnected 1-Punkt Untergruppe . the handle being disconnected 1-Punkt Untergruppe . the bolt being secured by transverse bolts 1-Punkt Untergruppe . without securing the bolt 1-Punkt Untergruppe . the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe . the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe . merely by normal use of the handle on one side of the wing 1-Punkt Untergruppe . merely by normal use of the handle on one side of the wing 1-Punkt Untergruppe . with a pivoted latch is used also as locking means 1-Punkt Untergruppe . with arrangements from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe . Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch .			Locks with provision for latching (for passenger doors E05B 65/20)
1-Punkt Untergruppe . the bolt being secured by the cross-bar or the turnbuckle and the handle being locked 1-Punkt Untergruppe . the handle being disconnected 2-Punkt Untergruppe . the bolt being secured by transverse bolts 2-Punkt Untergruppe . without securing the bolt 2-Punkt Untergruppe . the bolt being secured by the operation of a hidden parallel member 2058 55/12 1-Punkt Untergruppe . the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe . merely by normal use of the handle on one side of the wing 2-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 2-Punkt Untergruppe Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 2-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 2-Punkt Untergruppe . Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 2-Punkt Untergruppe . with a lock-bolt slidable in the latch 3-Punkt Untergruppe . with a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch 3-Punkt Untergruppe . With a lock-bolt slidable in the latch .	E05B 55/00	Hauptgruppe	Locks in which a sliding latch is used also as a locking bolt
1. Punkt Untergruppe . the handle being disconnected 2. Punkt Untergruppe the bolt being secured by transverse bolts 2. Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 3. Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 4. Punkt Untergruppe	E05B 55/02	1-Punkt Untergruppe	. the bolt being secured by the tumbler
2-Punkt Untergruppe the bolt being secured by transverse bolts 2-Punkt Untergruppe without securing the bolt 2-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 2-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe merely by normal use of the handle on one side of the wing 2-Punkt Untergruppe Locks in which a pivoted latch is used also as locking means 2-Punkt Untergruppe Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 3-Punkt Untergruppe with arrangements for securing the latch while shooting the lock-bolt 3-Punkt Untergruppe Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 3-Punkt Untergruppe with a lock-bolt slidable in the latch 3-Punkt Untergruppe with a lock-bolt slidable in the latch 3-Punkt Untergruppe with a lock-bolt slidable in the latch 3-Punkt Untergruppe with a lock-bolt slidable in the latch 3-Punkt Untergruppe with a lock-bolt slidable in the latch 3-Punkt Untergruppe with a lock-bolt slidable in the latch 3-Punkt Untergruppe with special structural characteristics or for special use 3-Punkt Untergruppe without springs	E05B 55/04	1-Punkt Untergruppe	. the bolt being secured by the cross-bar or the turnbuckle and the handle being locked
2-Punkt Untergruppe without securing the bolt 1-Punkt Untergruppe the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 1-Punkt Untergruppe merely by normal use of the handle on one side of the wing 1-Punkt Untergruppe merely by normal use of the handle on one side of the wing 1-Punkt Untergruppe with a pivoted latch is used also as locking means 1-Punkt Untergruppe with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe with a lock-bolt slidable in the latch	E05B 55/06	1-Punkt Untergruppe	. the handle being disconnected
1-Punkt Untergruppe . the bolt being secured by the operation of a hidden parallel member 1-Punkt Untergruppe . the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe . merely by normal use of the handle on one side of the wing Locks in which a pivoted latch is used also as locking means Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe . Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . with a lock-bolt slidable in the latch	E05B 55/08	2-Punkt Untergruppe	the bolt being secured by transverse bolts
1-Punkt Untergruppe . the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob 2-Punkt Untergruppe merely by normal use of the handle on one side of the wing E05B 55/16	E05B 55/10	2-Punkt Untergruppe	without securing the bolt
2-Punkt Untergruppe	E05B 55/12	1-Punkt Untergruppe	. the bolt being secured by the operation of a hidden parallel member
Hauptgruppe Locks in which a pivoted latch is used also as locking means Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts Locks in which the latch while shooting the lock-bolt Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like Locks with a lock-bolt slidable in the latch Locks with provision for latching Locks with special structural characteristics or for special use Locks with special structural characteristics	E05B 55/14	1-Punkt Untergruppe	. the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob
Hauptgruppe Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts 1-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe . Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . With a lock-bolt slidable in the latch 1-Punkt Untergruppe . With a lock-bolt slidable in the latch 1-Punkt Untergruppe . Locks with provision for latching 1-Cocks with special structural characteristics or for special use 1-Punkt Untergruppe . Without springs	E05B 55/16	2-Punkt Untergruppe	merely by normal use of the handle on one side of the wing
1-Punkt Untergruppe . with arrangements for securing the latch while shooting the lock-bolt 1-Punkt Untergruppe . Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe . With a lock-bolt slidable in the latch 1-Punkt Untergruppe . With a lock-bolt slidable in the latch 1-Punkt Untergruppe . With special structural characteristics or for special use 1-Punkt Untergruppe . Without springs	E05B 57/00	Hauptgruppe	-
1-Punkt Untergruppe . Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like 1-Punkt Untergruppe . with a lock-bolt slidable in the latch 1-Punkt Untergruppe Other locks with provision for latching Locks with special structural characteristics or for special use 1-Punkt Untergruppe Locks with special structural characteristics 1-Punkt Untergruppe . without springs	E05B 59/00	Hauptgruppe	Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts
E05B 59/06 1-Punkt Untergruppe . with a lock-bolt slidable in the latch	E05B 59/02	1-Punkt Untergruppe	. with arrangements for securing the latch while shooting the lock-bolt
Cother locks with provision for latching Locks with special structural characteristics or for special use Locks with special structural characteristics . without springs	E05B 59/04	1-Punkt Untergruppe	
Locks with special structural characteristics or for special use Locks with special structural characteristics Locks with special structural characteristics Locks with special structural characteristics 1-Punkt Untergruppe . without springs	E05B 59/06	1-Punkt Untergruppe	. with a lock-bolt slidable in the latch
E05B 63/00 Hauptgruppe Locks with special structural characteristics E05B 63/02 1-Punkt Untergruppe . without springs	E05B 61/00	Hauptgruppe	Other locks with provision for latching
E05B 63/02 1-Punkt Untergruppe . without springs			Locks with special structural characteristics or for special use
	E05B 63/00	Hauptgruppe	Locks with special structural characteristics
1-Punkt Untergruppe . for alternative use on the right-hand or left-hand side of wings	E05B 63/02	1-Punkt Untergruppe	. without springs
	E05B 63/04	1-Punkt Untergruppe	. for alternative use on the right-hand or left-hand side of wings

Symbol	Тур	Titel
E05B 63/06	1-Punkt Untergruppe	. with lengthwise-adjustable bolts
E05B 63/08	1-Punkt Untergruppe	. Mortise locks
E05B 63/10	2-Punkt Untergruppe	requiring only two cylindrical holes in the wing
E05B 63/12	1-Punkt Untergruppe	. with means carried by the bolt for interlocking with the keeper (for passenger doors E05B 65/28)
E05B 63/14	1-Punkt Untergruppe	. Arrangement of several locks or locks with several bolts, e.g. arranged one behind the other (locks for keys with several bits E05B 35/14; with provision for latching E05B 59/00, E05B 61/00; arrangements of simultaneously-actuated bolts or other securing devices at well-separated positions on the same wing E05C 9/00) [4]
E05B 63/16	1-Punkt Untergruppe	. with the handles on opposite sides moving independently (the latch being secured by the operation of a wing handle E05B $55/14$)
E05B 63/18	1-Punkt Untergruppe	. with arrangements independent of the locking mechanism for retaining the bolt in the retracted position
E05B 63/20	2-Punkt Untergruppe	released automatically when the wing is closed
E05B 63/22	1-Punkt Untergruppe	. operated by a pulling or pushing action perpendicular to the front plate (E05B 35/04 takes precedence)
E05B 63/24	1-Punkt Untergruppe	. Arrangements in which the fastening members which engage one another are mounted respectively on the wing and the frame and are both movable, e.g. for release by moving either of them (hasp locks E05B 65/48; hasp fastenings E05C 19/08) [4]
E05B 65/00	Hauptgruppe	Locks for special use
E05B 65/02	1-Punkt Untergruppe	. for thin, hollow, or thin-metal wings
E05B 65/04	1-Punkt Untergruppe	. for wings, one behind the other, hinged on the same side (fastening devices specially adapted for two wings which lie one behind the other when closed E05C 7/02) [4]
E05B 65/06	1-Punkt Untergruppe	. for swing doors
E05B 65/08	1-Punkt Untergruppe	. for sliding wings
E05B 65/10	1-Punkt Untergruppe	. for panic or emergency doors
E05B 65/12	1-Punkt Untergruppe	. for vehicles (E05B 71/00 takes precedence; locking arrangements for non-fixed vehicle roofs B60J 7/185) [2]
E05B 65/14	2-Punkt Untergruppe	for railway freight-cars or the like; for lorries (E05B 65/20 takes precedence)
E05B 65/16	3-Punkt Untergruppe	for back doors of vans
E05B 65/18	3-Punkt Untergruppe	with provision for sealing
E05B 65/19	2-Punkt Untergruppe	for car-boot lids; for car bonnets
E05B 65/20	2-Punkt Untergruppe	for passenger or like doors
E05B 65/22	3-Punkt Untergruppe	with rectilinearly-moving bolt
E05B 65/24	4-Punkt Untergruppe	locked by a special movement of the door handle
E05B 65/26	4-Punkt Untergruppe	with the outside door handle drawn into a recess when the door is locked
E05B 65/28	4-Punkt Untergruppe	with means carried by the bolt for interlocking with the keeper
E05B 65/30	4-Punkt Untergruppe	with two or more bolts moved simultaneously
E05B 65/32	3-Punkt Untergruppe	with the bolt turning about an axis
E05B 65/34	4-Punkt Untergruppe	in which the member engaging the keeper is shaped as a lockable toothed wheel or the like

Symbol	Тур	Titel
E05B 65/36	3-Punkt Untergruppe	Locking several doors simultaneously
E05B 65/38	4-Punkt Untergruppe	by pneumatic or hydraulic means
E05B 65/40	3-Punkt Untergruppe	Locking one door by shutting another (by non-mechanical means E05B 47/00, E05B 51/00; operation of locks by mechanical transmissions E05B 53/00; fastenings, other than locks, for double doors E05C 7/06)
E05B 65/42	3-Punkt Untergruppe	Securing the latch or bolt by movement of the vehicle
E05B 65/44	1-Punkt Untergruppe	. for furniture or drawers
E05B 65/46	2-Punkt Untergruppe	Special locks for drawers, e.g. for a plurality of drawers [4]
E05B 65/48	1-Punkt Untergruppe	. Hasp locks (hasp fastenings other than locks E05C 19/08)
E05B 65/50	2-Punkt Untergruppe	for briefcases
E05B 65/52	1-Punkt Untergruppe	. Other locks for chests, boxes, trunks, baskets, travelling bags, or the like (closures for bags or trunks A45C 13/06, A45C 13/10, A45C 13/16)
E05B 67/00	Hauptgruppe	Padlocks (permutation locks E05B 37/00); Details thereof
E05B 67/02	1-Punkt Untergruppe	. Cases
E05B 67/04	2-Punkt Untergruppe	Armoured cases
E05B 67/06	1-Punkt Untergruppe	. Shackles; Arrangement of the shackle
E05B 67/08	2-Punkt Untergruppe	Padlocks with shackles hinged on the case
E05B 67/10	3-Punkt Untergruppe	with devices for securing the free end of the shackle
E05B 67/12	4-Punkt Untergruppe	with built-in cylinder locks
E05B 67/14	3-Punkt Untergruppe	with devices for securing the hinged end of the shackle
E05B 67/16	4-Punkt Untergruppe	with built-in cylinder locks
E05B 67/18	3-Punkt Untergruppe	with devices for securing both ends of the shackle
E05B 67/20	4-Punkt Untergruppe	with built-in cylinder locks
E05B 67/22	2-Punkt Untergruppe	Padlocks with sliding shackles, with or without rotary or pivotal movement
E05B 67/24	3-Punkt Untergruppe	with built-in cylinder locks
E05B 67/26	3-Punkt Untergruppe	with screw action, with or without the shackle being moved by turning the key
E05B 67/28	2-Punkt Untergruppe	Padlocks with shackles forming a circle
E05B 67/30	3-Punkt Untergruppe	with built-in cylinder locks
E05B 67/32	2-Punkt Untergruppe	Padlocks with pincer-like shackles
E05B 67/34	3-Punkt Untergruppe	with built-in cylinder locks
E05B 67/36	1-Punkt Untergruppe	. Padlocks with closing means other than shackles
E05B 67/38	1-Punkt Untergruppe	. Auxiliary or protective devices
		Locking devices for clothing, sticks, umbrellas, or cycles
E05B 69/00	Hauptgruppe	Devices for locking clothing; Lockable clothing holders or hangers (dress or hat holders in general A47G 25/00)

E05B

Symbol	Тур	Titel
E05B 69/02	1-Punkt Untergruppe	. Lockable clothing hooks (coin-controlled locking hooks G07F)
E05B 71/00	Hauptgruppe	Locks specially adapted for bicycles, other than padlocks (locks integral with cycles B62H 5/00)
E05B 71/02	1-Punkt Untergruppe	. with permutation locking devices
E05B 73/00	Hauptgruppe	Devices for locking portable objects against unauthorised removal; Locking devices not provided for in other groups of this subclass
E05B 73/02	1-Punkt Untergruppe	. for walking-sticks or umbrellas (stick or umbrella holders in general A47G 25/12)
E05B 75/00	Hauptgruppe	Handcuffs