

Symbol	Typ	Titel
E	Sektion	SECTION E — FIXED CONSTRUCTIONS
E05	Klasse	LOCKS; KEYS; WINDOW OR DOOR FITTINGS; SAFES
E05B	Unterklasse	LOCKS; ACCESSORIES THEREFOR; HANDCUFFS
		<u>Parts of locks or the like mountable on or in wings</u>
E05B 1/00	Hauptgruppe	Knobs or handles for wings (for furniture A47B 95/02); Knobs, handles, or press buttons for locks or latches on wings (E05B 5/00, E05B 7/00 take precedence)
E05B 1/02	1-Punkt Untergruppe	. of solid material
E05B 1/04	1-Punkt Untergruppe	. with inner rigid member and outer cover or covers
E05B 1/06	1-Punkt Untergruppe	. of sheet material
E05B 3/00	Hauptgruppe	Fastening handles to lock or latch parts
E05B 3/02	1-Punkt Untergruppe	. Fastening handles to the spindle by pinning or riveting
E05B 3/04	1-Punkt Untergruppe	. Fastening the handle shank to the spindle by screws, springs, or snap bolts
E05B 3/06	1-Punkt Untergruppe	. by means arranged in or on the rose
E05B 3/08	1-Punkt Untergruppe	. Fastening the spindle to the follower
E05B 3/10	1-Punkt Untergruppe	. by a bipartite or cleft spindle in the follower or in the handle shank
E05B 5/00	Hauptgruppe	Handles completely let into the surface of the wing
E05B 5/02	1-Punkt Untergruppe	. able to be turned outwards before operation
E05B 5/04	1-Punkt Untergruppe	. able to be shifted parallel to the wing after being pulled out
E05B 7/00	Hauptgruppe	Handles pivoted about an axis parallel to the wing (E05B 5/00 takes precedence)
E05B 9/00	Hauptgruppe	Lock or latch-mechanism casings (padlock casings E05B 67/02)
E05B 9/02	1-Punkt Untergruppe	. of latch-bolt locks
E05B 9/04	1-Punkt Untergruppe	. of cylinder locks
E05B 9/06	1-Punkt Untergruppe	. Fastening together the parts of casings
E05B 9/08	1-Punkt Untergruppe	. Fastening the casings of latch-bolt locks or cylinder locks to the wing
E05B 9/10	1-Punkt Untergruppe	. Coupling devices for the two halves of double cylinder locks
E05B 11/00	Hauptgruppe	Devices preventing keys from being removed from the lock
E05B 11/02	1-Punkt Untergruppe	. before the wing is locked
E05B 11/04	1-Punkt Untergruppe	. before the wing is closed
E05B 11/06	1-Punkt Untergruppe	. for catching skeleton or incorrect keys
E05B 13/00	Hauptgruppe	Devices preventing the key or the handle or both from being used
E05B 13/02	1-Punkt Untergruppe	. shaped as sectors of escutcheons, arranged in the keyhole
E05B 13/04	1-Punkt Untergruppe	. shaped as fork-like implements grasping and fixing the key
E05B 13/06	1-Punkt Untergruppe	. shaped as bolt detents arranged in the path of motion of the key bit
E05B 13/08	1-Punkt Untergruppe	. formed by longitudinal bolt or cross-bar connecting the handle with a stationary lock part or fitting
E05B 13/10	1-Punkt Untergruppe	. formed by a lock arranged in the handle

Symbol	Typ	Titel
E05B 15/00	Hauptgruppe	Other details of locks; Parts for engagement by bolts of fastening devices (fastening devices for wings other than locks or associated with locks E05C)
E05B 15/02	1-Punkt Untergruppe	. Striking-plates; Keepers; Bolt staples; Escutcheons
E05B 15/04	1-Punkt Untergruppe	. Spring arrangements in locks
E05B 15/06	1-Punkt Untergruppe	. Lock wards
E05B 15/08	1-Punkt Untergruppe	. Key guides; Key pins
E05B 15/10	1-Punkt Untergruppe	. Bolts of locks or night latches
E05B 15/12	1-Punkt Untergruppe	. Pins or detents for locking bolts
E05B 15/14	1-Punkt Untergruppe	. Tumblers
E05B 15/16	1-Punkt Untergruppe	. Use of special materials for parts of locks (for handles E05B 1/00)
E05B 17/00	Hauptgruppe	Accessories in connection with locks (locks with indicating or timing devices E05B 39/00-E05B 45/00; buffers E05F 5/00; means for preventing rattling of wings E05F 7/04; means for taking the weight of the wing E05F 7/06) [4]
E05B 17/02	1-Punkt Untergruppe	. Coupling devices for double doors, i.e. two doors one behind the other and hinged on the same side
E05B 17/04	1-Punkt Untergruppe	. Devices for coupling the turning cylinder of a single or double cylinder lock with the bolt-operating member
E05B 17/06	1-Punkt Untergruppe	. Templates for marking the position of apertures in fittings of wings
E05B 17/08	1-Punkt Untergruppe	. Lubricating devices
E05B 17/10	1-Punkt Untergruppe	. Illuminating devices on, or for, locks or keys
E05B 17/12	1-Punkt Untergruppe	. Devices for removing keys stuck in the lock
E05B 17/14	1-Punkt Untergruppe	. Closures or guards for keyholes
E05B 17/16	2-Punkt Untergruppe	. . shaped as pins or key bits
E05B 17/18	2-Punkt Untergruppe	. . shaped as lids or slides
E05B 17/20	1-Punkt Untergruppe	. Means independent of the locking mechanism for preventing unauthorised opening, e.g. for securing the bolt in the fastening position (pins or detents E05B 15/12) [4]
E05B 17/22	1-Punkt Untergruppe	. Means for operating or controlling lock or fastening device accessories, i.e. other than the fastening members, e.g. switches, indicators [4]
E05B 19/00	Hauptgruppe	Keys; Accessories therefor (making keys, <u>see</u> the relevant places, e.g. B21D 53/42; milling grooves in keys B23C 3/35)
E05B 19/02	1-Punkt Untergruppe	. Construction of the shank of the key
E05B 19/04	1-Punkt Untergruppe	. Construction of the bow of the key; Construction of flat keys
E05B 19/06	1-Punkt Untergruppe	. Key bits; Flat key bits
E05B 19/08	2-Punkt Untergruppe	. . Special forms of key bits, e.g. double key bits, folding key bits
E05B 19/10	1-Punkt Untergruppe	. Fastening the key bit and bow on the shank of the key
E05B 19/12	1-Punkt Untergruppe	. Keys with several bits moving relatively to each other when in use
E05B 19/14	1-Punkt Untergruppe	. Double keys

Symbol	Typ	Titel
E05B 19/16	1-Punkt Untergruppe	. Extremely thin keys acting without rotation
E05B 19/18	1-Punkt Untergruppe	. Keys adjustable before use
E05B 19/20	1-Punkt Untergruppe	. Skeleton keys; Devices for picking locks; Other devices for similar purposes
E05B 19/22	1-Punkt Untergruppe	. Keys with devices for indicating whether the last operation was locking or unlocking
E05B 19/24	1-Punkt Untergruppe	. Key-distinguishing marks
E05B 19/26	1-Punkt Untergruppe	. Use of special materials for keys
		<u>Locks with rotary keys moving lamelliform tumblers perpendicular to the key</u>
E05B 21/00	Hauptgruppe	Locks with tumblers not following the movement of the bolt
E05B 21/02	1-Punkt Untergruppe	. with identical tumblers
E05B 21/04	1-Punkt Untergruppe	. with stop pins on the tumbler (E05B 21/02 takes precedence)
E05B 21/06	1-Punkt Untergruppe	. Cylinder locks, e.g. protector locks
E05B 23/00	Hauptgruppe	Locks with tumblers following the movement of the bolt
E05B 25/00	Hauptgruppe	Locks with special tumblers
E05B 25/02	1-Punkt Untergruppe	. with tumblers in the cut-out of which the key bit is moved
E05B 25/04	1-Punkt Untergruppe	. with tumblers in which the stop pin is guided from one locked position to the other in an inclined direction
E05B 25/06	1-Punkt Untergruppe	. with tumblers in which the stop pin is guided from one locked position to the other along a curved path
E05B 25/08	1-Punkt Untergruppe	. with tumblers with movable pawls engaging the key
E05B 25/10	1-Punkt Untergruppe	. with tumblers formed to engage one another to determine their unlocked position
		<u>Locks of which the tumblers are set by pushing the key in</u>
E05B 27/00	Hauptgruppe	Cylinder locks with tumbler pins or balls
E05B 27/02	1-Punkt Untergruppe	. operated by the edge of the key
E05B 27/04	2-Punkt Untergruppe	. . arranged radially in one row
E05B 27/06	2-Punkt Untergruppe	. . arranged radially in more than one row
E05B 27/08	2-Punkt Untergruppe	. . arranged axially
E05B 27/10	1-Punkt Untergruppe	. operated by other surfaces of the key, e.g. openings receiving projections on the tumblers
E05B 29/00	Hauptgruppe	Cylinder locks with plate tumblers
E05B 29/02	1-Punkt Untergruppe	. operated by the edge of the key
E05B 29/04	2-Punkt Untergruppe	. . arranged singly
E05B 29/06	2-Punkt Untergruppe	. . arranged in pairs
E05B 29/08	1-Punkt Untergruppe	. operated by other surfaces of the key
E05B 29/10	2-Punkt Untergruppe	. . operated by a curved groove or slot
E05B 29/12	2-Punkt Untergruppe	. . operated by a curved rib
E05B 29/14	1-Punkt Untergruppe	. with both axially and radially arranged plate tumblers
E05B 31/00	Hauptgruppe	Cylinder locks with both tumbler pins or balls and plate tumblers
E05B 33/00	Hauptgruppe	Cylinder locks in which the bolt is moved by means other than the key

Symbol	Typ	Titel
E05B 35/00	Hauptgruppe	Locks for use with special keys or a plurality of keys
E05B 35/02	1-Punkt Untergruppe	. which can be shifted laterally
E05B 35/04	1-Punkt Untergruppe	. for pull keys
E05B 35/06	1-Punkt Untergruppe	. for screw keys
E05B 35/08	1-Punkt Untergruppe	. operable by a plurality of keys
E05B 35/10	2-Punkt Untergruppe	. . with master and pass keys
E05B 35/12	2-Punkt Untergruppe	. . requiring the use of two keys, e.g. safe-deposit locks
E05B 35/14	1-Punkt Untergruppe	. with keys of which different parts operate separate mechanisms
E05B 37/00	Hauptgruppe	Permutation locks (electric permutation locks E05B 49/00; for bicycles E05B 71/02); Puzzle locks
E05B 37/02	1-Punkt Untergruppe	. with tumbler discs or rings arranged on a single axis, each disc being adjustable independently of the others
E05B 37/04	1-Punkt Untergruppe	. with tumbler discs on a single axis, all the discs being adjustable by rotating a shiftable knob
E05B 37/06	2-Punkt Untergruppe	. . in padlocks
E05B 37/08	1-Punkt Untergruppe	. with tumbler discs on a single axis, all the discs being adjustable by a rotary knob which is not shifted
E05B 37/10	2-Punkt Untergruppe	. . in padlocks
E05B 37/12	1-Punkt Untergruppe	. with tumbler discs on several axes
E05B 37/14	2-Punkt Untergruppe	. . in padlocks
E05B 37/16	1-Punkt Untergruppe	. with two or more push or pull knobs, slides, or the like
E05B 37/18	2-Punkt Untergruppe	. . in padlocks
E05B 37/20	1-Punkt Untergruppe	. Puzzle locks
E05B 37/22	2-Punkt Untergruppe	. . in padlocks
		<u>Locks with indicating or timing devices</u>
E05B 39/00	Hauptgruppe	Locks giving indication of unauthorised unlocking
E05B 39/02	1-Punkt Untergruppe	. with destructible seal closures or paper closures (seals <u>per se</u> G09F 3/00) [4]
E05B 39/04	1-Punkt Untergruppe	. with counting or registering devices
E05B 41/00	Hauptgruppe	Locks with visible indication as to whether the lock is locked or unlocked
E05B 43/00	Hauptgruppe	Time locks (clocks or clock mechanisms with attached or built-in means operating any device at preselected times or after a predetermined time interval G04C 23/00)
E05B 45/00	Hauptgruppe	Alarm locks (alarm devices actuated by tampering with fastenings in general G08B)
E05B 45/02	1-Punkt Untergruppe	. with mechanically-operated bells
E05B 45/04	1-Punkt Untergruppe	. with detonating alarm devices
E05B 45/06	1-Punkt Untergruppe	. Electric alarm locks
E05B 45/08	2-Punkt Untergruppe	. . with contact making inside the lock or in the striking plate
E05B 45/10	3-Punkt Untergruppe	. . . by introducing the key
E05B 45/12	3-Punkt Untergruppe	. . . by movement of the bolt

Symbol	Typ	Titel
E05B 45/14	2-Punkt Untergruppe	. . with contact making outside the lock
E05B 47/00	Hauptgruppe	<u>Operation or control of locks by non-mechanical means, e.g. from a distance (locking doors simultaneously in passenger vehicles E05B 65/36; key switches H01H 27/00)</u> Operating or controlling locks or other fastening devices by electric or magnetic means (electric permutation locks E05B 49/00; holding in open position or limiting movement of wings by magnetic or electromagnetic attraction E05C 17/56) [2]
E05B 47/02	1-Punkt Untergruppe	. Adaptation of locks, latches, or parts thereof, for movement of the bolt by electromagnetic means
E05B 47/04	2-Punkt Untergruppe	. . for unlocking only
E05B 47/06	1-Punkt Untergruppe	. Controlling mechanically-operated bolts by electromagnetically-operated detents
E05B 47/08	2-Punkt Untergruppe	. . the bolt being withdrawn by a spring which is stressed by closing the wing
E05B 49/00	Hauptgruppe	Electric permutation locks; Circuits therefor
E05B 49/02	1-Punkt Untergruppe	. with electrical arrangements inside the lock
E05B 49/04	1-Punkt Untergruppe	. with electrical arrangements outside the lock
E05B 51/00	Hauptgruppe	Operating or controlling locks or other fastening devices by other non-mechanical means
E05B 51/02	1-Punkt Untergruppe	. by pneumatic or hydraulic means
E05B 53/00	Hauptgruppe	<u>Operation or control of locks by mechanical transmissions, e.g. from a distance (for passenger doors E05B 65/20)</u> <u>Locks with provision for latching (for passenger doors E05B 65/20)</u>
E05B 55/00	Hauptgruppe	Locks in which a sliding latch is used also as a locking bolt
E05B 55/02	1-Punkt Untergruppe	. the bolt being secured by the tumbler
E05B 55/04	1-Punkt Untergruppe	. the bolt being secured by the cross-bar or the turnbuckle and the handle being locked
E05B 55/06	1-Punkt Untergruppe	. the handle being disconnected
E05B 55/08	2-Punkt Untergruppe	. . the bolt being secured by transverse bolts
E05B 55/10	2-Punkt Untergruppe	. . without securing the bolt
E05B 55/12	1-Punkt Untergruppe	. the bolt being secured by the operation of a hidden parallel member
E05B 55/14	1-Punkt Untergruppe	. the bolt being secured by the operation of a wing handle, or by means in the wing handle or knob
E05B 55/16	2-Punkt Untergruppe	. . merely by normal use of the handle on one side of the wing
E05B 57/00	Hauptgruppe	Locks in which a pivoted latch is used also as locking means
E05B 59/00	Hauptgruppe	Locks with latches separate from the lock-bolts, or with a plurality of latches or lock-bolts
E05B 59/02	1-Punkt Untergruppe	. with arrangements for securing the latch while shooting the lock-bolt
E05B 59/04	1-Punkt Untergruppe	. Locks in which the latch is moved by a lock-bolt, or the lock-bolt by a latch, or one latch by another, or the like
E05B 59/06	1-Punkt Untergruppe	. with a lock-bolt slidable in the latch
E05B 61/00	Hauptgruppe	Other locks with provision for latching <u>Locks with special structural characteristics or for special use</u>
E05B 63/00	Hauptgruppe	Locks with special structural characteristics
E05B 63/02	1-Punkt Untergruppe	. without springs
E05B 63/04	1-Punkt Untergruppe	. for alternative use on the right-hand or left-hand side of wings

Symbol	Typ	Titel
E05B 63/06	1-Punkt Untergruppe	. with lengthwise-adjustable bolts
E05B 63/08	1-Punkt Untergruppe	. Mortise locks
E05B 63/10	2-Punkt Untergruppe	. . requiring only two cylindrical holes in the wing
E05B 63/12	1-Punkt Untergruppe	. with means carried by the bolt for interlocking with the keeper (for passenger doors E05B 65/28)
E05B 63/14	1-Punkt Untergruppe	. Arrangement of several locks or locks with several bolts, e.g. arranged one behind the other (locks for keys with several bits E05B 35/14; with provision for latching E05B 59/00, E05B 61/00; arrangements of simultaneously-actuated bolts or other securing devices at well-separated positions on the same wing E05C 9/00) [4]
E05B 63/16	1-Punkt Untergruppe	. with the handles on opposite sides moving independently (the latch being secured by the operation of a wing handle E05B 55/14)
E05B 63/18	1-Punkt Untergruppe	. with arrangements independent of the locking mechanism for retaining the bolt in the retracted position
E05B 63/20	2-Punkt Untergruppe	. . released automatically when the wing is closed
E05B 63/22	1-Punkt Untergruppe	. operated by a pulling or pushing action perpendicular to the front plate (E05B 35/04 takes precedence)
E05B 63/24	1-Punkt Untergruppe	. Arrangements in which the fastening members which engage one another are mounted respectively on the wing and the frame and are both movable, e.g. for release by moving either of them (hasp locks E05B 65/48 ; hasp fastenings E05C 19/08) [4]
E05B 65/00	Hauptgruppe	Locks for special use
E05B 65/02	1-Punkt Untergruppe	. for thin, hollow, or thin-metal wings
E05B 65/04	1-Punkt Untergruppe	. for wings, one behind the other, hinged on the same side (fastening devices specially adapted for two wings which lie one behind the other when closed E05C 7/02) [4]
E05B 65/06	1-Punkt Untergruppe	. for swing doors
E05B 65/08	1-Punkt Untergruppe	. for sliding wings
E05B 65/10	1-Punkt Untergruppe	. for panic or emergency doors
E05B 65/12	1-Punkt Untergruppe	. for vehicles (E05B 71/00 takes precedence; locking arrangements for non-fixed vehicle roofs B60J 7/185) [2]
E05B 65/14	2-Punkt Untergruppe	. . for railway freight-cars or the like; for lorries (E05B 65/20 takes precedence)
E05B 65/16	3-Punkt Untergruppe	. . . for back doors of vans
E05B 65/18	3-Punkt Untergruppe	. . . with provision for sealing
E05B 65/19	2-Punkt Untergruppe	. . for car-boot lids; for car bonnets
E05B 65/20	2-Punkt Untergruppe	. . for passenger or like doors
E05B 65/22	3-Punkt Untergruppe	. . . with rectilinearly-moving bolt
E05B 65/24	4-Punkt Untergruppe	 locked by a special movement of the door handle
E05B 65/26	4-Punkt Untergruppe	 with the outside door handle drawn into a recess when the door is locked
E05B 65/28	4-Punkt Untergruppe	 with means carried by the bolt for interlocking with the keeper
E05B 65/30	4-Punkt Untergruppe	 with two or more bolts moved simultaneously
E05B 65/32	3-Punkt Untergruppe	. . . with the bolt turning about an axis
E05B 65/34	4-Punkt Untergruppe	 in which the member engaging the keeper is shaped as a lockable toothed wheel or the like

Symbol	Typ	Titel
E05B 65/36	3-Punkt Untergruppe	. . . Locking several doors simultaneously
E05B 65/38	4-Punkt Untergruppe	 by pneumatic or hydraulic means
E05B 65/40	3-Punkt Untergruppe	. . . Locking one door by shutting another (by non-mechanical means E05B 47/00, E05B 51/00; operation of locks by mechanical transmissions E05B 53/00; fastenings, other than locks, for double doors E05C 7/06)
E05B 65/42	3-Punkt Untergruppe	. . . Securing the latch or bolt by movement of the vehicle
E05B 65/44	1-Punkt Untergruppe	. for furniture or drawers
E05B 65/46	2-Punkt Untergruppe	. . Special locks for drawers, e.g. for a plurality of drawers [4]
E05B 65/48	1-Punkt Untergruppe	. Hasp locks (hasp fastenings other than locks E05C 19/08)
E05B 65/50	2-Punkt Untergruppe	. . for briefcases
E05B 65/52	1-Punkt Untergruppe	. Other locks for chests, boxes, trunks, baskets, travelling bags, or the like (closures for bags or trunks A45C 13/06, A45C 13/10, A45C 13/16)
E05B 67/00	Hauptgruppe	Padlocks (permutation locks E05B 37/00); Details thereof
E05B 67/02	1-Punkt Untergruppe	. Cases
E05B 67/04	2-Punkt Untergruppe	. . Armoured cases
E05B 67/06	1-Punkt Untergruppe	. Shackles; Arrangement of the shackle
E05B 67/08	2-Punkt Untergruppe	. . Padlocks with shackles hinged on the case
E05B 67/10	3-Punkt Untergruppe	. . . with devices for securing the free end of the shackle
E05B 67/12	4-Punkt Untergruppe	 with built-in cylinder locks
E05B 67/14	3-Punkt Untergruppe	. . . with devices for securing the hinged end of the shackle
E05B 67/16	4-Punkt Untergruppe	 with built-in cylinder locks
E05B 67/18	3-Punkt Untergruppe	. . . with devices for securing both ends of the shackle
E05B 67/20	4-Punkt Untergruppe	 with built-in cylinder locks
E05B 67/22	2-Punkt Untergruppe	. . Padlocks with sliding shackles, with or without rotary or pivotal movement
E05B 67/24	3-Punkt Untergruppe	. . . with built-in cylinder locks
E05B 67/26	3-Punkt Untergruppe	. . . with screw action, with or without the shackle being moved by turning the key
E05B 67/28	2-Punkt Untergruppe	. . Padlocks with shackles forming a circle
E05B 67/30	3-Punkt Untergruppe	. . . with built-in cylinder locks
E05B 67/32	2-Punkt Untergruppe	. . Padlocks with pincer-like shackles
E05B 67/34	3-Punkt Untergruppe	. . . with built-in cylinder locks
E05B 67/36	1-Punkt Untergruppe	. Padlocks with closing means other than shackles
E05B 67/38	1-Punkt Untergruppe	. Auxiliary or protective devices
		<u>Locking devices for clothing, sticks, umbrellas, or cycles</u>
E05B 69/00	Hauptgruppe	Devices for locking clothing; Lockable clothing holders or hangers (dress or hat holders in general A47G 25/00)

Symbol	Typ	Titel
E05B 69/02	1-Punkt Untergruppe	. Lockable clothing hooks (coin-controlled locking hooks G07F)
E05B 71/00	Hauptgruppe	Locks specially adapted for bicycles, other than padlocks (locks integral with cycles B62H 5/00)
E05B 71/02	1-Punkt Untergruppe	. with permutation locking devices
E05B 73/00	Hauptgruppe	Devices for locking portable objects against unauthorised removal; Locking devices not provided for in other groups of this subclass
E05B 73/02	1-Punkt Untergruppe	. for walking-sticks or umbrellas (stick or umbrella holders in general A47G 25/12)
E05B 75/00	Hauptgruppe	Handcuffs