

Symbol	Typ	Titel
F	Sektion	MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING
F01	Untersektion	ENGINES OR PUMPS
F01	Klasse	MACHINES OR ENGINES IN GENERAL; ENGINE PLANTS IN GENERAL; STEAM ENGINES
F01C	Unterklasse	ROTARY-PISTON OR OSCILLATING-PISTON MACHINES OR ENGINES (combustion engines F02; internal-combustion aspects F02B 53/00, F02B 55/00; machines for liquids F03, F04)
F01C 1/00	Hauptgruppe	Rotary-piston machines or engines (with axes of co-operating members non-parallel F01C 3/00; with the working-chamber walls at least partly resiliently deformable F01C 5/00; with fluid ring or the like F01C 7/00; rotary-piston machines or engines in which the working fluid is exclusively displaced by, or exclusively displaces, one or more reciprocating pistons F01B 13/00) [1, 2006.01]
F01C 1/02	1-Punkt Untergruppe	. of arcuate-engagement type, i.e. with circular translatory movement of co-operating members, each member having the same number of teeth or tooth-equivalents [1, 2006.01]
F01C 1/04	2-Punkt Untergruppe	. . of internal-axis type [1, 2006.01]
F01C 1/06	2-Punkt Untergruppe	. . of other than internal-axis type (F01C 1/063 takes precedence) [1, 2006.01]
F01C 1/063	2-Punkt Untergruppe	. . with coaxially-mounted members having continuously-changing circumferential spacing between them [3, 2006.01]
F01C 1/067	3-Punkt Untergruppe	. . . having cam-and-follower type drive [3, 2006.01]
F01C 1/07	3-Punkt Untergruppe	. . . having crankshaft-and-connecting-rod type drive [3, 2006.01]
F01C 1/073	3-Punkt Untergruppe	. . . having pawl-and-ratchet type drive [3, 2006.01]
F01C 1/077	3-Punkt Untergruppe	. . . having toothed-gearing type drive [3, 2006.01]
F01C 1/08	1-Punkt Untergruppe	. of intermeshing-engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [1, 2006.01]
F01C 1/10	2-Punkt Untergruppe	. . of internal-axis type with the outer member having more teeth or tooth-equivalents, e.g. rollers, than the inner member [1, 2006.01]
F01C 1/107	3-Punkt Untergruppe	. . . with helical teeth [3, 2006.01]
F01C 1/113	3-Punkt Untergruppe	. . . the inner member carrying rollers intermeshing with the outer member [3, 2006.01]
F01C 1/12	2-Punkt Untergruppe	. . of other than internal-axis type [1, 2006.01]
F01C 1/14	3-Punkt Untergruppe	. . . with toothed rotary pistons [1, 2006.01]
F01C 1/16	4-Punkt Untergruppe with helical teeth, e.g. chevron-shaped, screw type [1, 2006.01]
F01C 1/18	4-Punkt Untergruppe with similar tooth forms (F01C 1/16 takes precedence) [1, 2006.01]
F01C 1/20	4-Punkt Untergruppe with dissimilar tooth forms (F01C 1/16 takes precedence) [1, 2006.01]
F01C 1/22	1-Punkt Untergruppe	. of internal-axis type with equidirectional movement of co-operating members at the points of engagement, or with one of the co-operating members being stationary, the inner member having more teeth or tooth-equivalents than the outer member [1, 2006.01]
F01C 1/24	1-Punkt Untergruppe	. of counter-engagement type, i.e. the movement of co-operating members at the points of engagement being in opposite directions [1, 2006.01]
F01C 1/26	2-Punkt Untergruppe	. . of internal-axis type [1, 2006.01]
F01C 1/28	2-Punkt Untergruppe	. . of other than internal-axis type [1, 2006.01]

Symbol	Typ	Titel
F01C 1/30	1-Punkt Untergruppe	. having the characteristics covered by two or more of groups F01C 1/02, F01C 1/08, F01C 1/22, F01C 1/24 or having the characteristics covered by one of these groups together with some other type of movement between co-operating members [1, 2006.01]
F01C 1/32	2-Punkt Untergruppe	. . having both the movement defined in group F01C 1/02 and relative reciprocation between the co-operating members [1, 2006.01]
F01C 1/324	3-Punkt Untergruppe	. . . with vanes hinged to the inner member and reciprocating with respect to the outer member [3, 2006.01]
F01C 1/328	4-Punkt Untergruppe and hinged to the outer member [3, 2006.01]
F01C 1/332	3-Punkt Untergruppe	. . . with vanes hinged to the outer member and reciprocating with respect to the inner member [3, 2006.01]
F01C 1/336	4-Punkt Untergruppe and hinged to the inner member [3, 2006.01]
F01C 1/34	2-Punkt Untergruppe	. . having the movement defined in group F01C 1/08 or F01C 1/22 and relative reciprocation between the co-operating members [1, 2006.01]
F01C 1/344	3-Punkt Untergruppe	. . . with vanes reciprocating with respect to the inner member [3, 2006.01]
F01C 1/348	4-Punkt Untergruppe the vanes positively engaging, with circumferential play, an outer rotatable member [3, 2006.01]
F01C 1/352	4-Punkt Untergruppe the vanes being pivoted on the axis of the outer member [3, 2006.01]
F01C 1/356	3-Punkt Untergruppe	. . . with vanes reciprocating with respect to the outer member [3, 2006.01]
F01C 1/36	2-Punkt Untergruppe	. . having both the movements defined in groups F01C 1/22 and F01C 1/24 [1, 2006.01]
F01C 1/38	2-Punkt Untergruppe	. . having the movement defined in group F01C 1/02 and having a hinged member (F01C 1/32 takes precedence) [1, 3, 2006.01]
F01C 1/39	3-Punkt Untergruppe	. . . with vanes hinged to the inner as well as to the outer member [3, 2006.01]
F01C 1/40	2-Punkt Untergruppe	. . having the movement defined in group F01C 1/08 or F01C 1/22 and having a hinged member [1, 2006.01]
F01C 1/44	3-Punkt Untergruppe	. . . with vanes hinged to the inner member [3, 2006.01]
F01C 1/46	3-Punkt Untergruppe	. . . with vanes hinged to the outer member [3, 2006.01]
F01C 3/00	Hauptgruppe	Rotary-piston machines or engines with non-parallel axes of movement of co-operating members (with the working-chamber walls being at least partly resiliently deformable F01C 5/00) [1, 2006.01]
F01C 3/02	1-Punkt Untergruppe	. the axes being arranged at an angle of 90° [1, 2006.01]
F01C 3/04	2-Punkt Untergruppe	. . with axially-sliding vanes [1, 2006.01]
F01C 3/06	1-Punkt Untergruppe	. the axes being arranged otherwise than at an angle of 90° [1, 2006.01]
F01C 3/08	2-Punkt Untergruppe	. . of intermeshing-engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [1, 2006.01]
F01C 5/00	Hauptgruppe	Rotary-piston machines or engines with the working-chamber walls at least partly resiliently deformable [1, 2006.01]
F01C 5/02	1-Punkt Untergruppe	. the resiliently-deformable wall being part of the inner member, e.g. of a rotary piston [1, 2006.01]
F01C 5/04	1-Punkt Untergruppe	. the resiliently-deformable wall being part of the outer member, e.g. of a housing [1, 2006.01]
F01C 5/06	1-Punkt Untergruppe	. the resiliently-deformable wall being a separate member [1, 2006.01]
F01C 5/08	2-Punkt Untergruppe	. . of tubular form, e.g. hose [1, 2006.01]
F01C 7/00	Hauptgruppe	Rotary-piston machines or engines with fluid ring or the like [1, 2006.01]
F01C 9/00	Hauptgruppe	Oscillating-piston machines or engines [1, 2006.01]

Symbol	Typ	Titel
F01C 11/00	Hauptgruppe	Combinations of two or more machines or engines, each being of rotary-piston or oscillating-piston type (F01C 13/00 takes precedence; combinations of two or more pumps F04; fluid gearing F16H) [1, 2006.01]
F01C 13/00	Hauptgruppe	Adaptations of machines or engines for special use; Combinations of engines with devices driven thereby (aspects predominantly concerning driven devices, <u>see</u> the relevant classes for these devices) [1, 2006.01]
F01C 13/02	1-Punkt Untergruppe	. for driving hand-held tools or the like [1, 2006.01]
F01C 13/04	1-Punkt Untergruppe	. for driving pumps or compressors [1, 2006.01]
F01C 17/00	Hauptgruppe	Arrangements for drive of co-operating members, e.g. for rotary piston and casing [1, 2006.01]
F01C 17/02	1-Punkt Untergruppe	. of toothed-gearing type (F01C 1/077 takes precedence) [1, 3, 2006.01]
F01C 17/04	1-Punkt Untergruppe	. of cam-and-follower type (F01C 1/067 takes precedence) [1, 3, 2006.01]
F01C 17/06	1-Punkt Untergruppe	. using cranks, universal joints, or similar elements (F01C 1/07 takes precedence) [1, 3, 2006.01]
F01C 19/00	Hauptgruppe	Sealing arrangements in rotary-piston machines or engines (sealings in general F16) [1, 2006.01]
F01C 19/02	1-Punkt Untergruppe	. Radially-movable sealings for working fluids [1, 2006.01]
F01C 19/04	2-Punkt Untergruppe	. . of rigid material [1, 2006.01]
F01C 19/06	2-Punkt Untergruppe	. . of resilient material [1, 2006.01]
F01C 19/08	1-Punkt Untergruppe	. Axially-movable sealings for working fluids [1, 2006.01]
F01C 19/10	1-Punkt Untergruppe	. Sealings for working fluids between radially and axially movable parts [1, 2006.01]
F01C 19/12	1-Punkt Untergruppe	. for other than working fluid [1, 2006.01]
F01C 20/00	Hauptgruppe	Control of, monitoring of, or safety arrangements for, machines or engines [2006.01]
F01C 20/02	1-Punkt Untergruppe	. specially adapted for several machines or engines connected in series or in parallel [2006.01]
F01C 20/04	1-Punkt Untergruppe	. specially adapted for reversible machines or engines [2006.01]
F01C 20/06	1-Punkt Untergruppe	. specially adapted for stopping, starting, idling or no-load operation [2006.01]
F01C 20/08	1-Punkt Untergruppe	. characterised by varying the rotational speed [2006.01]
F01C 20/10	1-Punkt Untergruppe	. characterised by changing the positions of the inlet or outlet openings with respect to the working chamber [2006.01]
F01C 20/12	2-Punkt Untergruppe	. . using sliding valves [2006.01]
F01C 20/14	2-Punkt Untergruppe	. . using rotating valves [2006.01]
F01C 20/16	2-Punkt Untergruppe	. . using lift valves [2006.01]
F01C 20/18	1-Punkt Untergruppe	. characterised by varying the volume of the working chamber (by changing the positions of inlet or outlet openings F01C 20/10) [2006.01]
F01C 20/20	2-Punkt Untergruppe	. . by changing the form of the inner or outer contour of the working chamber [2006.01]
F01C 20/22	2-Punkt Untergruppe	. . by changing the eccentricity between cooperating members [2006.01]
F01C 20/24	1-Punkt Untergruppe	. characterised by using valves for controlling pressure or flow rate, e.g. discharge valves (F01C 20/10 takes precedence) [2006.01]
F01C 20/26	2-Punkt Untergruppe	. . using bypass channels [2006.01]
F01C 20/28	1-Punkt Untergruppe	. Safety arrangements; Monitoring [2006.01]

Symbol	Typ	Titel
F01C 21/00	Hauptgruppe	Component parts, details, or accessories, not provided for in groups F01C 1/00-F01C 20/00 [1, 2006.01]
F01C 21/02	1-Punkt Untergruppe	. Arrangements of bearings (bearing constructions F16C) [1, 2006.01]
F01C 21/04	1-Punkt Untergruppe	. Lubrication (of machines or engines in general F01M) [1, 2006.01]
F01C 21/06	1-Punkt Untergruppe	. Heating; Cooling (of machines or engines in general F01P); Heat insulation (heat insulation in general F16L) [1, 2006.01]
F01C 21/08	1-Punkt Untergruppe	. Rotary pistons (reciprocating pistons in general F16J) [1, 2006.01]
F01C 21/10	1-Punkt Untergruppe	. Outer members for co-operation with rotary pistons; Casings (casings for rotary engines or machines in general F16M) [1, 2006.01]
F01C 21/18	1-Punkt Untergruppe	. Arrangements for admission or discharge of the working fluid, e.g. constructional features of the inlet or outlet [2006.01]