F	Sektion	SECTION F — MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING
F02	Klasse	COMBUSTION ENGINES (cyclically operating valves therefor, lubricating, exhausting, or silencing engines F01); HOT-GAS OR COMBUSTION-PRODUCT ENGINE PLANTS
F02M	Unterklasse	SUPPLYING COMBUSTION ENGINES IN GENERAL WITH COMBUSTIBLE MIXTURES OR CONSTITUENTS THEREOF (charging such engines F02B)
		Carburettors (for gaseous fuels F02M 21/00; combined with low-pressure fuel-injection apparatus F02M 71/00)
F02M 1/00	Hauptgruppe	Carburettors with means for facilitating engine's starting or its idling below operational temperatures
F02M 1/02	1-Punkt Untergruppe	. the means to facilitate starting or idling being chokes for enriching fuel-air mixture (automatic chokes F02M 1/08)
F02M 1/04	1-Punkt Untergruppe	. the means to facilitate starting or idling being auxiliary carburetting apparatus able to be put into, and out of, operation, e.g. having automatically-operated disc valves
F02M 1/06	2-Punkt Untergruppe	having axially-movable valves, e.g. piston-shaped
F02M 1/08	1-Punkt Untergruppe	. the means to facilitate starting or idling becoming operative or inoperative automatically (in connection with auxiliary carburetting apparatus F02M $1/04$)
F02M 1/10	2-Punkt Untergruppe	dependent on engine temperature, e.g. having thermostat
F02M 1/12	3-Punkt Untergruppe	with means for electrically heating thermostat
F02M 1/14	2-Punkt Untergruppe	dependent on pressure in combustion-air- or fuel-air-mixture intake (F02M 1/10 takes precedence)
F02M 1/16	1-Punkt Untergruppe	. Other means for enriching fuel-air mixture during starting; Priming cups; using different fuels for starting and normal operation
F02M 1/18	2-Punkt Untergruppe	Enriching fuel-air mixture by depressing float to flood carburettor
F02M 3/00	Hauptgruppe	Idling devices (with means for facilitating idling below operational temperatures F02M 1/00)
F02M 3/02	1-Punkt Untergruppe	. Preventing flow of idling fuel
F02M 3/04	2-Punkt Untergruppe	under conditions where engine is driven instead of driving, e.g. driven by vehicle running down hill
F02M 3/045	3-Punkt Untergruppe	Control of valves situated in the idling nozzle system, or the passage system, by electrical means or by a combination of electrical means with fluidic or mechanical means [4]
F02M 3/05	3-Punkt Untergruppe	Pneumatic or mechanical control, e.g. with speed regulation [4]
F02M 3/055	3-Punkt Untergruppe	Fuel flow cut-off by introducing air, e.g. brake air, into the idling fuel system [4]
F02M 3/06	1-Punkt Untergruppe	. Increasing idling speed
F02M 3/07	2-Punkt Untergruppe	by positioning the throttle flap stop, or by changing the fuel flow cross-sectional area, by electrical, electromechanical or electropneumatical means, according to engine speed [4]
F02M 3/08	1-Punkt Untergruppe	. Other details of idling devices (fighting ice-formation by heating idling ports F02M 15/02)
F02M 3/09	2-Punkt Untergruppe	Valves responsive to engine conditions, e.g. manifold vacuum (F02M 1/00, F02M 5/00-F02M 33/00 take precedence) [5]
F02M 3/10	2-Punkt Untergruppe	Fuel metering pins; Nozzles [4]
F02M 3/12	2-Punkt Untergruppe	Passage way systems [4]

Symbol	Тур	Titel
F02M 3/14	2-Punkt Untergruppe	Location of idling system outlet relative to throttle valve [4]
F02M 5/00	Hauptgruppe	Float-controlled apparatus for maintaining a constant fuel level
F02M 5/02	1-Punkt Untergruppe	. with provisions to meet variations in carburettor position, e.g. upside-down position in aircraft
F02M 5/04	2-Punkt Untergruppe	with pivotally or rotatably mounted float chambers [4]
F02M 5/06	1-Punkt Untergruppe	. having adjustable float mechanism, e.g. to meet dissimilarities in specific gravity of different fuels
F02M 5/08	1-Punkt Untergruppe	. having means for venting float chambers
F02M 5/10	1-Punkt Untergruppe	. having means for preventing vapour lock, e.g. insulated float chambers or forced fuel circulation through float chamber with engine stopped
F02M 5/12	1-Punkt Untergruppe	. Other details, e.g. floats, valves, setting devices or tools (floats in general F16K 33/00)
F02M 5/16	2-Punkt Untergruppe	Floats [4]
F02M 7/00	Hauptgruppe	Carburettors with means for influencing, e.g. enriching or keeping constant, fuel/air ratio of charge under varying conditions (choke valves for starting F02M 1/00)
F02M 7/02	1-Punkt Untergruppe	. Carburettors having aerated fuel spray nozzles (with valve control for amount of air for aerating fuel F02M $7/24$)
F02M 7/04	1-Punkt Untergruppe	. Means for enriching charge at high combustion-air flow
F02M 7/06	1-Punkt Untergruppe	. Means for enriching charge on sudden throttle opening, i.e. at acceleration, e.g. storage means in passage way system
F02M 7/08	2-Punkt Untergruppe	using pumps
F02M 7/087	3-Punkt Untergruppe	changing output according to temperature in engine [4]
F02M 7/093	3-Punkt Untergruppe	changing output according to intake vacuum [4]
F02M 7/10	1-Punkt Untergruppe	. Other installations, without moving parts, for influencing fuel/air ratio, e.g. electrical means (F02M 7/23 takes precedence) [4]
F02M 7/11	2-Punkt Untergruppe	Altering float-chamber pressure (enriching the fuel-air mixture during starting by depressing float to flood carburettor F02M 1/18) [5]
F02M 7/12	1-Punkt Untergruppe	. Other installations, with moving parts, for influencing fuel/air ratio, e.g. having valves (F02M 7/24 takes precedence) [4]
F02M 7/127	2-Punkt Untergruppe	Altering the float-chamber pressure (enriching the fuel-air mixture during starting by depressing float to flood carburettor F02M 1/18) [5]
F02M 7/133	2-Punkt Untergruppe	Auxiliary jets, i.e. operating only under certain conditions, e.g. full power (F02M 7/04, F02M 7/06 take precedence) [5]
F02M 7/14	2-Punkt Untergruppe	with means for controlling cross-sectional area of fuel spray nozzle (dependent on air-throttle valve position F02M 7/22)
F02M 7/16	3-Punkt Untergruppe	operated automatically, e.g. dependent on exhaust-gas analysis
F02M 7/17	4-Punkt Untergruppe	by a pneumatically adjustable piston-like element, e.g. constant depression carburettors [5]
F02M 7/18	2-Punkt Untergruppe	with means for controlling cross-sectional area of fuel-metering orifice (dependent on air-throttle position F02M 7/22)
F02M 7/20	3-Punkt Untergruppe	operated automatically, e.g. dependent on altitude
F02M 7/22	2-Punkt Untergruppe	fuel flow cross-sectional area being controlled dependent on air-throttle-valve position (the throttle valve being slidably arranged transversely to air passage F02M 9/06)

Symbol	Тур	Titel
F02M 7/23	1-Punkt Untergruppe	. Fuel aerating devices [4]
F02M 7/24	2-Punkt Untergruppe	Controlling flow of aerating air [4]
F02M 7/26	3-Punkt Untergruppe	dependent on position of optionally operable throttle means [4]
F02M 7/28	3-Punkt Untergruppe	dependent on temperature or pressure [4]
F02M 9/00	Hauptgruppe	Carburettors having air or fuel-air mixture passage throttling valves other than of butterfly type (register-type carburettors F02M 11/00); Carburettors having fuel-air mixing chambers of variable shape or position
F02M 9/02	1-Punkt Untergruppe	. having throttling valves, e.g. of piston shape, slidably arranged transversely to the passage
F02M 9/04	2-Punkt Untergruppe	with throttling valves sliding in a plane inclined to the passage
F02M 9/06	2-Punkt Untergruppe	with means for varying cross-sectional area of fuel spray nozzle dependent on throttle position (F02M 7/17 takes precedence) [5]
F02M 9/08	1-Punkt Untergruppe	. having throttling valves rotatably mounted in the passage
F02M 9/10	1-Punkt Untergruppe	. having valves, or like controls, of elastic-wall type for controlling the passage, or for varying cross-sectional area, of fuel-air mixing chambers
F02M 9/12	1-Punkt Untergruppe	. having other specific means for controlling the passage, or for varying cross-sectional area, of fuel-air mixing chambers
F02M 9/127	2-Punkt Untergruppe	Axially movable throttle valves concentric with the axis of the mixture passage [5]
F02M 9/133	3-Punkt Untergruppe	the throttle valves having mushroom-shaped bodies [5]
F02M 9/14	1-Punkt Untergruppe	. having venturi and nozzle relatively displaceable essentially along the venturi axis
F02M 11/00	Hauptgruppe	Multi-stage carburettors; Register-type carburettors, i.e. with slidable or rotatable throttling valves in which a plurality of fuel nozzles, other than only an idling nozzle and a main one, are sequentially exposed to air stream by throttling valve
F02M 11/02	1-Punkt Untergruppe	. with throttling valve, e.g. of flap or butterfly type, in a later stage opening automatically
F02M 11/04	2-Punkt Untergruppe	the later-stage valves having damping means
F02M 11/06	1-Punkt Untergruppe	. Other carburettors with throttling valve of flap or butterfly type
F02M 11/08	1-Punkt Untergruppe	. Register carburettors with throttling valve movable transversally to air passage
F02M 11/10	1-Punkt Untergruppe	. Register carburettors with rotatable throttling valves
F02M 13/00	Hauptgruppe	Arrangements of two or more separate carburettors (apparatus for testing, tuning, or synchronising carburettors F02M 19/01; re-atomising condensed fuel or homogenising fuel-air mixture F02M 29/00); Carburettors using more than one fuel (apparatus for adding small quantities of secondary fuel F02M 25/00)
F02M 13/02	1-Punkt Untergruppe	. Separate carburettors
F02M 13/04	2-Punkt Untergruppe	structurally united
F02M 13/06	1-Punkt Untergruppe	. the carburettors using different fuels
F02M 13/08	1-Punkt Untergruppe	. Carburettors adapted to use liquid and gaseous fuels, e.g. alternatively
F02M 15/00	Hauptgruppe	Carburettors with heating, cooling, or thermal insulating means for combustion-air, fuel, or fuelair mixture (heating, cooling, or thermally insulating float apparatus F02M 5/00; apparatus for thermally treating combustion-air, fuel, or fuel-air mixture, not being part of a carburettor F02M 31/00)
F02M 15/02	1-Punkt Untergruppe	. with heating means, e.g. to combat ice-formation

Symbol	Тур	Titel
F02M 15/04	2-Punkt Untergruppe	the means being electrical
F02M 15/06	1-Punkt Untergruppe	. Heat shieldings, e.g. from engine radiations
F02M 17/00	Hauptgruppe	Carburettors having pertinent characteristics not provided for in, or of interest apart from, the apparatus of main groups F02M 1/00-F02M 15/00 (apparatus for treating combustion-air, fuel, or fuel-air mixture by catalysts, electric means, magnetism, rays, sonic waves, or the like F02M 27/00; combinations of carburettors and low-pressure fuel-injection apparatus F02M 71/00)
F02M 17/02	1-Punkt Untergruppe	. Floatless carburettors
F02M 17/04	2-Punkt Untergruppe	having fuel inlet valve controlled by diaphragm
F02M 17/06	2-Punkt Untergruppe	having overflow chamber determining constant fuel level
F02M 17/08	1-Punkt Untergruppe	. Carburettors having one or more fuel passages opening in a valve-seat surrounding combustion-air passage, the valve being opened by passing air
F02M 17/09	2-Punkt Untergruppe	the valve being of an eccentrically mounted butterfly type [5]
F02M 17/10	1-Punkt Untergruppe	. Carburettors having one or more fuel passages opening in valve-member of air throttle
F02M 17/12	2-Punkt Untergruppe	the valve-member being of butterfly type
F02M 17/14	1-Punkt Untergruppe	. Carburettors with fuel-supply parts opened and closed in synchronism with engine stroke
F02M 17/16	1-Punkt Untergruppe	. Carburettors having continuously-rotating bodies, e.g. surface carburettors (fuel injection by centrifugal forces F02M 69/06)
F02M 17/18	1-Punkt Untergruppe	. Other surface carburettors
F02M 17/20	2-Punkt Untergruppe	with fuel bath
F02M 17/22	3-Punkt Untergruppe	with air bubbling through bath
F02M 17/24	2-Punkt Untergruppe	with wicks
F02M 17/26	2-Punkt Untergruppe	with other wetted bodies
F02M 17/28	3-Punkt Untergruppe	fuel being drawn through a porous body
F02M 17/30	1-Punkt Untergruppe	. Carburettors with fire-protecting devices, e.g. combined with fire-extinguishing apparatus
F02M 17/32	2-Punkt Untergruppe	automatically closing fuel conduits on outbreak of fire
F02M 17/34	1-Punkt Untergruppe	. Other carburettors combined or associated with other apparatus, e.g. air filters (predominant aspects of the apparatus, <u>see</u> the relevant classes for such apparatus)
F02M 17/36	1-Punkt Untergruppe	. Carburettors having fitments facilitating their cleaning
F02M 17/38	1-Punkt Untergruppe	. Controlling of carburettors, not otherwise provided for (external control gear F02M 19/12)
F02M 17/40	1-Punkt Untergruppe	. Selection of particular materials for carburettors, e.g. sheet metal, plastic, or translucent materials
F02M 17/42	1-Punkt Untergruppe	. Float-controlled carburettors not otherwise provided for
F02M 17/44	1-Punkt Untergruppe	. Carburettors characterised by draught direction and not otherwise provided for
F02M 17/46	2-Punkt Untergruppe	with down-draught
F02M 17/48	2-Punkt Untergruppe	with up-draught
F02M 17/50	1-Punkt Untergruppe	. Carburettors having means for combating ice-formation (thermally F02M 15/02)

		10211 5/00
Symbol	Тур	Titel
F02M 17/52	1-Punkt Untergruppe	. Use of cold, produced by carburettors, for other purposes (apparatus using the cold, <u>see</u> the relevant classes for such apparatus)
F02M 19/00	Hauptgruppe	Details, component parts, or accessories of carburettors, not provided for in, or of interest apart from, the apparatus of groups F02M 1/00-F02M 17/00 (measuring or testing apparatus in general G01)
F02M 19/01	1-Punkt Untergruppe	. Apparatus for testing, tuning, or synchronising carburettors, e.g. carburettor flow stands [3]
F02M 19/02	1-Punkt Untergruppe	. Metering-orifices, e.g. variable in diameter (variable during operation F02M 7/18)
F02M 19/025	2-Punkt Untergruppe	Metering orifices not variable in diameter [4]
F02M 19/03	1-Punkt Untergruppe	. Fuel atomising nozzles; Arrangement of emulsifying air conduits (atomising in general B05B) [4]
F02M 19/035	2-Punkt Untergruppe	Mushroom-shaped atomising nozzles [4]
F02M 19/04	1-Punkt Untergruppe	. Fuel-metering pins or needles
F02M 19/06	1-Punkt Untergruppe	. Other details of fuel conduits
F02M 19/08	1-Punkt Untergruppe	. Venturis
F02M 19/10	2-Punkt Untergruppe	in multiple arrangement
F02M 19/12	1-Punkt Untergruppe	. External control gear, e.g. having dash-pots (dampening means in later stages of multi-stage carburettors F02M 11/04; carburettor control gear in which the carburettor aspects do not predominate, <u>see</u> the relevant classes)
F02M 21/00	Hauptgruppe	Apparatus for supplying engines with non-liquid fuels, e.g. gaseous fuels stored in liquid form
F02M 21/02	1-Punkt Untergruppe	. for gaseous fuels (apparatus for vaporising liquid fuel by heat F02M 31/00; engines with apparatus generating gas from solid fuel, e.g. from wood, F02B 43/08)
F02M 21/04	2-Punkt Untergruppe	Gas-air mixing apparatus (carburettors adapted to use liquid and gaseous fuels F02M 13/08; carburetting gases in general C10J)
F02M 21/06	2-Punkt Untergruppe	Apparatus for de-liquefying, e.g. by heating (discharging liquefied gases in general F17C)
F02M 21/08	1-Punkt Untergruppe	. for non-gaseous fuels (for engines operating on fuel containing oxidants F02B)
F02M 21/10	2-Punkt Untergruppe	for fuels with low melting point, e.g. apparatus having heating means
F02M 21/12	1-Punkt Untergruppe	. for fuels in pulverised state (engine plants with fuel-pulverising apparatus F02B)
		Engine-pertinent apparatus for feeding, or treating before their admission to engine, combustionair, fuel, or fuel-air mixture
F02M 23/00	Hauptgruppe	Apparatus for adding secondary air to fuel-air mixture
F02M 23/02	1-Punkt Untergruppe	. with personal control
F02M 23/03	2-Punkt Untergruppe	the secondary air-valve controlled by main combustion-air throttle [5]
F02M 23/04	1-Punkt Untergruppe	. with automatic control
F02M 23/06	2-Punkt Untergruppe	dependent on engine speed
F02M 23/08	2-Punkt Untergruppe	dependent on pressure in main combustion-air induction system
F02M 23/09	3-Punkt Untergruppe	using valves directly opened by low pressure [6]
F02M 23/10	2-Punkt Untergruppe	dependent on temperature, e.g. engine temperature

Symbol	Тур	Titel
F02M 23/12	1-Punkt Untergruppe	. characterised by being combined with device for, or by secondary air effecting, re-atomising of condensed fuel
F02M 23/14	1-Punkt Untergruppe	. characterised by adding hot air
F02M 25/00	Hauptgruppe	Engine-pertinent apparatus for adding non-fuel substances or small quantities of secondary fuel to combustion-air, main fuel, or fuel-air mixture (F02M 43/00 takes precedence; adding secondary air to fuel-air mixture F02M 23/00)
F02M 25/022	1-Punkt Untergruppe	. Adding fuel and water emulsion, water or steam [6]
F02M 25/025	2-Punkt Untergruppe	Adding water [6]
F02M 25/028	3-Punkt Untergruppe	into the charge intakes [6]
F02M 25/03	3-Punkt Untergruppe	into the cylinders [6]
F02M 25/032	2-Punkt Untergruppe	Producing and adding steam [6]
F02M 25/035	3-Punkt Untergruppe	into the charge intakes [6]
F02M 25/038	3-Punkt Untergruppe	into the cylinders [6]
F02M 25/06	1-Punkt Untergruppe	. adding lubricant vapours or exhaust gases
F02M 25/07	2-Punkt Untergruppe	adding exhaust gases [5]
F02M 25/08	1-Punkt Untergruppe	. adding fuel vapours drawn from engine fuel reservoir
F02M 25/10	1-Punkt Untergruppe	. adding acetylene, non-waterborne hydrogen, non-airborne oxygen, or ozone
F02M 25/12	2-Punkt Untergruppe	the apparatus having means for generating such gases (using rays and simultaneously generating ozone F02M 27/06)
F02M 25/14	1-Punkt Untergruppe	. adding anti-knock agents, not provided for in groups F02M 25/022-F02M 25/10
F02M 27/00	Hauptgruppe	Apparatus for treating combustion-air, fuel, or fuel-air mixture, by catalysts, electric means, magnetism, rays, sonic waves, or the like
F02M 27/02	1-Punkt Untergruppe	. by catalysts
F02M 27/04	1-Punkt Untergruppe	. by electric means or magnetism
F02M 27/06	1-Punkt Untergruppe	. by rays
F02M 27/08	1-Punkt Untergruppe	. by sonic or ultrasonic waves
F02M 29/00	Hauptgruppe	Apparatus for re-atomising condensed fuel or homogenising fuel-air mixture (combined with secondary-air supply F02M 23/12)
F02M 29/02	1-Punkt Untergruppe	. having rotary parts
F02M 29/04	1-Punkt Untergruppe	. having screens, gratings, baffles, or the like (rotary F02M 29/02)
F02M 29/06	2-Punkt Untergruppe	generating whirling motion of mixture
F02M 29/08	2-Punkt Untergruppe	having spirally-wound wires
F02M 29/10	2-Punkt Untergruppe	adjustable
F02M 29/12	1-Punkt Untergruppe	. having homogenising valves held open by mixture current
F02M 29/14	1-Punkt Untergruppe	. re-atomising or homogenising being effected by unevenness of internal surfaces of mixture intake
F02M 31/00	Hauptgruppe	Apparatus for thermally treating combustion-air, fuel, or fuel-air mixture (F02M 21/06, F02M 21/10 take precedence; such apparatus being part of a carburettor or fuel-injection apparatus

Symbol	Тур	Titel
		F02M 15/00, F02M 53/00; adding hot secondary air to fuel-air mixture F02M 23/14)
F02M 31/02	1-Punkt Untergruppe	. for heating
F02M 31/04	2-Punkt Untergruppe	combustion-air or fuel-air mixture (electrically F02M 31/12; by using heat from working cylinders or cylinder heads F02M 31/14; heating of combustion-air as an engine starting aid F02N 17/04) [4]
F02M 31/06	3-Punkt Untergruppe	by hot gases, e.g. by mixing cold and hot air
F02M 31/07	4-Punkt Untergruppe	Temperature-responsive control, e.g. using thermostatically-controlled valves (F02M 31/083 takes precedence) [6]
F02M 31/08	4-Punkt Untergruppe	the gases being exhaust gases
F02M 31/083	5-Punkt Untergruppe	Temperature-responsive control of the amount of exhaust gas or combustion air directed to the heat exchange surface [6]
F02M 31/087	5-Punkt Untergruppe	Heat-exchange arrangements between the air intake and exhaust gas passages, e.g. by means of contact between the passages [5]
F02M 31/093	6-Punkt Untergruppe	Air intake passage surrounding the exhaust gas passage; Exhaust gas passage surrounding the air intake passage [5]
F02M 31/10	3-Punkt Untergruppe	by hot liquids, e.g. lubricants
F02M 31/12	2-Punkt Untergruppe	electrically
F02M 31/125	3-Punkt Untergruppe	Fuel [5]
F02M 31/13	3-Punkt Untergruppe	Combustion air [5]
F02M 31/135	3-Punkt Untergruppe	Fuel-air mixture [5]
F02M 31/14	2-Punkt Untergruppe	by using heat from working cylinders or cylinder heads
F02M 31/16	2-Punkt Untergruppe	Other apparatus for heating fuel
F02M 31/18	3-Punkt Untergruppe	to vaporise fuel
F02M 31/20	1-Punkt Untergruppe	. for cooling (cooling of charging-air or of scavenging-air F02B)
F02M 33/00	Hauptgruppe	Other apparatus for treating combustion-air, fuel or fuel-air mixture (combustion-air cleaners F02M 35/00; arrangements for purifying liquid fuel F02M 37/22)
F02M 33/02	1-Punkt Untergruppe	. for collecting and returning condensed fuel
F02M 33/04	2-Punkt Untergruppe	returning to the intake passage [5]
F02M 33/06	3-Punkt Untergruppe	with simultaneous heat supply [5]
F02M 33/08	2-Punkt Untergruppe	returning to the fuel tank [5]
F02M 35/00	Hauptgruppe	Combustion-air cleaners, air intakes, intake silencers, or induction systems specially adapted for, or arranged on, internal-combustion engines (air cleaners in general B01D)
F02M 35/02	1-Punkt Untergruppe	. Air cleaners
F02M 35/022	2-Punkt Untergruppe	acting by gravity, by centrifugal, or by other inertial forces, e.g. with moistened walls [2]
F02M 35/024	2-Punkt Untergruppe	using filters, e.g. moistened (F02M 35/026 takes precedence; cleaning of the filtering material F02M 35/08) [2]
F02M 35/026	2-Punkt Untergruppe	acting by guiding the air over or through an oil or other liquid bath, e.g. combined with filters [2]
F02M 35/04	2-Punkt Untergruppe	specially arranged with respect to engine; Mounting thereon

Symbol	Тур	Titel
F02M 35/06	3-Punkt Untergruppe	combined or associated with engine's cooling blower or fan, or with flywheel
F02M 35/08	2-Punkt Untergruppe	with means for removing dust from cleaners; with means for indicating clogging; with by-pass means
F02M 35/09	3-Punkt Untergruppe	Clogging indicators [6]
F02M 35/10	1-Punkt Untergruppe	. Air intakes; Induction systems (using kinetic or wave energy of charge in induction systems for improving quantity of charge F02B)
F02M 35/104	2-Punkt Untergruppe	Intake manifolds [6]
F02M 35/108	3-Punkt Untergruppe	with primary and secondary intake passages [6]
F02M 35/112	3-Punkt Untergruppe	for engines with cylinders all in one line (F02M 35/108 takes precedence) [6]
F02M 35/116	3-Punkt Untergruppe	for engines with cylinders in V-arrangement or arranged oppositely relative to the main shaft (F02M 35/108 takes precedence) [6]
F02M 35/12	1-Punkt Untergruppe	. Intake silencers
F02M 35/14	1-Punkt Untergruppe	. Combined air cleaners and silencers
F02M 35/16	1-Punkt Untergruppe	. characterised by use in vehicles (predominant vehicle aspects, <u>see</u> the relevant classes for the vehicles)
F02M 37/00	Hauptgruppe	Apparatus or systems for feeding liquid fuel from storage containers to carburettors or fuel- injection apparatus (F02M 69/00 takes precedence; feeding liquid fuel to combustion apparatus, in general F23K 5/00; fuel supply to apparatus for generating combustion products of high pressure or high velocity F23R 3/28); Arrangements for purifying liquid fuel specially adapted for,
		or arranged on, internal-combustion engines (separating apparatus, filters <u>per se</u> B01D;
		centrifuges B04B) [5]
F02M 37/02	1-Punkt Untergruppe	. Feeding by means of suction apparatus, e.g. by air flow through carburettors (by driven pumps F02M 37/04)
F02M 37/04	1-Punkt Untergruppe	. Feeding by means of driven pumps (pump construction F04)
F02M 37/06	2-Punkt Untergruppe	mechanically driven
F02M 37/08	2-Punkt Untergruppe	electrically driven
F02M 37/10	3-Punkt Untergruppe	submerged in fuel, e.g. in reservoir
F02M 37/12	2-Punkt Untergruppe	fluid-driven, e.g. by compressed combustion-air
F02M 37/14	2-Punkt Untergruppe	the pumps being combined with other apparatus
F02M 37/16	2-Punkt Untergruppe	characterised by provision of personally-, e.g. manually-, operated pumps
F02M 37/18	2-Punkt Untergruppe	characterised by provision of main and auxiliary pumps
F02M 37/20	1-Punkt Untergruppe	. characterised by means for preventing vapour lock
F02M 37/22	1-Punkt Untergruppe	. Arrangements for purifying liquid fuel specially adapted for, or arranged on, internal-combustion engines, e.g. arrangement in the feeding system [3]
		Fuel-injection apparatus (carrying the fuel into cylinders by high-pressure gas F02M 67/00; low-pressure fuel-injection F02M 69/00)
F02M 39/00	Hauptgruppe	Arrangements of fuel-injection apparatus with respect to engines; Pump drives adapted to such arrangements (F02M 49/00 takes precedence; arrangements of injectors F02M 61/14)
F02M 39/02	1-Punkt Untergruppe	. Arrangements of fuel-injection apparatus to facilitate the driving of pumps; Arrangements of fuel-injection pumps; Pump drives
F02M 41/00	Hauptgruppe	Fuel-injection apparatus with two or more injectors fed from a common pressure-source sequentially by means of a distributor

Symbol	Тур	Titel
F02M 41/02	1-Punkt Untergruppe	. the distributor being spaced from pumping elements
F02M 41/04	2-Punkt Untergruppe	the distributor reciprocating
F02M 41/06	2-Punkt Untergruppe	the distributor rotating
F02M 41/08	1-Punkt Untergruppe	. the distributor and pumping elements being combined
F02M 41/10	2-Punkt Untergruppe	pump pistons acting as the distributor
F02M 41/12	3-Punkt Untergruppe	the pistons rotating to act as the distributor
F02M 41/14	2-Punkt Untergruppe	rotary distributor supporting pump pistons
F02M 41/16	1-Punkt Untergruppe	. characterised by the distributor being fed from a constant-pressure source, e.g. accumulator
F02M 43/00	Hauptgruppe	Fuel-injection apparatus operating simultaneously on two or more fuels or on a liquid fuel and another liquid, e.g. the other liquid being an anti-knock additive
F02M 43/02	1-Punkt Untergruppe	. Pumps peculiar thereto
F02M 43/04	1-Punkt Untergruppe	. Injectors peculiar thereto
F02M 45/00	Hauptgruppe	Fuel-injection apparatus characterised by having a cyclic delivery of specific time/pressure or time/quantity relationship (fuel injectors having such deliveries by means of valves furnished at seated ends with pintle- or plug-shaped extensions F02M 61/06)
F02M 45/02	1-Punkt Untergruppe	. with each cyclic delivery being separated into two or more parts
F02M 45/04	2-Punkt Untergruppe	with a small initial part
F02M 45/06	3-Punkt Untergruppe	Pumps peculiar thereto
F02M 45/08	3-Punkt Untergruppe	Injectors peculiar thereto
F02M 45/10	2-Punkt Untergruppe	Other injectors with multiple-part delivery, e.g. with vibrating valves
F02M 45/12	1-Punkt Untergruppe	. providing a continuous delivery with variable pressure
F02M 47/00	Hauptgruppe	Fuel-injection apparatus operated cyclically with fuel-injection valves actuated by fluid pressure (FO2M 49/00 takes precedence; apparatus with injection valves opened by fuel pressure and
		closed by non-fluid means, <u>see</u> the groups providing for other characteristics)
F02M 47/02	1-Punkt Untergruppe	. of accumulator-injector type, i.e. having fuel pressure of accumulator tending to open, and fuel pressure in other chamber tending to close, injection valves, and having means for periodically releasing that closing pressure
F02M 47/04	1-Punkt Untergruppe	. using fluid, other than fuel, for injection-valve actuation
F02M 47/06	1-Punkt Untergruppe	. Other fuel injectors peculiar thereto
F02M 49/00	Hauptgruppe	Fuel-injection apparatus in which injection pumps are driven, or injectors are actuated, by the pressure in engine working cylinders, or by impact of engine working piston
F02M 49/02	1-Punkt Untergruppe	. using the cylinder pressure, e.g. compression end pressure
F02M 49/04	1-Punkt Untergruppe	. using the piston impact
F02M 51/00	Hauptgruppe	Fuel-injection apparatus characterised by being operated electrically
F02M 51/02	1-Punkt Untergruppe	. specially for low-pressure fuel-injection (pumps <u>per se</u> F02M 51/04; injectors <u>per se</u> F02M 51/08)
F02M 51/04	1-Punkt Untergruppe	. Pumps peculiar thereto
F02M 51/06	1-Punkt Untergruppe	. Injectors peculiar thereto

Symbol	Тур	Titel
F02M 51/08	2-Punkt Untergruppe	specially for low-pressure fuel-injection
F02M 53/00	Hauptgruppe	Fuel-injection apparatus characterised by having heating, cooling, or thermally-insulating means
F02M 53/02	1-Punkt Untergruppe	. with fuel-heating means, e.g. for vaporising
F02M 53/04	1-Punkt Untergruppe	. Injectors with heating, cooling, or thermally-insulating means
F02M 53/06	2-Punkt Untergruppe	with fuel-heating means, e.g. for vaporising
F02M 53/08	2-Punkt Untergruppe	with air cooling
F02M 55/00	Hauptgruppe	Fuel-injection apparatus characterised by their fuel conduits or their venting means
F02M 55/02	1-Punkt Untergruppe	. Conduits between injection pumps and injectors
F02M 55/04	1-Punkt Untergruppe	. Means for damping vibrations in injection-pump inlets
F02M 57/00	Hauptgruppe	Fuel injectors combined or associated with other devices
F02M 57/02	1-Punkt Untergruppe	. Injectors structurally combined with fuel-injection pumps
F02M 57/04	1-Punkt Untergruppe	. the devices being combustion-air intake or exhaust valves
F02M 57/06	1-Punkt Untergruppe	. the devices being sparking-plugs
F02M 59/00	Hauptgruppe	Pumps specially adapted for fuel-injection and not provided for in groups F02M 39/00-F02M 57/00 (general features of pumps F04)
F02M 59/02	1-Punkt Untergruppe	. of reciprocating-piston type
F02M 59/04	2-Punkt Untergruppe	characterised by special arrangement of cylinders with respect to piston-driving shaft, e.g. arranged parallel to that shaft
F02M 59/06	3-Punkt Untergruppe	with cylinders arranged radially to driving shaft, e.g. in V- or star-arrangement
F02M 59/08	2-Punkt Untergruppe	characterised by two or more pumping elements with conjoint outlet
F02M 59/10	2-Punkt Untergruppe	characterised by the piston drive
F02M 59/12	1-Punkt Untergruppe	. having other positive-displacement pumping elements, e.g. rotary
F02M 59/14	2-Punkt Untergruppe	of elastic-wall type
F02M 59/16	1-Punkt Untergruppe	. characterised by having multi-stage compression of fuel
F02M 59/18	1-Punkt Untergruppe	. characterised by the pumping action being achieved through release of pre-compressed springs
F02M 59/20	1-Punkt Untergruppe	. Varying fuel delivery in quantity or timing
F02M 59/22	2-Punkt Untergruppe	Varying quantity by adjusting cylinder-head space
F02M 59/24	2-Punkt Untergruppe	with constant-length-stroke pistons having variable effective portion of stroke
F02M 59/26	3-Punkt Untergruppe	caused by movements of pistons relative to their cylinders
F02M 59/28	4-Punkt Untergruppe	Mechanisms therefor
F02M 59/30	2-Punkt Untergruppe	with variable-length-stroke pistons
F02M 59/32	2-Punkt Untergruppe	fuel delivery being controlled by means of fuel-displaced auxiliary pistons, which effect injection
F02M 59/34	2-Punkt Untergruppe	by throttling of passages to pumping elements or of overflow passages
F02M 59/36	2-Punkt Untergruppe	by variably-timed valves controlling fuel passages

Symbol	Тур	Titel
F02M 59/38	1-Punkt Untergruppe	. Pumps characterised by adaptations to special uses or conditions
F02M 59/40	2-Punkt Untergruppe	for reversible engines
F02M 59/42	2-Punkt Untergruppe	for starting of engines
F02M 59/44	1-Punkt Untergruppe	. Details, component parts, or accessories not provided for in, or of interest apart from, the apparatus of groups F02M 59/02-F02M 59/42
F02M 59/46	2-Punkt Untergruppe	Valves (in general F16K)
F02M 59/48	2-Punkt Untergruppe	Assembling; Disassembling; Replacing
F02M 61/00	Hauptgruppe	Fuel injectors not provided for in groups F02M 39/00-F02M 57/00
F02M 61/02	1-Punkt Untergruppe	. of valveless type
F02M 61/04	1-Punkt Untergruppe	. having valves (valves in general F16K)
F02M 61/06	2-Punkt Untergruppe	the valves being furnished at seated ends with pintle- or plug-shaped extensions
F02M 61/08	2-Punkt Untergruppe	the valves opening in direction of fuel flow
F02M 61/10	2-Punkt Untergruppe	Other injectors with elongated valve bodies, i.e. of needle-valve type
F02M 61/12	3-Punkt Untergruppe	characterised by the provision of guiding or centring means for valve bodies
F02M 61/14	1-Punkt Untergruppe	. Arrangements of injectors with respect to engines; Mounting of injectors
F02M 61/16	1-Punkt Untergruppe	. Details not provided for in, or of interest apart from, the apparatus of groups F02M 61/02-F02M 61/14
F02M 61/18	2-Punkt Untergruppe	Injection nozzles, e.g. having valve-seats
F02M 61/20	2-Punkt Untergruppe	Closing valves mechanically, e.g. arrangements of springs or weights
F02M 63/00	Hauptgruppe	Other fuel-injection apparatus having pertinent characteristics not provided for in groups F02M 39/00-F02M 57/00; Details, component parts, or accessories of fuel-injection apparatus, not provided for in, or of interest apart from, the apparatus of groups F02M 39/00-F02M 61/00
F02M 63/02	1-Punkt Untergruppe	. Fuel-injection apparatus having several injectors fed by a common pumping element, or having several pumping elements feeding a common injector; Fuel-injection apparatus having provisions for cutting-out pumps, pumping elements, or injectors; Fuel-injection apparatus having provisions for variably interconnecting pumping elements and injectors alternatively
F02M 63/04	1-Punkt Untergruppe	. Fuel-injection apparatus having injection valves held closed by a cyclically-operated mechanism for a time and automatically opened by fuel pressure, e.g. of constant-pressure pump or accumulator, when that mechanism releases the valve
F02M 63/06	1-Punkt Untergruppe	. Use of pressure wave generated by fuel inertia to open injection valves
F02M 65/00	Hauptgruppe	Testing fuel-injection apparatus, e.g. testing injection timing
		Fuel-injection by high-pressure gas carrying the fuel into engine working cylinders; Low-pressure fuel-injection
F02M 67/00	Hauptgruppe	Apparatus in which fuel-injection is effected by means of high-pressure gas, the gas carrying the fuel into working cylinders of the engine, e.g. air-injection type (using compressed air for low-pressure fuel-injection apparatus F02M 69/08)
F02M 67/02	1-Punkt Untergruppe	. the gas being compressed air, e.g. compressed in pumps (arrangements or adaptations of such pumps F02B)
F02M 67/04	2-Punkt Untergruppe	the air being extracted from working cylinders of the engine
F02M 67/06	1-Punkt Untergruppe	. the gas being other than air, e.g. steam, combustion gas
F02M 67/08	2-Punkt Untergruppe	the gas being generated by combustion of part of fuel other than in engine working cylinders

Symbol	Тур	Titel
F02M 67/10	1-Punkt Untergruppe	. Injectors peculiar thereto, e.g. of valveless type
F02M 67/12	2-Punkt Untergruppe	having valves
F02M 67/14	1-Punkt Untergruppe	. characterised by provisions for injecting different fuels, e.g. main fuel and readily self-igniting starting-fuel
F02M 69/00	Hauptgruppe	Low-pressure fuel-injection apparatus (electrically- operated F02M 51/00)
F02M 69/02	1-Punkt Untergruppe	. Pumps peculiar thereto
F02M 69/04	1-Punkt Untergruppe	. Injectors peculiar thereto
F02M 69/06	1-Punkt Untergruppe	. characterised by the pressurisation of the fuel being caused by centrifugal force acting on the fuel
F02M 69/08	1-Punkt Untergruppe	. characterised by the fuel being carried by compressed air into main stream of combustion-air
F02M 69/10	1-Punkt Untergruppe	. peculiar to scavenged two-stroke engines, e.g. injecting into crankcase-pump chamber
F02M 69/12	1-Punkt Untergruppe	. comprising a fuel-displaced free piston for intermittently metering and supplying fuel to injection nozzles [5]
F02M 69/14	1-Punkt Untergruppe	. having cyclically-operated valves connecting injection nozzles to a source of fuel under pressure during the injection period [5]
F02M 69/16	1-Punkt Untergruppe	. characterised by means for metering continuous fuel flow to injectors or means for varying fuel pressure upstream of injectors [5]
F02M 69/18	2-Punkt Untergruppe	the means being metering valves throttling fuel passages to injectors or by-pass valves throttling overflow passages, the metering valves being actuated by a device responsive to the engine working parameters, e.g. engine load, speed, temperature or quantity of air (F02M 69/26 takes precedence) [5]
F02M 69/20	3-Punkt Untergruppe	the device being a servo-motor, e.g. using engine intake air pressure or vacuum (F02M 69/22 takes precedence) [5]
F02M 69/22	3-Punkt Untergruppe	the device comprising a member movably mounted in the air intake conduit and displaced according to the quantity of air admitted to the engine [5]
F02M 69/24	3-Punkt Untergruppe	the device comprising a member for transmitting the movement of the air throttle valve actuated by the operator to the valves controlling fuel passages [5]
F02M 69/26	2-Punkt Untergruppe	the means varying fuel pressure in a fuel by-pass passage, the pressure acting on a throttle valve against the action of metered or throttled fuel pressure for variably throttling fuel flow to injection nozzles, e.g. to keep constant the pressure differential at the metering valve [5]
F02M 69/28	1-Punkt Untergruppe	. characterised by means for cutting-out the fuel supply to the engine or to main injectors during certain operating periods, e.g. deceleration [5]
F02M 69/30	1-Punkt Untergruppe	. characterised by means for facilitating the starting-up or idling of engines or by means for enriching fuel charge, e.g. below operational temperatures or upon high power demand of engines (at acceleration F02M 69/44) [5]
F02M 69/32	2-Punkt Untergruppe	with an air by-pass around the air throttle valve or with an auxiliary air passage, e.g. with a variably controlled valve therein [5]
F02M 69/34	2-Punkt Untergruppe	with an auxiliary fuel circuit supplying fuel to the engine, e.g. with the fuel pump outlet being directly connected to the injection nozzles [5]
F02M 69/36	2-Punkt Untergruppe	having an enrichment mechanism modifying fuel flow to injectors, e.g. by acting on the fuel metering device or on the valves throttling fuel passages to injection nozzles or overflow passages [5]
F02M 69/38	3-Punkt Untergruppe	using fuel pressure, e.g. by varying fuel pressure in the control chambers of the fuel metering device (F02M 69/26 takes precedence) [5]
F02M 69/40	3-Punkt Untergruppe	using variably controlled air pressure, e.g. by modifying the intake air vacuum signal acting on the fuel metering device [5]

F02M 9/06

Symbol	Тур	Titel
F02M 69/42	3-Punkt Untergruppe	using other means than variable fluid pressure, e.g. acting on the fuel metering device mechanically or electrically [5]
F02M 69/44	1-Punkt Untergruppe	. characterised by means for supplying extra fuel to the engine on sudden air throttle opening, e.g at acceleration [5]
F02M 69/46	1-Punkt Untergruppe	. Details, component parts or accessories not provided for in, or of interest apart from, the apparatus covered by groups F02M 69/02-F02M 69/44 [5]
F02M 69/48	2-Punkt Untergruppe	Arrangement of air sensors [5]
F02M 69/50	2-Punkt Untergruppe	Arrangement of fuel distributors [5]
F02M 69/52	2-Punkt Untergruppe	Arrangement of fuel metering devices [5]
F02M 69/54	2-Punkt Untergruppe	Arrangement of fuel pressure regulators [5]
F02M 71/00	Hauptgruppe	Combinations of carburettors and low-pressure fuel-injection apparatus (means for enriching charge on sudden air throttle opening of carburettors F02M 7/06)
F02M 71/02	1-Punkt Untergruppe	. with fuel-air mixture being produced by the carburettor and being compressed by a pump for subsequent injection into main combustion-air (adaptations or arrangements of such pumps F02B)
F02M 71/04	1-Punkt Untergruppe	. with carburettor being used at starting or idling only and injection apparatus being used during normal operation of engine
F02M 99/00	Hauptgruppe	Subject matter not provided for in other groups of this subclass [2006.01]