

Symbol	Typ	Titel
F	Sektion	MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING
F04	Klasse	POSITIVE-DISPLACEMENT MACHINES FOR LIQUIDS; PUMPS FOR LIQUIDS OR ELASTIC FLUIDS
F04C	Unterklasse	ROTARY-PISTON, OR OSCILLATING-PISTON, POSITIVE-DISPLACEMENT MACHINES FOR LIQUIDS (engines driven by liquids F03C); ROTARY-PISTON, OR OSCILLATING-PISTON, POSITIVE-DISPLACEMENT PUMPS (engine fuel-injection pumps F02M)
		<u>Machines for liquids; Pumps for liquids or for liquids and elastic fluids [2011.01]</u>
F04C 2/00	Hauptgruppe	Rotary-piston machines or pumps (with non-parallel axes of co-operating members F04C 3/00; with the working-chamber walls at least partly resiliently deformable F04C 5/00; with fluid ring or the like F04C 7/00; rotary-piston pumps specially adapted for elastic fluids F04C 18/00, F04C 19/00; rotary-piston machines or pumps in which the working-fluid is exclusively displaced by, or exclusively displaces, one or more reciprocating pistons F04B) [3, 2006.01]
F04C 2/02	1-Punkt Untergruppe	. of arcuate-engagement type, i.e. with circular translatory movement of co-operating members, each member having the same number of teeth or tooth-equivalents [3, 2006.01]
F04C 2/04	2-Punkt Untergruppe	. . of internal-axis type [3, 2006.01]
F04C 2/06	2-Punkt Untergruppe	. . of other than internal-axis type (F04C 2/063 takes precedence) [3, 2006.01]
F04C 2/063	2-Punkt Untergruppe	. . with coaxially-mounted members having continuously-changing circumferential spacing between them [3, 2006.01]
F04C 2/067	3-Punkt Untergruppe	. . . having cam-and-follower type drive [3, 2006.01]
F04C 2/07	3-Punkt Untergruppe	. . . having crankshaft-and-connecting-rod type drive [3, 2006.01]
F04C 2/073	3-Punkt Untergruppe	. . . having pawl-and-ratchet type drive [3, 2006.01]
F04C 2/077	3-Punkt Untergruppe	. . . having toothed-gearing type drive [3, 2006.01]
F04C 2/08	1-Punkt Untergruppe	. of intermeshing-engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [3, 2006.01]
F04C 2/10	2-Punkt Untergruppe	. . of internal-axis type with the outer member having more teeth or tooth-equivalents, e.g. rollers, than the inner member [3, 2006.01]
F04C 2/107	3-Punkt Untergruppe	. . . with helical teeth [3, 2006.01]
F04C 2/113	3-Punkt Untergruppe	. . . the inner member carrying rollers intermeshing with the outer member [3, 2006.01]
F04C 2/12	2-Punkt Untergruppe	. . of other than internal-axis type [3, 2006.01]
F04C 2/14	3-Punkt Untergruppe	. . . with toothed rotary pistons [3, 2006.01]
F04C 2/16	4-Punkt Untergruppe with helical teeth, e.g. chevron-shaped, screw type [3, 2006.01]
F04C 2/18	4-Punkt Untergruppe with similar tooth forms (F04C 2/16 takes precedence) [3, 2006.01]
F04C 2/20	4-Punkt Untergruppe with dissimilar tooth forms (F04C 2/16 takes precedence) [3, 2006.01]
F04C 2/22	1-Punkt Untergruppe	. of internal-axis type with equidirectional movement of co-operating members at the points of engagement, or with one of the co-operating members being stationary, the inner member having more teeth or tooth-equivalents than the outer member [3, 2006.01]
F04C 2/24	1-Punkt Untergruppe	. of counter-engagement type, i.e. the movement of co-operating members at the points of engagement being in opposite directions [3, 2006.01]
F04C 2/26	2-Punkt Untergruppe	. . of internal-axis type [3, 2006.01]

Symbol	Typ	Titel
F04C 2/28	2-Punkt Untergruppe	. . of other than internal-axis type [3, 2006.01]
F04C 2/30	1-Punkt Untergruppe	. having the characteristics covered by two or more of groups F04C 2/02, F04C 2/08, F04C 2/22, F04C 2/24 or having the characteristics covered by one of these groups together with some other type of movement between co-operating members [3, 2006.01]
F04C 2/32	2-Punkt Untergruppe	. . having both the movement defined in group F04C 2/02 and relative reciprocation between the co-operating members [3, 2006.01]
F04C 2/324	3-Punkt Untergruppe	. . . with vanes hinged to the inner member and reciprocating with respect to the outer member [3, 2006.01]
F04C 2/328	4-Punkt Untergruppe and hinged to the outer member [3, 2006.01]
F04C 2/332	3-Punkt Untergruppe	. . . with vanes hinged to the outer member and reciprocating with respect to the inner member [3, 2006.01]
F04C 2/336	4-Punkt Untergruppe and hinged to the inner member [3, 2006.01]
F04C 2/34	2-Punkt Untergruppe	. . having the movement defined in group F04C 2/08 or F04C 2/22 and relative reciprocation between the co-operating members [3, 2006.01]
F04C 2/344	3-Punkt Untergruppe	. . . with vanes reciprocating with respect to the inner member [3, 2006.01]
F04C 2/348	4-Punkt Untergruppe the vanes positively engaging, with circumferential play, an outer rotatable member [3, 2006.01]
F04C 2/352	4-Punkt Untergruppe the vanes being pivoted on the axis of the outer member [3, 2006.01]
F04C 2/356	3-Punkt Untergruppe	. . . with vanes reciprocating with respect to the outer member [3, 2006.01]
F04C 2/36	2-Punkt Untergruppe	. . having both the movements defined in groups F04C 2/22 and F04C 2/24 [3, 2006.01]
F04C 2/38	2-Punkt Untergruppe	. . having the movement defined in group F04C 2/02 and having a hinged member (F04C 2/32 takes precedence) [3, 2006.01]
F04C 2/39	3-Punkt Untergruppe	. . . with vanes hinged to the inner as well as to the outer member [3, 2006.01]
F04C 2/40	2-Punkt Untergruppe	. . having the movement defined in group F04C 2/08 or F04C 2/22 and having a hinged member [3, 2006.01]
F04C 2/44	3-Punkt Untergruppe	. . . with vanes hinged to the inner member [3, 2006.01]
F04C 2/46	3-Punkt Untergruppe	. . . with vanes hinged to the outer member [3, 2006.01]
F04C 3/00	Hauptgruppe	Rotary-piston machines or pumps, with non-parallel axes of movement of co-operating members, e.g. of screw type (with the working-chamber walls at least partly resiliently deformable F04C 5/00; rotary-piston pumps with non-parallel axes of movement of co-operating members specially adapted for elastic fluids F04C 18/48) [1, 2006.01]
F04C 3/02	1-Punkt Untergruppe	. the axes being arranged at an angle of 90 degrees [5, 2006.01]
F04C 3/04	2-Punkt Untergruppe	. . of intermeshing engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [5, 2006.01]
F04C 3/06	1-Punkt Untergruppe	. the axes being arranged otherwise than at an angle of 90 degrees [5, 2006.01]
F04C 3/08	2-Punkt Untergruppe	. . of intermeshing engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [5, 2006.01]
F04C 5/00	Hauptgruppe	Rotary-piston machines or pumps with the working-chamber walls at least partly resiliently deformable (such pumps specially adapted for elastic fluids F04C 18/00) [1, 2006.01]
F04C 7/00	Hauptgruppe	Rotary-piston machines or pumps with fluid ring or the like (such pumps specially adapted for elastic fluids F04C 19/00) [1, 2006.01]
F04C 9/00	Hauptgruppe	Oscillating-piston machines or pumps (such pumps specially adapted for elastic fluids F04C 21/00) [1, 2006.01]
F04C 11/00	Hauptgruppe	Combinations of two or more machines or pumps, each being of rotary-piston or oscillating-piston type (combinations of such pumps specially adapted for elastic fluids F04C 23/00); Pumping

Symbol	Typ	Titel
		installations (F04C 13/00 takes precedence; specially adapted for elastic fluids F04C 23/00; fluid gearing F16H 39/00-F16H 47/00) [1, 2006.01]
F04C 13/00	Hauptgruppe	Adaptations of machines or pumps for special use, e.g. for extremely high pressures (of pumps specially adapted for elastic fluids F04C 25/00) [1, 2006.01]
F04C 14/00	Hauptgruppe	Control of, monitoring of, or safety arrangements for, machines, pumps or pumping installations (of pumps or pumping installations specially adapted for elastic fluids F04C 28/00) [2006.01]
F04C 14/02	1-Punkt Untergruppe	. specially adapted for several machines or pumps connected in series or in parallel [2006.01]
F04C 14/04	1-Punkt Untergruppe	. specially adapted for reversible machines or pumps [2006.01]
F04C 14/06	1-Punkt Untergruppe	. specially adapted for stopping, starting, idling or no-load operation [2006.01]
F04C 14/08	1-Punkt Untergruppe	. characterised by varying the rotational speed [2006.01]
F04C 14/10	1-Punkt Untergruppe	. characterised by changing the positions of the inlet or outlet openings with respect to the working chamber [2006.01]
F04C 14/12	2-Punkt Untergruppe	. . using sliding valves [2006.01]
F04C 14/14	2-Punkt Untergruppe	. . using rotating valves [2006.01]
F04C 14/16	2-Punkt Untergruppe	. . using lift valves [2006.01]
F04C 14/18	1-Punkt Untergruppe	. characterised by varying the volume of the working chamber (by changing the positions of inlet or outlet openings F04C 14/10) [2006.01]
F04C 14/20	2-Punkt Untergruppe	. . by changing the form of the inner or outer contour of the working chamber [2006.01]
F04C 14/22	2-Punkt Untergruppe	. . by changing the eccentricity between cooperating members [2006.01]
F04C 14/24	1-Punkt Untergruppe	. characterised by using valves controlling pressure or flow rate, e.g. discharge valves (F04C 14/10 takes precedence) [2006.01]
F04C 14/26	2-Punkt Untergruppe	. . using bypass channels [2006.01]
F04C 14/28	1-Punkt Untergruppe	. Safety arrangements; Monitoring [2006.01]
F04C 15/00	Hauptgruppe	Component parts, details or accessories of machines, pumps or pumping installations, not provided for in groups F04C 2/00-F04C 14/00 (of pumps specially adapted for elastic fluids F04C 18/00-F04C 29/00) [1, 2006.01]
F04C 15/06	1-Punkt Untergruppe	. Arrangements for admission or discharge of the working fluid, e.g. constructional features of the inlet or outlet [2006.01]
		<u>Pumps specially adapted for elastic fluids</u>
F04C 18/00	Hauptgruppe	Rotary-piston pumps specially adapted for elastic fluids (with fluid ring or the like F04C 19/00; rotary-piston pumps in which the working-fluid is exclusively displaced by one or more reciprocating pistons F04B) [3, 2006.01]
F04C 18/02	1-Punkt Untergruppe	. of arcuate-engagement type, i.e. with circular translatory movement of co-operating members, each member having the same number of teeth or tooth-equivalents [3, 2006.01]
F04C 18/04	2-Punkt Untergruppe	. . of internal-axis type [3, 2006.01]
F04C 18/06	2-Punkt Untergruppe	. . of other than internal-axis type (F04C 18/063 takes precedence) [3, 2006.01]
F04C 18/063	2-Punkt Untergruppe	. . with coaxially-mounted members having continuously-changing circumferential spacing between them [3, 2006.01]
F04C 18/067	3-Punkt Untergruppe	. . . having cam-and-follower type drive [3, 2006.01]
F04C 18/07	3-Punkt Untergruppe	. . . having crankshaft-and-connecting-rod type drive [3, 2006.01]
F04C 18/073	3-Punkt Untergruppe	. . . having pawl-and-ratchet type drive [3, 2006.01]

Symbol	Typ	Titel
F04C 18/077	3-Punkt Untergruppe	. . . having toothed-gearing type drive [3, 2006.01]
F04C 18/08	1-Punkt Untergruppe	. of intermeshing-engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [3, 2006.01]
F04C 18/10	2-Punkt Untergruppe	. . of internal-axis type with the outer member having more teeth or tooth-equivalents, e.g. rollers, than the inner member [3, 2006.01]
F04C 18/107	3-Punkt Untergruppe	. . . with helical teeth [3, 2006.01]
F04C 18/113	3-Punkt Untergruppe	. . . the inner member carrying rollers intermeshing with the outer member [3, 2006.01]
F04C 18/12	2-Punkt Untergruppe	. . of other than internal-axis type [3, 2006.01]
F04C 18/14	3-Punkt Untergruppe	. . . with toothed rotary pistons [3, 2006.01]
F04C 18/16	4-Punkt Untergruppe with helical teeth, e.g. chevron-shaped, screw type [3, 2006.01]
F04C 18/18	4-Punkt Untergruppe with similar tooth forms (F04C 18/16 takes precedence) [3, 2006.01]
F04C 18/20	4-Punkt Untergruppe with dissimilar tooth forms (F04C 18/16 takes precedence) [3, 2006.01]
F04C 18/22	1-Punkt Untergruppe	. of internal-axis type with equidirectional movement of co-operating members at the points of engagement, or with one of the co-operating members being stationary, the inner member having more teeth or tooth-equivalents than the outer member [3, 2006.01]
F04C 18/24	1-Punkt Untergruppe	. of counter-engagement type, i.e. the movement of co-operating members at the points of engagement being in opposite directions [3, 2006.01]
F04C 18/26	2-Punkt Untergruppe	. . of internal-axis type [3, 2006.01]
F04C 18/28	2-Punkt Untergruppe	. . of other than internal-axis type [3, 2006.01]
F04C 18/30	1-Punkt Untergruppe	. having the characteristics covered by two or more of groups F04C 18/02, F04C 18/08, F04C 18/22, F04C 18/24, F04C 18/48, or having the characteristics covered by one of these groups together with some other type of movement between co-operating members [3, 2006.01]
F04C 18/32	2-Punkt Untergruppe	. . having both the movement defined in group F04C 18/02 and relative reciprocation between the co-operating members [3, 2006.01]
F04C 18/324	3-Punkt Untergruppe	. . . with vanes hinged to the inner member and reciprocating with respect to the outer member [3, 2006.01]
F04C 18/328	4-Punkt Untergruppe and hinged to the outer member [3, 2006.01]
F04C 18/332	3-Punkt Untergruppe	. . . with vanes hinged to the outer member and reciprocating with respect to the inner member [3, 2006.01]
F04C 18/336	4-Punkt Untergruppe and hinged to the inner member [3, 2006.01]
F04C 18/34	2-Punkt Untergruppe	. . having the movement defined in group F04C 18/08 or F04C 18/22 and relative reciprocation between the co-operating members [3, 2006.01]
F04C 18/344	3-Punkt Untergruppe	. . . with vanes reciprocating with respect to the inner member [3, 2006.01]
F04C 18/348	4-Punkt Untergruppe the vanes positively engaging, with circumferential play, an outer rotatable member [3, 2006.01]
F04C 18/352	4-Punkt Untergruppe the vanes being pivoted on the axis of the outer member [3, 2006.01]
F04C 18/356	3-Punkt Untergruppe	. . . with vanes reciprocating with respect to the outer member [3, 2006.01]
F04C 18/36	2-Punkt Untergruppe	. . having both the movements defined in groups F04C 18/22 and F04C 18/24 [3, 2006.01]
F04C 18/38	2-Punkt Untergruppe	. . having the movement defined in group F04C 18/02 and having a hinged member (F04C 18/32 takes precedence) [3, 2006.01]

Symbol	Typ	Titel
F04C 18/39	3-Punkt Untergruppe	. . . with vanes hinged to the inner as well as to the outer member [3, 2006.01]
F04C 18/40	2-Punkt Untergruppe	. . having the movement defined in group F04C 18/08 or F04C 18/22 and having a hinged member [3, 2006.01]
F04C 18/44	3-Punkt Untergruppe	. . . with vanes hinged to the inner member [3, 2006.01]
F04C 18/46	3-Punkt Untergruppe	. . . with vanes hinged to the outer member [3, 2006.01]
F04C 18/48	1-Punkt Untergruppe	. Rotary-piston pumps with non-parallel axes of movement of co-operating members [5, 2006.01]
F04C 18/50	2-Punkt Untergruppe	. . the axes being arranged at an angle of 90 degrees [5, 2006.01]
F04C 18/52	3-Punkt Untergruppe	. . . of intermeshing engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [5, 2006.01]
F04C 18/54	2-Punkt Untergruppe	. . the axes being arranged otherwise than at an angle of 90 degrees [5, 2006.01]
F04C 18/56	3-Punkt Untergruppe	. . . of intermeshing engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [5, 2006.01]
F04C 19/00	Hauptgruppe	Rotary-piston pumps with fluid ring or the like, specially adapted for elastic fluids [1, 2006.01]
F04C 21/00	Hauptgruppe	Oscillating-piston pumps specially adapted for elastic fluids [1, 2006.01]
F04C 23/00	Hauptgruppe	Combinations of two or more pumps, each being of rotary-piston or oscillating-piston type, specially adapted for elastic fluids; Pumping installations specially adapted for elastic fluids; Multi-stage pumps specially adapted for elastic fluids (F04C 25/00 takes precedence) [1, 2006.01]
F04C 23/02	1-Punkt Untergruppe	. Pumps characterised by combination with, or adaptation to, specific driving engines or motors (predominant aspects of the engines or motors, <u>see</u> the relevant classes) [1, 2006.01]
F04C 25/00	Hauptgruppe	Adaptations for special use of pumps for elastic fluids [1, 2006.01]
F04C 25/02	1-Punkt Untergruppe	. for producing high vacuum (sealing arrangements F04C 27/00; silencing F04C 29/06) [1, 2006.01]
F04C 27/00	Hauptgruppe	Sealing arrangements in rotary-piston pumps specially adapted for elastic fluids [1, 2006.01]
F04C 27/02	1-Punkt Untergruppe	. Liquid sealing for high-vacuum pumps [1, 2006.01]
F04C 28/00	Hauptgruppe	Control of, monitoring of, or safety arrangements for, pumps or pumping installations specially adapted for elastic fluids [2006.01]
F04C 28/02	1-Punkt Untergruppe	. specially adapted for several pumps connected in series or in parallel [2006.01]
F04C 28/04	1-Punkt Untergruppe	. specially adapted for reversible pumps [2006.01]
F04C 28/06	1-Punkt Untergruppe	. specially adapted for stopping, starting, idling or no-load operation [2006.01]
F04C 28/08	1-Punkt Untergruppe	. characterised by varying the rotational speed [2006.01]
F04C 28/10	1-Punkt Untergruppe	. characterised by changing the positions of the inlet or outlet openings with respect to the working chamber [2006.01]
F04C 28/12	2-Punkt Untergruppe	. . using sliding valves [2006.01]
F04C 28/14	2-Punkt Untergruppe	. . using rotating valves [2006.01]
F04C 28/16	2-Punkt Untergruppe	. . using lift valves [2006.01]
F04C 28/18	1-Punkt Untergruppe	. characterised by varying the volume of the working chamber (by changing the positions of inlet or outlet openings F04C 28/10) [2006.01]
F04C 28/20	2-Punkt Untergruppe	. . by changing the form of the inner or outer contour of the working chamber [2006.01]
F04C 28/22	2-Punkt Untergruppe	. . by changing the eccentricity between cooperating members [2006.01]

Symbol	Typ	Titel
F04C 28/24	1-Punkt Untergruppe	. characterised by using valves controlling pressure or flow rate, e.g. discharge valves (F04C 28/10 takes precedence) [2006.01]
F04C 28/26	2-Punkt Untergruppe	. . using bypass channels [2006.01]
F04C 28/28	1-Punkt Untergruppe	. Safety arrangements; Monitoring [2006.01]
F04C 29/00	Hauptgruppe	Component parts, details, or accessories, of pumps or pumping installations specially adapted for elastic fluids, not provided for in groups F04C 18/00-F04C 28/00 [1, 2006.01]
F04C 29/02	1-Punkt Untergruppe	. Lubrication; Lubricant separation [1, 2006.01]
F04C 29/04	1-Punkt Untergruppe	. Heating; Cooling; Heat insulation [1, 2006.01]
F04C 29/06	1-Punkt Untergruppe	. Silencing [1, 2006.01]
F04C 29/12	1-Punkt Untergruppe	. Arrangements for admission or discharge of the working fluid, e.g. constructional features of the inlet or outlet [2006.01]