

Symbol	Typ	Titel
G	Sektion	PHYSICS
G01	Untersektion	INSTRUMENTS
G01	Klasse	MEASURING; TESTING
G01D	Unterkategorie	MEASURING NOT SPECIALLY ADAPTED FOR A SPECIFIC VARIABLE; ARRANGEMENTS FOR MEASURING TWO OR MORE VARIABLES NOT COVERED BY A SINGLE OTHER SUBCLASS; TARIFF METERING APPARATUS; TRANSFERRING OR TRANSDUCING ARRANGEMENTS NOT SPECIALLY ADAPTED FOR A SPECIFIC VARIABLE; MEASURING OR TESTING NOT OTHERWISE PROVIDED FOR
G01D 1/00	Hauptgruppe	Measuring arrangements giving results other than momentary value of variable, of general application (G01D 3/00 takes precedence; in tariff metering apparatus G01D 4/00; transducers not specially adapted for a specific variable G01D 5/00) [1, 2006.01]
G01D 1/02	1-Punkt Untergruppe	. giving mean values, e.g. root mean square values (measuring root mean square values of currents or voltages G01R 19/02) [1, 2006.01]
G01D 1/04	1-Punkt Untergruppe	. giving integrated values (giving mean values G01D 1/02) [1, 2006.01]
G01D 1/06	2-Punkt Untergruppe	... by intermittent summation [1, 2006.01]
G01D 1/08	3-Punkt Untergruppe	... over fixed periods of time [1, 2006.01]
G01D 1/10	1-Punkt Untergruppe	. giving differentiated values [1, 2006.01]
G01D 1/12	1-Punkt Untergruppe	. giving a maximum or minimum of a value [1, 2006.01]
G01D 1/14	1-Punkt Untergruppe	. giving a distribution function of a value, i.e. number of times the value comes within specified ranges of amplitude [1, 2006.01]
G01D 1/16	1-Punkt Untergruppe	. giving a value which is a function of two or more values, e.g. product, ratio [1, 2006.01]
G01D 1/18	1-Punkt Untergruppe	. with arrangements for signalling that a predetermined value of an unspecified parameter has been exceeded (G01D 1/14 takes precedence) [3, 2006.01]
G01D 3/00	Hauptgruppe	Measuring arrangements with provision for the special purposes referred to in the subgroups of this group [1, 2006.01]
G01D 3/02	1-Punkt Untergruppe	. with provision for altering or correcting the transfer function [1, 2006.01]
G01D 3/024	2-Punkt Untergruppe	... for range change; Arrangements for substituting one sensing member by another [6, 2006.01]
G01D 3/028	1-Punkt Untergruppe	. mitigating undesired influences, e.g. temperature, pressure [6, 2006.01]
G01D 3/032	2-Punkt Untergruppe	... affecting incoming signal, e.g. by averaging; gating undesired signals [6, 2006.01]
G01D 3/036	2-Punkt Untergruppe	... on measuring arrangements themselves [6, 2006.01]
G01D 3/06	1-Punkt Untergruppe	. with provision for operation by a null method [1, 2006.01]
G01D 3/08	1-Punkt Untergruppe	. with provision for safeguarding the apparatus, e.g. against abnormal operation, against breakdown [1, 2006.01]
G01D 3/10	1-Punkt Untergruppe	. with provision for switching-in of additional or auxiliary indicators or recorders [1, 2006.01]
G01D 4/00	Hauptgruppe	Tariff metering apparatus (in taximeters G07B 13/00; apparatus actuated by coins, cards or the like with meter-controlled dispensing of liquid, gas, or electricity G07F 15/00) [1, 2006.01]
G01D 4/02	1-Punkt Untergruppe	. Details [1, 2006.01]
G01D 4/04	2-Punkt Untergruppe	... Resetting-mechanisms, e.g. for indicating members [1, 2006.01]

Symbol	Typ	Titel
G01D 4/06	2-Punkt Untergruppe	... Arrangement of clutches between driving and indicating member, e.g. of hysteresis clutch (G01D 4/04 takes precedence) [1, 2006.01]
G01D 4/08	2-Punkt Untergruppe	... Transfer of indication from a counter into a summing counter [1, 2006.01]
G01D 4/10	1-Punkt Untergruppe	. Maximum indicating or recording apparatus, i.e. where the tariff for a period is based on a maximum demand within that period [1, 2006.01]
G01D 4/12	2-Punkt Untergruppe	... Apparatus for indicating or recording progressive maximum [1, 2006.01]
G01D 4/14	2-Punkt Untergruppe	... Fixed-demand indicating or recording apparatus, i.e. where indication is made when a predetermined quantity has been consumed during a time interval greater or less than a predetermined time interval [1, 2006.01]
G01D 4/16	1-Punkt Untergruppe	. Apparatus for indicating or recording maximum or minimum load hours [1, 2006.01]
G01D 4/18	1-Punkt Untergruppe	. Apparatus for indicating or recording overconsumption with opposing torque which comes into effect when a predetermined level is exceeded, e.g. subtraction meters [1, 2006.01]
G01D 5/00	Hauptgruppe	Mechanical means for transferring the output of a sensing member; Means for converting the output of a sensing member to another variable where the form or nature of the sensing member does not constrain the means for converting; Transducers not specially adapted for a specific variable (G01D 3/00 takes precedence; specially adapted for apparatus giving results other than momentary value of variable G01D 1/00) [1, 6, 2006.01]
G01D 5/02	1-Punkt Untergruppe	. using mechanical means [1, 2006.01]
G01D 5/04	2-Punkt Untergruppe	... using levers; using cams; using gearing [1, 2006.01]
G01D 5/06	2-Punkt Untergruppe	... acting through a wall or enclosure, e.g. by bellows, by magnetic coupling [1, 2006.01]
G01D 5/08	2-Punkt Untergruppe	... Reducing the effects of friction, e.g. by applying vibrations [1, 2006.01]
G01D 5/10	2-Punkt Untergruppe	... Applying external forces to increase force available for operation of indicating or recording part [1, 2006.01]
G01D 5/12	1-Punkt Untergruppe	. using electric or magnetic means (G01D 5/06 takes precedence) [1, 3, 2006.01]
G01D 5/14	2-Punkt Untergruppe	... influencing the magnitude of a current or voltage [1, 2006.01]
G01D 5/16	3-Punkt Untergruppe	... by varying resistance [1, 2006.01]
G01D 5/165	4-Punkt Untergruppe by relative movement of a point of contact and a resistive track [6, 2006.01]
G01D 5/18	3-Punkt Untergruppe	... by varying effective impedance of discharge tubes or semiconductor devices [1, 2006.01]
G01D 5/20	3-Punkt Untergruppe	... by varying inductance, e.g. by a movable armature [1, 2006.01]
G01D 5/22	4-Punkt Untergruppe differentially influencing two coils [1, 2006.01]
G01D 5/24	3-Punkt Untergruppe	... by varying capacitance [1, 2006.01]
G01D 5/241	4-Punkt Untergruppe by relative movement of capacitor electrodes [6, 2006.01]
G01D 5/242	3-Punkt Untergruppe	... by varying output of an electrodynamic device, e.g. of a tachodynamo [1, 2006.01]
G01D 5/243	2-Punkt Untergruppe	... influencing the phase or frequency of ac [1, 2006.01]
G01D 5/244	2-Punkt Untergruppe	... influencing characteristics of pulses or pulse trains; generating pulses or pulse trains [1, 6, 2006.01]
G01D 5/245	3-Punkt Untergruppe	... using a variable number of pulses in a train [1, 2006.01]
G01D 5/246	3-Punkt Untergruppe	... by varying the duration of individual pulses [1, 2006.01]

Symbol	Typ	Titel
G01D 5/247	3-Punkt Untergruppe	... using time shifts of pulses [1, 2006.01]
G01D 5/248	3-Punkt Untergruppe	... by varying pulse repetition frequency [1, 2006.01]
G01D 5/249	3-Punkt Untergruppe	... using pulse code [1, 2006.01]
G01D 5/25	2-Punkt Untergruppe	... Selecting one or more conductors or channels from a plurality of conductors or channels, e.g. by closing contacts [1, 2006.01]
G01D 5/251	3-Punkt Untergruppe	... one conductor or channel [1, 2006.01]
G01D 5/252	3-Punkt Untergruppe	... a combination of conductors or channels [1, 2006.01]
G01D 5/26	1-Punkt Untergruppe	. using optical means, i.e. using infra-red, visible or ultra-violet light [1, 2006.01]
G01D 5/28	2-Punkt Untergruppe	... with deflection of beams of light, e.g. for direct optical indication (G01D 5/40 takes precedence) [1, 2006.01]
G01D 5/30	3-Punkt Untergruppe	... the beams of light being detected by photocells [1, 2006.01]
G01D 5/32	2-Punkt Untergruppe	... with attenuation or whole or partial obturation of beams of light (G01D 5/40 takes precedence) [1, 2006.01]
G01D 5/34	3-Punkt Untergruppe	... the beams of light being detected by photocells [1, 2006.01]
G01D 5/347	4-Punkt Untergruppe using displacement encoding scales [6, 2006.01]
G01D 5/353	4-Punkt Untergruppe influencing the transmission properties of an optical fibre [6, 2006.01]
G01D 5/36	4-Punkt Untergruppe Forming the light into pulses [1, 2006.01]
G01D 5/38	5-Punkt Untergruppe by diffraction gratings [1, 2006.01]
G01D 5/39	2-Punkt Untergruppe	.. Scanning a visible indication of the measured value and reproducing this indication at a remote place, e.g. on the screen of a cathode-ray tube [1, 2006.01]
G01D 5/40	2-Punkt Untergruppe	.. specially adapted for use with infra-red light [1, 2006.01]
G01D 5/42	1-Punkt Untergruppe	. using fluid means [1, 2006.01]
G01D 5/44	2-Punkt Untergruppe	.. using jets of fluid [1, 2006.01]
G01D 5/46	3-Punkt Untergruppe	... by deflecting or throttling the flow [1, 2006.01]
G01D 5/48	1-Punkt Untergruppe	. using wave or particle radiation means (G01D 5/26 takes precedence) [1, 2006.01]
G01D 5/50	2-Punkt Untergruppe	.. derived from a radioactive source [1, 2006.01]
G01D 5/52	3-Punkt Untergruppe	... detected by a counter tube [1, 2006.01]
G01D 5/54	1-Punkt Untergruppe	. using means specified in two or more of groups G01D 5/02, G01D 5/12, G01D 5/26, G01D 5/42, and G01D 5/48 [1, 2006.01]
G01D 5/56	2-Punkt Untergruppe	.. using electric or magnetic means [1, 2006.01]
G01D 5/58	2-Punkt Untergruppe	.. using optical means, i.e. using infra-red, visible or ultra-violet light [1, 2006.01]
G01D 5/60	2-Punkt Untergruppe	.. using fluid means [1, 2006.01]
G01D 5/62	2-Punkt Untergruppe	.. using wave or particle radiation means not covered by group G01D 5/58 [1, 2006.01]
G01D 7/00	Hauptgruppe	Indicating measured values [1, 2006.01]
G01D 7/02	1-Punkt Untergruppe	. Indicating value of two or more variables simultaneously [1, 2006.01]

Symbol	Typ	Titel
G01D 7/04	2-Punkt Untergruppe	... using a separate indicating element for each variable [1, 2006.01]
G01D 7/06	3-Punkt Untergruppe	... Luminous indications projected on a common screen [1, 2006.01]
G01D 7/08	2-Punkt Untergruppe	... using a common indicating element for two or more variables [1, 2006.01]
G01D 7/10	3-Punkt Untergruppe	... giving indication in co-ordinate form [1, 2006.01]
G01D 7/12	1-Punkt Untergruppe	. Audible indication of meter readings, e.g. for the blind [2, 2006.01]
G01D 9/00	Hauptgruppe	Recording measured values [1, 2006.01]
G01D 9/02	1-Punkt Untergruppe	. Producing one or more recordings of the values of a single variable [1, 2006.01]
G01D 9/04	2-Punkt Untergruppe	... with provision for multiple or alternative recording [1, 2006.01]
G01D 9/06	3-Punkt Untergruppe	... Multiple recording, e.g. duplicating [1, 2006.01]
G01D 9/08	4-Punkt Untergruppe giving both graphical and numerical recording [1, 2006.01]
G01D 9/10	2-Punkt Untergruppe	... the recording element, e.g. stylus, being controlled in accordance with the variable, and the recording medium, e.g. paper roll, being controlled in accordance with time [1, 2006.01]
G01D 9/12	3-Punkt Untergruppe	... recording occurring continuously [1, 2006.01]
G01D 9/14	4-Punkt Untergruppe with provision for altering speed of recording medium in accordance with the magnitude of the variable to be recorded [1, 2006.01]
G01D 9/16	3-Punkt Untergruppe	... recording occurring at separated intervals, e.g. by chopper bar [1, 2006.01]
G01D 9/18	4-Punkt Untergruppe recording element actuated only upon change in value of variable [1, 2006.01]
G01D 9/20	2-Punkt Untergruppe	... the recording element, e.g. stylus, being controlled in accordance with time and the recording medium, e.g. paper roll, being controlled in accordance with the variable [1, 2006.01]
G01D 9/22	3-Punkt Untergruppe	... recording occurring continuously [1, 2006.01]
G01D 9/24	3-Punkt Untergruppe	... recording occurring at separated intervals, e.g. by chopper bar [1, 2006.01]
G01D 9/26	2-Punkt Untergruppe	... either the recording element, e.g. stylus, or the recording medium, e.g. paper roll, being controlled in accordance with both time and the variable [1, 2006.01]
G01D 9/28	1-Punkt Untergruppe	. Producing one or more recordings, each recording being of the values of two or more different variables (G01D 9/38, G01D 9/40 take precedence) [1, 2006.01]
G01D 9/30	2-Punkt Untergruppe	... there being a separate recording element for each variable, e.g. multiple-pen recorder [1, 2006.01]
G01D 9/32	2-Punkt Untergruppe	... there being a common recording element for two or more variables [1, 2006.01]
G01D 9/34	3-Punkt Untergruppe	... the variables being recorded in predetermined sequence [1, 2006.01]
G01D 9/36	4-Punkt Untergruppe in separate columns [1, 2006.01]
G01D 9/38	1-Punkt Untergruppe	. Producing one or more recordings, each recording being produced by controlling the recording element, e.g. stylus, in accordance with one variable and controlling the recording medium, e.g. paper roll, in accordance with another variable [1, 2006.01]
G01D 9/40	1-Punkt Untergruppe	. Producing one or more recordings, each recording being produced by controlling either the recording element, e.g. stylus, or the recording medium, e.g. paper roll, in accordance with two or more variables [1, 2006.01]
G01D 9/42	1-Punkt Untergruppe	. Recording indications of measuring instruments by photographic means, e.g. of counters [1, 2006.01]
G01D 11/00	Hauptgruppe	Component parts of measuring arrangements not specially adapted for a specific variable (G01D 13/00, G01D 15/00 take precedence) [1, 2006.01]

Symbol	Typ	Titel
G01D 11/02	1-Punkt Untergruppe	. Bearings or suspensions for moving parts [1, 2006.01]
G01D 11/04	2-Punkt Untergruppe	... Knife-edge bearings [1, 2006.01]
G01D 11/06	2-Punkt Untergruppe	... Strip or thread suspensions, e.g. in tension [1, 2006.01]
G01D 11/08	1-Punkt Untergruppe	. Elements for balancing moving parts [1, 2006.01]
G01D 11/10	1-Punkt Untergruppe	. Elements for damping the movement of parts [1, 2006.01]
G01D 11/12	2-Punkt Untergruppe	... using fluid damping [1, 2006.01]
G01D 11/14	2-Punkt Untergruppe	... using magnetic induction damping [1, 2006.01]
G01D 11/16	1-Punkt Untergruppe	. Elements for restraining or preventing the movement of parts, e.g. for zeroising (caging of moving parts when not in use G01D 11/20) [1, 2006.01]
G01D 11/18	2-Punkt Untergruppe	... Springs (G01D 11/06 takes precedence) [1, 2006.01]
G01D 11/20	1-Punkt Untergruppe	. Caging devices for moving parts when not in use [1, 2006.01]
G01D 11/22	2-Punkt Untergruppe	... automatically actuated [1, 2006.01]
G01D 11/24	1-Punkt Untergruppe	. Housings [1, 2006.01]
G01D 11/26	2-Punkt Untergruppe	... Windows; Cover glasses; Sealings therefor [1, 2006.01]
G01D 11/28	1-Punkt Untergruppe	. Structurally-combined illuminating devices [1, 2006.01]
G01D 11/30	1-Punkt Untergruppe	. Supports specially adapted for an instrument; Supports specially adapted for a set of instruments [1, 2006.01]
G01D 13/00	Hauptgruppe	Component parts of indicators for measuring arrangements not specially adapted for a specific variable [1, 2006.01]
G01D 13/02	1-Punkt Untergruppe	. Scales; Dials [1, 2006.01]
G01D 13/04	2-Punkt Untergruppe	... Construction [1, 2006.01]
G01D 13/06	3-Punkt Untergruppe	... Moving bands (G01D 13/10 takes precedence) [1, 2006.01]
G01D 13/08	3-Punkt Untergruppe	... Rotating drums (G01D 13/10 takes precedence) [1, 2006.01]
G01D 13/10	3-Punkt Untergruppe	... with adjustable scales; with auxiliary scales, e.g. vernier [1, 2006.01]
G01D 13/12	2-Punkt Untergruppe	... Graduation [1, 2006.01]
G01D 13/14	3-Punkt Untergruppe	... for rotations of more than 360° [1, 2006.01]
G01D 13/16	3-Punkt Untergruppe	... with staggered markings [1, 2006.01]
G01D 13/18	3-Punkt Untergruppe	... with raised or recessed markings [1, 2006.01]
G01D 13/20	3-Punkt Untergruppe	... with luminescent markings [1, 2006.01]
G01D 13/22	1-Punkt Untergruppe	. Pointers, e.g. settable pointer [1, 2006.01]
G01D 13/24	2-Punkt Untergruppe	... for indicating a maximum or minimum [1, 2006.01]
G01D 13/26	2-Punkt Untergruppe	... adapted to perform a further operation, e.g. making electrical contact [1, 2006.01]
G01D 13/28	2-Punkt Untergruppe	... with luminescent markings [1, 2006.01]
G01D 15/00	Hauptgruppe	Component parts of recorders for measuring arrangements not specially adapted for a specific variable [1, 2006.01]

Symbol	Typ	Titel
G01D 15/02	1-Punkt Untergruppe	. Styli or other recording elements acting to mechanically deform or perforate the recording surface (printing recording elements G01D 15/20) [1, 2006.01]
G01D 15/04	2-Punkt Untergruppe	... acting to punch holes in the recording surface [1, 2006.01]
G01D 15/06	1-Punkt Untergruppe	. Electric recording elements, e.g. electrolytic [1, 2006.01]
G01D 15/08	2-Punkt Untergruppe	... for spark erosion [1, 2006.01]
G01D 15/10	1-Punkt Untergruppe	. Heated recording elements acting on heat-sensitive layers [1, 2006.01]
G01D 15/12	1-Punkt Untergruppe	. Magnetic recording elements [1, 2006.01]
G01D 15/14	1-Punkt Untergruppe	. Optical recording elements; Recording elements using X- or nuclear radiation [1, 2006.01]
G01D 15/16	1-Punkt Untergruppe	. Recording elements transferring recording material, e.g. ink, to the recording surface (printing recording elements G01D 15/20) [1, 2006.01]
G01D 15/18	2-Punkt Untergruppe	... Nozzles emitting recording material [1, 2006.01]
G01D 15/20	1-Punkt Untergruppe	. Recording elements for printing with ink or for printing by deformation or perforation of the recording surface, e.g. embossing [1, 2006.01]
G01D 15/22	1-Punkt Untergruppe	. Chopper bars for bringing recording element into contact with recording surface [1, 2006.01]
G01D 15/24	1-Punkt Untergruppe	. Drives for recording elements or surfaces, not covered by group G01D 5/00 [1, 2006.01]
G01D 15/26	2-Punkt Untergruppe	... operating by clockwork [1, 2006.01]
G01D 15/28	1-Punkt Untergruppe	. Holding means for recording surfaces; Guiding means for recording surfaces; Exchanging means for recording surfaces [1, 2006.01]
G01D 15/30	2-Punkt Untergruppe	... for foldable strip charts [1, 2006.01]
G01D 15/32	2-Punkt Untergruppe	... for circular charts [1, 2006.01]
G01D 15/34	1-Punkt Untergruppe	. Recording surfaces [1, 2006.01]
G01D 18/00	Hauptgruppe	Testing or calibrating apparatus or arrangements provided for in groups G01D 1/00-G01D 15/00 [1, 2006.01]
G01D 21/00	Hauptgruppe	Measuring or testing not otherwise provided for [1, 2006.01]
G01D 21/02	1-Punkt Untergruppe	. Measuring two or more variables by means not covered by a single other subclass [1, 2006.01]