G	Sektion	SECTION G — PHYSICS
G08	Klasse	SIGNALLING (indicating or display devices per seG09F; transmission of
		pictures H04N)
G08B	Unterklasse	SIGNALLING OR CALLING SYSTEMS; ORDER TELEGRAPHS; ALARM SYSTEMS (signalling arrangements on vehicles B60Q, B62D 41/00; railway signalling systems or devices B61L; on cycles B62J 3/00, B62J 6/00; safes or strong-rooms with alarm devices E05G;
		signalling or alarm devices in mines E21F 17/18; sensitive measuring elements, $\underline{see}$ the
		appropriate subclasses of G01; traffic control systems G08G; visual indicating means G09; sound-producing devices G10; radio or near-field calling systems H04B 5/00, H04B 7/00; selecting arrangements H04Q 7/00, H04Q 9/00; loudspeakers, microphones, gramohpone pick-ups or like acoustic electromechanical transducers H04R)
G08B 1/00	Hauptgruppe	Systems for signalling characterised solely by the form of transmission of the signal
G08B 1/02	1-Punkt Untergruppe	. using only mechanical transmission
G08B 1/04	1-Punkt Untergruppe	. using hydraulic transmission; using pneumatic transmission
G08B 1/06	2-Punkt Untergruppe	hydraulic only
G08B 1/08	1-Punkt Untergruppe	. using electric transmission
G08B 3/00	Hauptgruppe	Audible signalling systems; Audible personal calling systems (audible indication of time signals G04B 21/00, G04C 21/00)
G08B 3/02	1-Punkt Untergruppe	. using only mechanical transmission
G08B 3/06	1-Punkt Untergruppe	. using hydraulic transmission; using pneumatic transmission
G08B 3/10	1-Punkt Untergruppe	. using electric transmission; using electromagnetic transmission
G08B 3/14	1-Punkt Untergruppe	. using explosives
G08B 5/00	Hauptgruppe	Visible signalling systems, e.g. personal calling systems, remote indication of seats occupied ( display of time signals G04B 19/00, G04C 17/00, G04C 19/00, G04G 9/00; for display of alphanumeric information G09F; flags, banners G09F)
G08B 5/02	1-Punkt Untergruppe	. using only mechanical transmission
G08B 5/06	1-Punkt Untergruppe	. using hydraulic transmission; using pneumatic transmission
G08B 5/14	2-Punkt Untergruppe	with indicator element moving about a pivot, e.g. hinged flap, rotating vane
G08B 5/16	3-Punkt Untergruppe	with reset means necessitating a separate operation to return the indicator element
G08B 5/18	2-Punkt Untergruppe	with indicator element moving rectilinearly
G08B 5/20	3-Punkt Untergruppe	with reset means necessitating a separate operation to return the indicator element
G08B 5/22	1-Punkt Untergruppe	. using electric transmission; using electromagnetic transmission
G08B 5/24	2-Punkt Untergruppe	with indicator element moving about a pivot, e.g. hinged flap, rotating vane
G08B 5/26	3-Punkt Untergruppe	with reset means necessitating a separate operation to return the indicator element
G08B 5/28	3-Punkt Untergruppe	with hinged flap or arm
G08B 5/30	3-Punkt Untergruppe	with rotating or oscillating members, e.g. vanes
G08B 5/32	2-Punkt Untergruppe	with indicator element moving rectilinearly

Symbol	Тур	Titel
G08B 5/34	3-Punkt Untergruppe	with reset means necessitating a separate operation to return the indicator element
G08B 5/36	2-Punkt Untergruppe	using visible light sources
G08B 5/38	3-Punkt Untergruppe	using flashing light
G08B 5/40	1-Punkt Untergruppe	. using smoke, fire, or coloured gases (sky-writing G09F 21/16)
G08B 6/00	Hauptgruppe	Tactile signalling systems, e.g. personal calling systems (indication of time by feeling G04B 25/02; deaf-aid sets H04R 25/00) [6]
G08B 7/00	Hauptgruppe	Signalling systems according to more than one of groups G08B $3/00$ -G08B $6/00$ (combinations of display arrangements with audible advertising G09F $27/00$ ); Personal calling systems according to more than one of groups G08B $3/00$ -G08B $6/00$
G08B 7/02	1-Punkt Untergruppe	. using mechanical transmission
G08B 7/04	1-Punkt Untergruppe	. using hydraulic transmission; using pneumatic transmission
G08B 7/06	1-Punkt Untergruppe	. using electric transmission
G08B 7/08	1-Punkt Untergruppe	. using explosives
G08B 9/00	Hauptgruppe	Order telegraph apparatus, i.e. means for transmitting one of a finite number of different orders at the discretion of the user, e.g. bridge to engine room orders in ships (signalling devices in mines E21F 17/18)
G08B 9/02	1-Punkt Untergruppe	. Details
G08B 9/04	2-Punkt Untergruppe	Means for recording operation of the apparatus
G08B 9/06	2-Punkt Untergruppe	Means for indicating disagreement between orders given and those carried out
G08B 9/08	1-Punkt Untergruppe	. mechanical
G08B 9/10	2-Punkt Untergruppe	using ratchet
G08B 9/12	2-Punkt Untergruppe	using rotary shaft
G08B 9/14	1-Punkt Untergruppe	. hydraulic; pneumatic
G08B 9/16	2-Punkt Untergruppe	using ratchet
G08B 9/18	2-Punkt Untergruppe	by varying displacement of the fluid
G08B 9/20	2-Punkt Untergruppe	by varying pressure of the fluid
G08B 13/00	Hauptgruppe	Burglar, theft, or intruder alarms (vehicle theft alarms B60R 25/10; cycle theft alarms B62H 5/00)
G08B 13/02	1-Punkt Untergruppe	. Mechanical actuation
G08B 13/04	2-Punkt Untergruppe	by breaking of glass
G08B 13/06	2-Punkt Untergruppe	by tampering with fastening (alarm locks E05B 45/00; alarm devices on safes E05G 1/10)
G08B 13/08	2-Punkt Untergruppe	by opening, e.g. of door, of window, of drawer, of shutter, of curtain, of blind
G08B 13/10	2-Punkt Untergruppe	by pressure on floors, floor coverings, stair treads, counters, or tills
G08B 13/12	2-Punkt Untergruppe	by the breaking or disturbance of stretched cords or wires
G08B 13/14	2-Punkt Untergruppe	by lifting or attempted removal of hand-portable articles
G08B 13/16	1-Punkt Untergruppe	. Actuation by interference with mechanical vibrations in air or other fluid

Symbol	Тур	Titel
G08B 13/18	1-Punkt Untergruppe	. Actuation by interference with heat, light, or radiation of shorter wavelength; Actuation by intruding sources of heat, light, or radiation of shorter wavelength
G08B 13/181	2-Punkt Untergruppe	using active radiation detection systems [5]
G08B 13/183	3-Punkt Untergruppe	by interruption of a radiation beam or barrier (light barriers G01V 8/10) [5]
G08B 13/184	4-Punkt Untergruppe	using radiation reflectors [5]
G08B 13/186	4-Punkt Untergruppe	using light guides, e.g. optical fibres [5]
G08B 13/187	3-Punkt Untergruppe	by interference of a radiation field [5]
G08B 13/189	2-Punkt Untergruppe	using passive radiation detection systems [5]
G08B 13/19	3-Punkt Untergruppe	using infra-red-radiation detection systems [5]
G08B 13/191	4-Punkt Untergruppe	using pyroelectric sensor means [5]
G08B 13/193	4-Punkt Untergruppe	using focusing means [5]
G08B 13/194	3-Punkt Untergruppe	using image scanning and comparing systems [5]
G08B 13/196	4-Punkt Untergruppe	using television cameras [5]
G08B 13/20	1-Punkt Untergruppe	. Actuation by change of fluid pressure
G08B 13/22	1-Punkt Untergruppe	. Electrical actuation
G08B 13/24	2-Punkt Untergruppe	by interference with electromagnetic field distribution
G08B 13/26	2-Punkt Untergruppe	by proximity of an intruder causing variation in capacitance or inductance of a circuit
G08B 15/00	Hauptgruppe	ldentifying, scaring, or incapacitating burglars, thieves, or intruders, e.g. by explosives (burglar traps, or the like, on safes E05G 5/02)
G08B 15/02	1-Punkt Untergruppe	. with smoke, gas, or coloured or odorous powder or liquid
G08B 17/00	Hauptgruppe	Fire alarms; Alarms responsive to explosion (temperature-responsive elements G01K)
G08B 17/02	1-Punkt Untergruppe	. Mechanical actuation of the alarm, e.g. by the breaking of a wire
G08B 17/04	1-Punkt Untergruppe	. Hydraulic or pneumatic actuation of the alarm, e.g. by change of fluid pressure
G08B 17/06	1-Punkt Untergruppe	. Electric actuation of the alarm, e.g. using a thermally-operated switch (thermally-operated electric switches per seH01H 37/00)
G08B 17/08	1-Punkt Untergruppe	. Actuation involving the use of explosive means
G08B 17/10	1-Punkt Untergruppe	. Actuation by presence of smoke or gases
G08B 17/103	2-Punkt Untergruppe	using a light emitting and receiving device [5]
G08B 17/107	3-Punkt Untergruppe	for detecting light-scattering due to smoke [5]
G08B 17/11	2-Punkt Untergruppe	using an ionisation chamber for detecting smoke or gas (vacuum gauges making use of ionisation effects G01L 21/30; gas analysis by investigating the ionisation G01N 27/62) [5]
G08B 17/113	3-Punkt Untergruppe	Constructional details (discharge tubes for measuring pressure of introduced gas, or for detecting presence of gas, in general H01J 41/02) [5]
G08B 17/117	2-Punkt Untergruppe	by using a detection device for specific gases, e.g. combustion products, produced by the fire (G08B 17/103, G08B 17/11 take precedence; investigating or analysing gases in general G01N, e.g. by using electric means G01N 27/00) [5]

Symbol	Тур	Titel
G08B 17/12	1-Punkt Untergruppe	. Actuation by presence of radiation or particles, e.g. of infra-red radiation, of ions
G08B 19/00	Hauptgruppe	Alarms responsive to two or more different undesired or abnormal conditions, e.g. burglary and fire, abnormal temperature and abnormal rate of flow
G08B 19/02	1-Punkt Untergruppe	. Alarm responsive to formation or anticipated formation of ice (indicating weather conditions G01W $1/00$ )
G08B 21/00	Hauptgruppe	Alarms responsive to a single specified undesired or abnormal condition and not otherwise provided for
G08B 21/02	1-Punkt Untergruppe	. Alarms for ensuring the safety of persons [7]
G08B 21/04	2-Punkt Untergruppe	responsive to non-activity, e.g. of elderly persons (G08B 21/06 takes precedence) [7]
G08B 21/06	2-Punkt Untergruppe	indicating a condition of sleep, e.g. anti-dozing alarms (safety devices for propulsion-unit control of vehicles responsive to incapacity of driver B60K 28/06) [7]
G08B 21/08	2-Punkt Untergruppe	responsive to the presence of persons in a body of water, e.g. a swimming pool; responsive to an abnormal condition of a body of water [7]
G08B 21/10	2-Punkt Untergruppe	responsive to calamitous events, e.g. tornados, earthquakes (seismology G01V 1/00; indicating weather conditions G01W 1/00) [7]
G08B 21/12	2-Punkt Untergruppe	responsive to undesired emission of substances, e.g. pollution alarms (alarms on pipe-lines F17D 3/01) [7]
G08B 21/14	3-Punkt Untergruppe	Toxic gas alarms (G08B 21/16 takes precedence) [7]
G08B 21/16	3-Punkt Untergruppe	Combustible gas alarms [7]
G08B 21/18	1-Punkt Untergruppe	. Status alarms (G08B 21/02 takes precedence) [7]
G08B 21/20	2-Punkt Untergruppe	responsive to moisture [7]
G08B 21/22	2-Punkt Untergruppe	responsive to presence or absence of persons [7]
G08B 21/24	2-Punkt Untergruppe	Reminder alarms, e.g. anti-loss alarms (devices to prevent loss of bags or the like A45C 13/24) [7]
G08B 23/00	Hauptgruppe	Alarms responsive to unspecified undesired or abnormal conditions
G08B 25/00	Hauptgruppe	Alarm systems in which the location of the alarm condition is signalled to a central station, e.g. fire or police telegraphic systems
G08B 25/01	1-Punkt Untergruppe	. characterised by the transmission medium [5]
G08B 25/04	2-Punkt Untergruppe	using a single signalling line, e.g. in a closed loop [5]
G08B 25/06	2-Punkt Untergruppe	using power transmission lines (systems in general for transmission of information <u>via</u> power distribution lines H04B 3/54) [5]
G08B 25/08	2-Punkt Untergruppe	using communication transmission lines (telephonic communication systems combined with alarm systems H04M 11/04) [5]
G08B 25/10	2-Punkt Untergruppe	using wireless transmission systems [5]
G08B 25/12	1-Punkt Untergruppe	. Manually actuated calamity alarm transmitting arrangements [5]
G08B 25/14	1-Punkt Untergruppe	. Central alarm receiver or annunciator arrangements [5]
G08B 26/00	Hauptgruppe	Alarm systems in which substations are interrogated in succession by a central station
G08B 27/00	Hauptgruppe	Alarm systems in which the alarm condition is signalled from a central station to a plurality of substations
G08B 29/00	Hauptgruppe	Checking or monitoring of signalling or alarm systems; Prevention or correction of operating errors, e.g. preventing unauthorised operation
G08B 29/02	1-Punkt Untergruppe	. Monitoring continuously signalling or alarm systems [5]

		G00B 17/107
Symbol	Тур	Titel
G08B 29/04	2-Punkt Untergruppe	Monitoring of the detection circuits [5]
G08B 29/06	2-Punkt Untergruppe	Monitoring of the line circuits, e.g. signalling of line faults (testing or locating faults in cables or lines in general G01R 31/02, G01R 31/08) [5]
G08B 29/08	3-Punkt Untergruppe	Signalling of tampering with the line circuit [5]
G08B 29/10	2-Punkt Untergruppe	Monitoring of the annunciator circuits [5]
G08B 29/12	1-Punkt Untergruppe	. Checking intermittently signalling or alarm systems [5]
G08B 29/14	2-Punkt Untergruppe	checking the detection circuits [5]
G08B 29/16	1-Punkt Untergruppe	. Security signalling or alarm systems, e.g. redundant systems [5]
G08B 29/18	1-Punkt Untergruppe	. Prevention or correction of operating errors (G08B 29/02, G08B 29/12 take precedence) [5]
G08B 29/20	2-Punkt Untergruppe	Calibration, including self-calibrating arrangements [5]
G08B 29/22	3-Punkt Untergruppe	Provisions facilitating manual calibration, e.g. input or output provisions for testing; Holding of intermittent values to permit measurement [5]
G08B 29/24	3-Punkt Untergruppe	Self-calibration, e.g. compensating for environmental drift or ageing of components [5]
G08B 29/26	4-Punkt Untergruppe	by updating and storing reference thresholds [5]
G08B 29/28	4-Punkt Untergruppe	by changing the gain of an amplifier [5]
G08B 31/00	Hauptgruppe	Predictive alarm systems characterised by extrapolation or other computation using updated historic data [5]