н	Sektion	SECTION H — ELECTRICITY
H03	Klasse	BASIC ELECTRONIC CIRCUITRY
Н03Н	Unterklasse	IMPEDANCE NETWORKS, e.g. RESONANT CIRCUITS; RESONATORS (measuring, testing G01R; arrangements for producing a reverberation or echo sound G10K 15/08; impedance networks or resonators consisting of distributed impedances, e.g. of the waveguide type, H01P; control of amplification, e.g. bandwidth control of amplifiers, H03G; tuning resonant circuits, e.g. tuning coupled resonant circuits, H03J; networks for modifying the frequency characteristics of communication systems H04B)
H03H 1/00	Hauptgruppe	Constructional details of impedance networks whose electrical mode of operation is not specified or applicable to more than one type of network (constructional details of electromechanical transducers H03H 9/00)
H03H 1/02	1-Punkt Untergruppe	. RC networks, e.g. filters (structural combinations of capacitors with other electric elements H01G) [3]
H03H 2/00	Hauptgruppe	Networks using elements or techniques not provided for in groups H03H 3/00-H03H 21/00 [3]
H03H 3/00	Hauptgruppe	Apparatus or processes specially adapted for the manufacture of impedance networks, resonating circuits, resonators
H03H 3/007	1-Punkt Untergruppe	. for the manufacture of electromechanical resonators or networks [3]
H03H 3/013	2-Punkt Untergruppe	for obtaining desired frequency or temperature coefficient (H03H 3/04, H03H 3/10 take precedence) [3]
H03H 3/02	2-Punkt Untergruppe	for the manufacture of piezo-electric or electrostrictive resonators or networks (H03H 3/08 takes precedence) [3]
H03H 3/04	3-Punkt Untergruppe	for obtaining desired frequency or temperature coefficient [3]
H03H 3/06	2-Punkt Untergruppe	for the manufacture of magnetostrictive resonators or networks [3]
H03H 3/08	2-Punkt Untergruppe	for the manufacture of resonators or networks using surface acoustic waves [3]
H03H 3/10	3-Punkt Untergruppe	for obtaining desired frequency or temperature coefficient [3]
H03H 5/00	Hauptgruppe	One-port networks comprising only passive electrical elements as network components [3]
H03H 5/02	1-Punkt Untergruppe	. without voltage- or current-dependent elements
H03H 5/10	2-Punkt Untergruppe	comprising at least one element with prescribed temperature coefficient
H03H 5/12	1-Punkt Untergruppe	. with at least one voltage- or current-dependent element
H03H 7/00	Hauptgruppe	Multiple-port networks comprising only passive electrical elements as network components ( receiver input circuits H04B $1/18$ ; networks simulating a length of communication cable H04B $3/40$ ) [3]
H03H 7/01	1-Punkt Untergruppe	. Frequency selective two-port networks [3]
H03H 7/03	2-Punkt Untergruppe	comprising means for compensation of loss [3]
H03H 7/06	2-Punkt Untergruppe	including resistors (H03H 7/075, H03H 7/09, H03H 7/12, H03H 7/13 take precedence) [3]
H03H 7/065	3-Punkt Untergruppe	Parallel T-filters [3]
H03H 7/07	3-Punkt Untergruppe	Bridged T-filters [3]
H03H 7/075	2-Punkt Untergruppe	Ladder networks, e.g. electric wave filters [3]
H03H 7/09	2-Punkt Untergruppe	Filters comprising mutual inductance [3]
H03H 7/12	2-Punkt Untergruppe	Bandpass or bandstop filters with adjustable bandwidth and fixed centre frequency (H03H 7/09 takes precedence; automatic control of bandwidth in amplifiers H03G 5/16)

Symbol	Тур	Titel
H03H 7/13	2-Punkt Untergruppe	using electro-optical elements [3]
H03H 7/18	1-Punkt Untergruppe	. Networks for phase shifting
H03H 7/19	2-Punkt Untergruppe	Two-port phase shifters providing a predetermined phase shift, e.g. "all-pass" filters [3]
H03H 7/20	2-Punkt Untergruppe	Two-port phase shifters providing an adjustable phase shift [3]
H03H 7/21	2-Punkt Untergruppe	providing two or more phase shifted output signals, e.g. n-phase output [3]
H03H 7/24	1-Punkt Untergruppe	. Frequency-independent attenuators
H03H 7/25	2-Punkt Untergruppe	comprising an element controlled by an electric or magnetic variable (H03H 7/27 takes precedence) [3]
H03H 7/27	2-Punkt Untergruppe	comprising a photo-electric element [3]
H03H 7/30	1-Punkt Untergruppe	. Time-delay networks
H03H 7/32	2-Punkt Untergruppe	with lumped inductance and capacitance
H03H 7/34	2-Punkt Untergruppe	with lumped and distributed reactance
H03H 7/38	1-Punkt Untergruppe	. Impedance-matching networks
H03H 7/40	2-Punkt Untergruppe	Automatic matching of load impedance to source impedance
H03H 7/42	1-Punkt Untergruppe	. Balance/unbalance networks
Н03Н 7/46	1-Punkt Untergruppe	. Networks for connecting several sources or loads, working on different frequencies or frequency bands, to a common load or source (for use in multiplex transmission systems H04J 1/00)
H03H 7/48	1-Punkt Untergruppe	. Networks for connecting several sources or loads, working on the same frequency or frequency band, to a common load or source (phase shifters providing two or more output signals H03H 7/21) [3]
H03H 7/52	1-Punkt Untergruppe	. One-way transmission networks, i.e. unilines
H03H 7/54	1-Punkt Untergruppe	. Modifications of networks to reduce influence of variations of temperature [3]
Н03Н 9/00	Hauptgruppe	Networks comprising electromechanical or electro-acoustic elements; Electromechanical resonators (manufacture of piezo-electric or magnetostrictive elements H01L 41/00; loudspeakers, microphones, gramophone pick-ups or the like H04R)
H03H 9/02	1-Punkt Untergruppe	. Details [3]
H03H 9/05	2-Punkt Untergruppe	Holders; Supports [3]
H03H 9/08	3-Punkt Untergruppe	Holders with means for regulating temperature
H03H 9/09	3-Punkt Untergruppe	Elastic or damping supports [3]
H03H 9/10	3-Punkt Untergruppe	Mounting in enclosures
H03H 9/12	4-Punkt Untergruppe	for networks with interaction of optical and acoustic waves
H03H 9/125	2-Punkt Untergruppe	Driving means, e.g. electrodes, coils [3]
H03H 9/13	3-Punkt Untergruppe	for networks consisting of piezo-electric or electrostrictive materials (H03H 9/145 takes precedence) [3]
H03H 9/135	3-Punkt Untergruppe	for networks consisting of magnetostrictive materials (H03H 9/145 takes precedence) [3]
H03H 9/145	3-Punkt Untergruppe	for networks using surface acoustic waves [3]
H03H 9/15	1-Punkt Untergruppe	. Constructional features of resonators consisting of piezo-electric or electrostrictive material (H03H 9/25 takes precedence) [3]

Symbol	Тур	Titel
H03H 9/17	2-Punkt Untergruppe	having a single resonator (crystal tuning forks H03H 9/21) [3]
H03H 9/19	3-Punkt Untergruppe	consisting of quartz [3]
H03H 9/205	2-Punkt Untergruppe	having multiple resonators (crystal tuning forks H03H 9/21) [3]
H03H 9/21	2-Punkt Untergruppe	Crystal tuning forks [3]
H03H 9/215	3-Punkt Untergruppe	consisting of quartz [3]
H03H 9/22	1-Punkt Untergruppe	. Constructional features of resonators consisting of magnetostricitve material
H03H 9/24	1-Punkt Untergruppe	. Constructional features of resonators of material which is not piezo-electric, electrostrictive, or magnetostrictive
H03H 9/25	1-Punkt Untergruppe	. Constructional features of resonators using surface acoustic waves [3]
H03H 9/30	1-Punkt Untergruppe	. Time-delay networks
H03H 9/36	2-Punkt Untergruppe	with non-adjustable delay time (H03H 9/40, H03H 9/42 take precedence) [3]
H03H 9/38	2-Punkt Untergruppe	with adjustable delay time (H03H 9/40, H03H 9/42 take precedence) [3]
H03H 9/40	2-Punkt Untergruppe	Frequency-dependent delay lines, e.g. dispersive delay lines (H03H 9/42 takes precedence) [3]
H03H 9/42	2-Punkt Untergruppe	using surface acoustic waves [3]
H03H 9/44	3-Punkt Untergruppe	Frequency-dependent delay lines, e.g. dispersive delay lines [3]
H03H 9/46	1-Punkt Untergruppe	. Filters (multiple-port electromechanical filters H03H 9/70) [3]
H03H 9/48	2-Punkt Untergruppe	Coupling means therefor [3]
H03H 9/50	3-Punkt Untergruppe	Mechanical coupling means [3]
H03H 9/52	3-Punkt Untergruppe	Electric coupling means [3]
H03H 9/54	2-Punkt Untergruppe	comprising resonators of piezo-electric or electrostrictive material (H03H 9/64 takes precedence) [3]
H03H 9/56	3-Punkt Untergruppe	Monolithic crystal filters [3]
H03H 9/58	3-Punkt Untergruppe	Multiple crystal filters [3]
H03H 9/60	4-Punkt Untergruppe	Electric coupling means therefor [3]
H03H 9/62	2-Punkt Untergruppe	comprising resonators of magnetostrictive material (H03H 9/64 takes precedence) [3]
H03H 9/64	2-Punkt Untergruppe	using surface acoustic waves [3]
H03H 9/66	1-Punkt Untergruppe	. Phase shifters [3]
H03H 9/68	2-Punkt Untergruppe	using surface acoustic waves [3]
H03H 9/70	1-Punkt Untergruppe	. Multiple-port networks for connecting several sources or loads, working on different frequencies or frequency bands, to a common or source [3]
H03H 9/72	2-Punkt Untergruppe	Networks using surface acoustic waves [3]
H03H 9/74	1-Punkt Untergruppe	. Multiple-port networks for connecting several sources or loads, working on the same frequency or frequency band, to a common load or source (networks for phase shifting H03H 9/66) [3]
H03H 9/76	2-Punkt Untergruppe	Networks using surface acoustic waves [3]
H03H 11/00	Hauptgruppe	Networks using active elements

Symbol	Тур	Titel
H03H 11/02	1-Punkt Untergruppe	. Multiple-port networks [3]
H03H 11/04	2-Punkt Untergruppe	Frequency selective two-port networks [3]
H03H 11/06	3-Punkt Untergruppe	comprising means for compensation of loss [3]
H03H 11/08	3-Punkt Untergruppe	using gyrators [3]
H03H 11/10	3-Punkt Untergruppe	using negative impedance converters (H03H 11/08 takes precedence) [3]
H03H 11/12	3-Punkt Untergruppe	using amplifiers with feedback (H03H 11/08, H03H 11/10 take precedence) [3]
H03H 11/14	3-Punkt Untergruppe	using electro-optical devices [3]
H03H 11/16	2-Punkt Untergruppe	Networks for phase shifting [3]
H03H 11/18	3-Punkt Untergruppe	Two-port phase shifters providing a predetermined phase shift, e.g. "all-pass" filters [3]
H03H 11/20	3-Punkt Untergruppe	Two-port phase shifters providing an adjustable phase shift [3]
H03H 11/22	3-Punkt Untergruppe	providing two or more phase shifted output signals, e.g. n-phase output [3]
H03H 11/24	2-Punkt Untergruppe	Frequency-independent attenuators [3]
H03H 11/26	2-Punkt Untergruppe	Time-delay networks (analogue shift registers G11C 27/04) [3]
H03H 11/28	2-Punkt Untergruppe	Impedance matching networks [3]
H03H 11/30	3-Punkt Untergruppe	Automatic matching of source impedance to load impedance [3]
H03H 11/32	2-Punkt Untergruppe	Balance-unbalance networks [3]
H03H 11/34	2-Punkt Untergruppe	Networks for connecting several sources or loads working on different frequencies or frequency bands, to a common load or source (for use in multiplex transmission systems H04J 1/00) [3]
H03H 11/36	2-Punkt Untergruppe	Networks for connecting several sources or loads, working on the same frequency or frequency band, to a common load or source (phase shifters providing two or more output signals H03H 11/22) [3]
H03H 11/38	2-Punkt Untergruppe	One-way transmission networks, i.e. unilines [3]
H03H 11/40	2-Punkt Untergruppe	Impedance converters [3]
H03H 11/42	3-Punkt Untergruppe	Gyrators (used in frequency selective networks H03H 11/08) [3]
H03H 11/44	3-Punkt Untergruppe	Negative impedance converters (H03H 11/42 takes precedence; used in frequency-selective networks H03H 11/10) [3]
H03H 11/46	1-Punkt Untergruppe	. One-port networks [3]
H03H 11/48	2-Punkt Untergruppe	simulating reactances [3]
H03H 11/50	3-Punkt Untergruppe	using gyrators [3]
H03H 11/52	2-Punkt Untergruppe	simulating negative resistances [3]
H03H 11/54	1-Punkt Untergruppe	. Modifications of networks to reduce influence of variations of temperature [3]
H03H 15/00	Hauptgruppe	Transversal filters (electromechanical filters H03H 9/46, H03H 9/70) [3]
H03H 15/02	1-Punkt Untergruppe	. using analogue shift registers [3]
H03H 17/00	Hauptgruppe	Networks using digital techniques [3]
H03H 17/02	1-Punkt Untergruppe	. Frequency-selective networks [3]

## H03H 9/42

Symbol	Тур	Titel
H03H 17/04	2-Punkt Untergruppe	Recursive filters [3]
H03H 17/06	2-Punkt Untergruppe	Non-recursive filters [3]
H03H 17/08	1-Punkt Untergruppe	. Networks for phase-shifting [3]
H03H 19/00	Hauptgruppe	Networks using time-varying elements, e.g. N-path filters [3]
H03H 21/00	Hauptgruppe	Adaptive networks [3]