

Symbol	Typ	Titel
<b>H</b>	<b>Sektion</b>	<b>ELECTRICITY</b>
<b>H04</b>	<b>Klasse</b>	<b>ELECTRIC COMMUNICATION TECHNIQUE</b>
<b>H04M</b>	<b>Unterkategorie</b>	<b>TELEPHONIC COMMUNICATION (circuits for controlling other apparatus <u>via</u> a telephone cable and not involving telephone switching apparatus G08)</b>
<b>H04M 1/00</b>	<b>Hauptgruppe</b>	<b>Substation equipment, e.g. for use by subscribers (subscriber services or facilities provided at exchanges H04M 3/00; prepayment telephone coin boxes H04M 17/00; current supply arrangements H04M 19/08) [1, 7, 2006.01]</b>
H04M 1/02	1-Punkt Untergruppe	. Constructional features of telephone sets [1, 2006.01]
H04M 1/03	2-Punkt Untergruppe	.. Constructional features of telephone transmitters or receivers, e.g. telephone hand-sets [2, 2006.01]
H04M 1/04	2-Punkt Untergruppe	.. Supports for telephone transmitters or receivers [1, 2006.01]
H04M 1/05	3-Punkt Untergruppe	... specially adapted for use on head, throat or breast [1, 2006.01]
H04M 1/06	3-Punkt Untergruppe	... Hooks; Cradles [1, 2006.01]
H04M 1/08	4-Punkt Untergruppe	.... associated with switches operated by the weight of the receiver or hand-set [1, 2006.01]
H04M 1/10	4-Punkt Untergruppe	.... associated with switches operated by magnetic effect due to proximity of receiver or hand-set [1, 2006.01]
H04M 1/11	2-Punkt Untergruppe	.. Supports for sets, e.g. incorporating armrests [1, 2006.01]
H04M 1/12	3-Punkt Untergruppe	... Adjustable supports, e.g. extensible [1, 2006.01]
H04M 1/13	4-Punkt Untergruppe	.... pantographic [1, 2006.01]
H04M 1/14	3-Punkt Untergruppe	... with resilient means to eliminate extraneous vibrations [1, 2006.01]
H04M 1/15	2-Punkt Untergruppe	.. Protecting or guiding telephone cords [1, 5, 2006.01]
H04M 1/17	2-Punkt Untergruppe	.. Hygienic or sanitary devices on telephone equipment (for mouthpieces or earpieces H04R 1/12) [2, 2006.01]
H04M 1/18	2-Punkt Untergruppe	.. Telephone sets specially adapted for use in ships, mines, or other places exposed to adverse environment (H04M 1/19 takes precedence) [1, 2006.01]
H04M 1/19	2-Punkt Untergruppe	.. Arrangements of transmitters, receivers, or complete sets to prevent eavesdropping, to attenuate local noise or to prevent undesired transmission; Mouthpieces or receivers specially adapted therefor (circuit arrangements for preventing eavesdropping H04M 1/68; telephone cabinets E04H 1/14) [1, 2006.01]
H04M 1/20	2-Punkt Untergruppe	.. Arrangements for preventing acoustic feedback (H04M 1/62 takes precedence) [1, 2006.01]
H04M 1/21	2-Punkt Untergruppe	.. Combinations with auxiliary equipment, e.g. with clocks or memoranda pads [1, 2006.01]
H04M 1/215	3-Punkt Untergruppe	... by non-intrusive coupling means, e.g. acoustic couplers [7, 2006.01]
H04M 1/22	2-Punkt Untergruppe	.. Illumination; Arrangements for improving the visibility of characters on dials [1, 2006.01]
H04M 1/23	2-Punkt Untergruppe	.. Construction or mounting of dials or of equivalent devices; Means for facilitating the use thereof (by improving visibility H04M 1/22) [1, 2006.01]
H04M 1/24	1-Punkt Untergruppe	. Arrangements for testing [1, 2006.01]
H04M 1/247	1-Punkt Untergruppe	. Telephone sets including user guidance or feature selection means facilitating their use [7, 2006.01]
H04M 1/253	1-Punkt Untergruppe	. Telephone sets using digital voice transmission [7, 2006.01]

Symbol	Typ	Titel
H04M 1/26	1-Punkt Untergruppe	. Devices for calling a subscriber (H04M 1/66 takes precedence) [1, 7, 2006.01]
H04M 1/27	2-Punkt Untergruppe	... Devices whereby a plurality of signals may be stored simultaneously [2, 2006.01]
H04M 1/272	3-Punkt Untergruppe	... with provision for storing only one subscriber number at a time, e.g. by keyboard or dial [2, 2006.01]
H04M 1/274	3-Punkt Untergruppe	... with provision for storing more than one subscriber number at a time [2, 2006.01]
H04M 1/2745	4-Punkt Untergruppe	.... using static electronic memories, i.e. memories whose operation does not require relative movement between storage means and a transducer, e.g. chips [7, 2006.01]
H04M 1/275	5-Punkt Untergruppe	..... implemented by means of portable electronic directories [7, 2006.01]
H04M 1/2755	5-Punkt Untergruppe	..... whose contents are provided by optical scanning [7, 2006.01]
H04M 1/276	4-Punkt Untergruppe	.... using magnetic recording, e.g. on tape [2, 2006.01]
H04M 1/278	4-Punkt Untergruppe	.... using punched cards or tapes [2, 2006.01]
H04M 1/30	2-Punkt Untergruppe	... Devices which can set up and transmit only one digit at a time [1, 2006.01]
H04M 1/31	3-Punkt Untergruppe	... by interrupting current to generate trains of pulses; by periodically opening and closing contacts to generate trains of pulses [2, 2006.01]
H04M 1/315	4-Punkt Untergruppe	.... Clutches; Spring assemblies; Speed regulators, e.g. centrifugal brakes (H04M 1/32-H04M 1/40 take precedence) [3, 2006.01]
H04M 1/32	4-Punkt Untergruppe	.... Locking setting devices during transmission to prevent interference by user [1, 2006.01]
H04M 1/34	4-Punkt Untergruppe	.... Lost-motion or other arrangements for ensuring a pause between successive digit transmissions [1, 2006.01]
H04M 1/38	4-Punkt Untergruppe	.... Pulses transmitted by a movement variably limited by the setting of a stop [1, 2006.01]
H04M 1/40	4-Punkt Untergruppe	.... wherein the setting-operation short-circuits or open-circuits the transmitting mechanism during a variable part of a cycle [1, 2006.01]
H04M 1/50	3-Punkt Untergruppe	... by generating or selecting currents of predetermined frequencies or combinations of frequencies [1, 2, 2006.01]
H04M 1/515	2-Punkt Untergruppe	.. by generating or selecting signals other than trains of pulses of similar shape, or signals other than currents of one or more different frequencies, e.g. generation of dc signals of alternating polarity, coded pulses or impedance dialling [2, 2006.01]
H04M 1/52	2-Punkt Untergruppe	.. Arrangements wherein a dial or the like is mechanically coupled to a line selector [1, 2006.01]
H04M 1/53	2-Punkt Untergruppe	.. Generation of additional signals, e.g. additional pulses [2, 2006.01]
H04M 1/54	3-Punkt Untergruppe	... Arrangements wherein a dial or the like generates identifying signals, e.g. in party-line systems [1, 2, 2006.01]
H04M 1/56	1-Punkt Untergruppe	. Arrangements for indicating or recording the called number at the calling subscriber's set [1, 2006.01]
H04M 1/57	1-Punkt Untergruppe	. Arrangements for indicating or recording the number of the calling subscriber at the called subscriber's set (at the operator set in a manual exchange H04M 5/20) [2, 2006.01]
H04M 1/58	1-Punkt Untergruppe	. Anti-side-tone circuits [1, 2006.01]
H04M 1/60	1-Punkt Untergruppe	. including speech amplifiers [1, 2006.01]
H04M 1/62	2-Punkt Untergruppe	.. Constructional arrangements [1, 2006.01]

Symbol	Typ	Titel
H04M 1/64	1-Punkt Untergruppe	. Automatic arrangements for answering calls; Automatic arrangements for recording messages for absent subscribers; Arrangements for recording conversations (centralised dictation systems H04M 11/10) [1, 7, 2006.01]
H04M 1/65	2-Punkt Untergruppe	... Recording arrangements [2, 7, 2006.01]
H04M 1/652	3-Punkt Untergruppe	... Means for playing back the recorded messages by remote control over a telephone line (H04M 1/658 takes precedence) [7, 2006.01]
H04M 1/654	3-Punkt Untergruppe	... Telephone line monitoring circuits therefor, e.g. ring detectors [7, 2006.01]
H04M 1/656	3-Punkt Untergruppe	... for recording conversations [7, 2006.01]
H04M 1/658	3-Punkt Untergruppe	... Means for redirecting recorded messages to other extensions or equipment [7, 2006.01]
H04M 1/66	1-Punkt Untergruppe	. with means for preventing unauthorised or fraudulent calling (verifying user identity or authority in secret or secure digital communications H04L 9/32) [1, 7, 2006.01]
H04M 1/663	2-Punkt Untergruppe	... Preventing unauthorised calls to a telephone set [7, 2006.01]
H04M 1/665	3-Punkt Untergruppe	... by checking the validity of a code [7, 2006.01]
H04M 1/667	2-Punkt Untergruppe	... Preventing unauthorised calls from a telephone set (H04M 1/677 takes precedence) [7, 2006.01]
H04M 1/67	3-Punkt Untergruppe	... by electronic means [7, 2006.01]
H04M 1/673	4-Punkt Untergruppe	.... the user being required to key in a code [7, 2006.01]
H04M 1/675	4-Punkt Untergruppe	.... the user being required to insert a coded card, e.g. a smart card carrying an integrated circuit chip [7, 2006.01]
H04M 1/677	2-Punkt Untergruppe	... Preventing the dialling or sending of predetermined telephone numbers or selected types of telephone numbers, e.g. long distance numbers [7, 2006.01]
H04M 1/68	1-Punkt Untergruppe	. Circuit arrangements for preventing eavesdropping [1, 2006.01]
H04M 1/70	2-Punkt Untergruppe	... Lock-out or secrecy arrangements in party-line systems [1, 2006.01]
H04M 1/72	1-Punkt Untergruppe	. Substation extension arrangements; Cordless telephones, i.e. devices for establishing wireless links to base stations without route selecting [1, 7, 2006.01]
H04M 1/723	2-Punkt Untergruppe	... using two or more extensions per line (H04M 1/725 takes precedence) [7, 2006.01]
H04M 1/725	2-Punkt Untergruppe	... Cordless telephones [7, 2006.01]
H04M 1/727	3-Punkt Untergruppe	... Identification code transfer arrangements [7, 2006.01]
H04M 1/73	3-Punkt Untergruppe	... Battery saving arrangements [7, 2006.01]
H04M 1/733	3-Punkt Untergruppe	... with a plurality of base stations connected to a plurality of lines [7, 2006.01]
H04M 1/737	3-Punkt Untergruppe	... characterised by transmission of electromagnetic waves other than radio waves, e.g. infra-red waves [7, 2006.01]
H04M 1/738	1-Punkt Untergruppe	. Interface circuits for coupling substations to external telephone lines (H04M 1/78 takes precedence) [7, 2006.01]
H04M 1/74	2-Punkt Untergruppe	... with means for reducing interference; with means for reducing effects due to line faults [1, 2006.01]
H04M 1/76	2-Punkt Untergruppe	... Compensating for differences in line impedance [1, 2006.01]
H04M 1/78	1-Punkt Untergruppe	. Circuit arrangements in which low-frequency speech signals proceed in one direction on the line, while speech signals proceeding in the other direction on the line are modulated on a high-frequency carrier signal [2, 2006.01]

Symbol	Typ	Titel
H04M 1/80	1-Punkt Untergruppe	. Telephone line holding circuits [7, 2006.01]
H04M 1/82	1-Punkt Untergruppe	. Line monitoring circuits for call progress or status discrimination [7, 2006.01]
<b>H04M 3/00</b>	<b>Hauptgruppe</b>	<b>Automatic or semi-automatic exchanges [1, 2006.01]</b>
H04M 3/02	1-Punkt Untergruppe	. Calling substations, e.g. by ringing (selective calling H04Q) [1, 2006.01]
H04M 3/04	2-Punkt Untergruppe	.. the calling signal being supplied from the final selector [1, 2006.01]
H04M 3/06	2-Punkt Untergruppe	... the calling signal being supplied from the subscriber's line circuit [1, 2006.01]
H04M 3/08	1-Punkt Untergruppe	. Indicating faults in circuits or apparatus [1, 2006.01]
H04M 3/10	2-Punkt Untergruppe	... Providing fault- or trouble-signals [1, 2006.01]
H04M 3/12	2-Punkt Untergruppe	... Marking faulty circuits "busy"; Enabling equipment to disengage itself from faulty circuits [1, 2006.01]
H04M 3/14	2-Punkt Untergruppe	... Signalling existence of persistent "off-hook" condition [1, 2006.01]
H04M 3/16	1-Punkt Untergruppe	. with lock-out or secrecy provision in party-line systems [1, 2006.01]
H04M 3/18	1-Punkt Untergruppe	. with means for reducing interference; with means for reducing effects due to line faults [1, 2006.01]
H04M 3/20	1-Punkt Untergruppe	. with means for interrupting existing connections; with means for breaking-in on conversations [1, 2006.01]
H04M 3/22	1-Punkt Untergruppe	. Arrangements for supervision, monitoring or testing [1, 2006.01]
H04M 3/24	2-Punkt Untergruppe	... with provision for checking the normal operation [1, 2006.01]
H04M 3/26	2-Punkt Untergruppe	... with means for applying test signals [1, 2006.01]
H04M 3/28	3-Punkt Untergruppe	... Automatic routine testing [1, 2006.01]
H04M 3/30	4-Punkt Untergruppe	.... for subscribers' lines [1, 2006.01]
H04M 3/32	4-Punkt Untergruppe	.... for lines between exchanges [1, 2006.01]
H04M 3/34	3-Punkt Untergruppe	... Testing for cross-talk [1, 2006.01]
H04M 3/36	2-Punkt Untergruppe	.. Statistical metering, e.g. recording occasions when traffic exceeds capacity of trunks [1, 2006.01]
H04M 3/38	1-Punkt Untergruppe	. Graded-service arrangements, i.e. some subscribers prevented from establishing certain connections ( queuing arrangements H04Q 3/64) [1, 2006.01]
H04M 3/40	1-Punkt Untergruppe	. Applications of speech amplifiers [1, 2006.01]
H04M 3/42	1-Punkt Untergruppe	. Systems providing special services or facilities to subscribers (specially adapted for wireless communication networks H04W 4/00) [1, 2006.01]
H04M 3/424	2-Punkt Untergruppe	.. Arrangements for automatic redialling (at the subscriber's set H04M 1/27) [7, 2006.01]
H04M 3/428	2-Punkt Untergruppe	.. Arrangements for placing incoming calls on hold [7, 2006.01]
H04M 3/432	2-Punkt Untergruppe	.. Arrangements for calling a subscriber at a specific time, e.g. morning call service [7, 2006.01]
H04M 3/436	2-Punkt Untergruppe	.. Arrangements for screening incoming calls [7, 2006.01]
H04M 3/44	2-Punkt Untergruppe	.. Additional connecting arrangements for providing access to frequently-wanted subscribers, e.g. abbreviated dialling (at the subscriber's set H04M 1/27; automatic redialling H04M 3/424) [1, 7, 2006.01]
H04M 3/46	2-Punkt Untergruppe	.. Arrangements for calling a number of substations in a predetermined sequence until an answer is obtained [1, 2006.01]

Symbol	Typ	Titel
H04M 3/48	2-Punkt Untergruppe	... Arrangements for recalling a calling subscriber when the wanted subscriber ceases to be busy [1, 2006.01]
H04M 3/487	2-Punkt Untergruppe	... Arrangements for providing information services, e.g. recorded voice services or time announcements [7, 2006.01]
H04M 3/493	3-Punkt Untergruppe	... Interactive information services, e.g. directory enquiries [7, 2006.01]
H04M 3/50	2-Punkt Untergruppe	... Centralised arrangements for answering calls; Centralised arrangements for recording messages for absent or busy subscribers (H04M 3/487 takes precedence; centralised dictation systems H04M 11/10) [1, 7, 2006.01]
H04M 3/51	3-Punkt Untergruppe	... Centralised call answering arrangements requiring operator intervention [7, 2006.01]
H04M 3/52	4-Punkt Untergruppe	.... Arrangements for routing dead number calls to operators [1, 2006.01]
H04M 3/523	4-Punkt Untergruppe	.... with call distribution or queuing [7, 2006.01]
H04M 3/527	3-Punkt Untergruppe	.... Centralised call answering arrangements not requiring operator intervention [7, 2006.01]
H04M 3/53	3-Punkt Untergruppe	... Centralised arrangements for recording incoming messages [7, 2006.01]
H04M 3/533	4-Punkt Untergruppe	.... Voice mail systems [7, 2006.01]
H04M 3/537	4-Punkt Untergruppe	.... Arrangements for indicating the presence of a recorded message [7, 2006.01]
H04M 3/54	2-Punkt Untergruppe	.. Arrangements for diverting calls for one subscriber to another predetermined subscriber [1, 2006.01]
H04M 3/56	2-Punkt Untergruppe	.. Arrangements for connecting several subscribers to a common circuit, i.e. affording conference facilities (video conference systems H04N 7/15) [1, 2006.01]
H04M 3/58	2-Punkt Untergruppe	.. Arrangements for transferring received calls from one subscriber to another; Arrangements affording interim conversations between either the calling or the called party and a third party (substation line holding circuits H04M 1/80) [1, 7, 2006.01]
H04M 3/60	1-Punkt Untergruppe	. Semi-automatic systems, i.e. systems in which the numerical selection of the outgoing line is under the control of an operator [1, 2006.01]
H04M 3/62	2-Punkt Untergruppe	.. Keyboard equipment [1, 2006.01]
H04M 3/64	2-Punkt Untergruppe	.. Arrangements for signalling the number or class of the calling line to the operator (between operators in inter-exchange working H04M 5/18) [1, 2006.01]
<b>H04M 5/00</b>	<b>Hauptgruppe</b>	<b>Manual exchanges (substation equipment in general H04M 1/00) [1, 2006.01]</b>
H04M 5/02	1-Punkt Untergruppe	. Constructional details (jacks, jack-plugs H01R 24/58) [1, 2006.01]
H04M 5/04	1-Punkt Untergruppe	. Arrangements for indicating calls or supervising connections for calling or clearing [1, 2006.01]
H04M 5/06	2-Punkt Untergruppe	.. affording automatic call distribution [1, 2006.01]
H04M 5/08	1-Punkt Untergruppe	. using connecting means other than cords [1, 2006.01]
H04M 5/10	1-Punkt Untergruppe	. using separate plug for each subscriber [1, 2006.01]
H04M 5/12	1-Punkt Untergruppe	. Calling substations, e.g. by ringing [1, 2006.01]
H04M 5/14	1-Punkt Untergruppe	. Applications of speech amplifiers [1, 2006.01]
H04M 5/16	1-Punkt Untergruppe	. with means for reducing interference; with means for reducing effects due to line faults [1, 2006.01]
H04M 5/18	1-Punkt Untergruppe	. Arrangements for signalling the class or number of called or calling line from one exchange to another [1, 2006.01]
H04M 5/20	2-Punkt Untergruppe	.. Arrangements for indicating the numbers of the incoming lines [1, 2006.01]

Symbol	Typ	Titel
<b>H04M 7/00</b>	<b>Hauptgruppe</b>	<b>Arrangements for interconnection between switching centres [1, 2006.01]</b>
H04M 7/02	1-Punkt Untergruppe	. for compensating differences of ground potential [1, 2006.01]
H04M 7/04	1-Punkt Untergruppe	. for compensating differences of line impedance [1, 2006.01]
H04M 7/06	1-Punkt Untergruppe	. using auxiliary connections for control or supervision [1, 2006.01]
H04M 7/08	1-Punkt Untergruppe	. for phantom working [1, 2006.01]
H04M 7/10	1-Punkt Untergruppe	. for two-way working, i.e. calls may be set-up in either direction over the same connection [1, 2006.01]
H04M 7/12	1-Punkt Untergruppe	. for working between exchanges having different types of switching equipment, e.g. power-driven and step by step or decimal and non-decimal [1, 2006.01]
H04M 7/14	1-Punkt Untergruppe	. in systems involving main and subordinate switching centres (current supply source at subordinate switching centre charged from main exchange H04M 19/06) [1, 2006.01]
H04M 7/16	1-Punkt Untergruppe	. in systems employing carrier frequencies [1, 2006.01]
<b>H04M 9/00</b>	<b>Hauptgruppe</b>	<b>Arrangements for interconnection not involving centralised switching [1, 2006.01]</b>
H04M 9/02	1-Punkt Untergruppe	. involving a common line for all parties [1, 2006.01]
H04M 9/04	1-Punkt Untergruppe	. involving a separate line for each pair of parties [1, 2006.01]
H04M 9/06	1-Punkt Untergruppe	. involving combinations of interconnecting lines [1, 2006.01]
H04M 9/08	1-Punkt Untergruppe	. Two-way loud-speaking telephone systems with means for conditioning the signal, e.g. for suppressing echoes for one or both directions of traffic [1, 2006.01]
H04M 9/10	2-Punkt Untergruppe	.. with switching of direction of transmission by voice frequency [1, 2006.01]
<b>H04M 11/00</b>	<b>Hauptgruppe</b>	<b>Telephonic communication systems specially adapted for combination with other electrical systems [1, 2006.01]</b>
H04M 11/02	1-Punkt Untergruppe	. with bell or annunciator systems [1, 2006.01]
H04M 11/04	1-Punkt Untergruppe	. with alarm systems, e.g. fire, police or burglar alarm systems [1, 2006.01]
H04M 11/06	1-Punkt Untergruppe	. Simultaneous speech and data transmission, e.g. telegraphic transmission over the same conductors [1, 2006.01]
H04M 11/08	1-Punkt Untergruppe	. specially adapted for optional reception of entertainment or informative matter [1, 2006.01]
H04M 11/10	1-Punkt Untergruppe	. with dictation recording and playback systems [1, 2006.01]
<b>H04M 13/00</b>	<b>Hauptgruppe</b>	<b>Party-line systems (substation equipment H04M 1/00; exchange equipment H04M 3/00, H04M 5/00; metering arrangements H04M 15/36) [1, 2006.01]</b>
<b>H04M 15/00</b>	<b>Hauptgruppe</b>	<b>Arrangements for metering, time-control or time-indication [1, 2006.01]</b>
H04M 15/02	1-Punkt Untergruppe	. Severing connection after a predetermined time [1, 2006.01]
H04M 15/04	1-Punkt Untergruppe	. Recording calls in printed, perforated, or other permanent form [1, 2006.01]
H04M 15/06	2-Punkt Untergruppe	.. Recording class or number of calling party or called party [1, 2006.01]
H04M 15/08	1-Punkt Untergruppe	. Metering calls to called party [1, 2006.01]
H04M 15/10	1-Punkt Untergruppe	. Metering calls from calling party [1, 2006.01]
H04M 15/12	2-Punkt Untergruppe	.. Discriminative metering [1, 2006.01]
H04M 15/14	3-Punkt Untergruppe	... according to class of calling party [1, 2006.01]
H04M 15/16	3-Punkt Untergruppe	... according to connection obtained [1, 2006.01]

Symbol	Typ	Titel
H04M 15/18	3-Punkt Untergruppe	... according to duration of call [1, 2006.01]
H04M 15/20	4-Punkt Untergruppe	.... Operator's time recording or indicating arrangements [1, 2006.01]
H04M 15/22	3-Punkt Untergruppe	... according to time of day [1, 2006.01]
H04M 15/24	3-Punkt Untergruppe	... preventing metering of tax-free calls to certain lines, e.g. to fire or ambulance stations [1, 2006.01]
H04M 15/26	2-Punkt Untergruppe	... with a meter at the exchange controlled by an operator [1, 2006.01]
H04M 15/28	1-Punkt Untergruppe	. with meter at substation [1, 2006.01]
H04M 15/30	2-Punkt Untergruppe	... the meter not being controlled from an exchange [1, 2006.01]
H04M 15/32	1-Punkt Untergruppe	. Metering arrangements for satellites or concentrators which connect one or more exchange lines with a group of local lines [1, 2006.01]
H04M 15/34	1-Punkt Untergruppe	. Metering arrangements for private branch exchanges [1, 2006.01]
H04M 15/36	1-Punkt Untergruppe	. Metering arrangements for party-lines [1, 2006.01]
H04M 15/38	1-Punkt Untergruppe	. Metering by apparatus other than mechanical step-by-step counter type [1, 2006.01]
<b>H04M 17/00</b>	<b>Hauptgruppe</b>	<b>Prepayment telephone systems (using a coded card to authorise calls from a telephone set H04M 1/675) [1, 7, 2006.01]</b>
H04M 17/02	1-Punkt Untergruppe	. Coin-freed or check-freed systems [1, 2006.01]
<b>H04M 19/00</b>	<b>Hauptgruppe</b>	<b>Current supply arrangements for telephone systems (for selecting equipment H04Q 1/28) [1, 2006.01]</b>
H04M 19/02	1-Punkt Untergruppe	. providing ringing current or supervisory tones, e.g. dialling tone or busy tone [1, 2006.01]
H04M 19/04	2-Punkt Untergruppe	... the ringing-current being generated at the substations [1, 2006.01]
H04M 19/06	1-Punkt Untergruppe	. in which current supply sources at subordinate switching centres are charged from the main exchange [1, 2006.01]
H04M 19/08	1-Punkt Untergruppe	. with current supply sources at the substations (generating ringing current H04M 19/04) [1, 7, 2006.01]
<b>H04M 99/00</b>	<b>Hauptgruppe</b>	<b>Subject matter not provided for in other groups of this subclass [2006.01]</b>