

Symbol	Typ	Titel
F	Sektion	MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING
F16	Klasse	ENGINEERING ELEMENTS OR UNITS; GENERAL MEASURES FOR PRODUCING AND MAINTAINING EFFECTIVE FUNCTIONING OF MACHINES OR INSTALLATIONS ; THERMAL INSULATION IN GENERAL
F16D	Unterklasse	COUPLINGS FOR TRANSMITTING ROTATION (gearing for conveying rotation F16H, e.g. fluid gearing F16H 39/00-F16H 47/00); CLUTCHES (dynamo-electric clutches H02K 49/00; clutches using electrostatic attraction H02N 13/00); BRAKES (electrodynamic brake systems for vehicles in general B60L 7/00; dynamo-electric brakes H02K 49/00) [2]
		<u>Couplings</u>
F16D 1/00	Hauptgruppe	Couplings for rigidly connecting two coaxial shafts or other movable machine elements (for attachment of cranks to their shafts F16C 3/10) [1, 2006.01]
F16D 1/02	1-Punkt Untergruppe	. for connecting two abutting shafts or the like [1, 2006.01]
F16D 1/027	2-Punkt Untergruppe	. . non-disconnectable, e.g. involving gluing, welding or the like [6, 2006.01]
F16D 1/033	2-Punkt Untergruppe	. . by clamping together two faces perpendicular to the axis of rotation, e.g. with bolted flanges [6, 2006.01]
F16D 1/04	2-Punkt Untergruppe	. . with clamping hub; with hub and longitudinal key [1, 2006.01]
F16D 1/05	3-Punkt Untergruppe	. . . with radial clamping due to axial loading of at least one pair of conical surfaces [5, 2006.01]
F16D 1/06	1-Punkt Untergruppe	. for attachment of a member on a shaft or on a shaft-end (attachment of marine propellers on shafts B63H 23/34) [1, 2006.01]
F16D 1/064	2-Punkt Untergruppe	. . non-disconnectable [6, 2006.01]
F16D 1/068	3-Punkt Untergruppe	. . . involving gluing, welding or the like [6, 2006.01]
F16D 1/072	3-Punkt Untergruppe	. . . involving plastic deformation (plastic welding F16D 1/068) [6, 2006.01]
F16D 1/076	2-Punkt Untergruppe	. . by clamping together two faces perpendicular to the axis of rotation, e.g. with bolted flanges [6, 2006.01]
F16D 1/08	2-Punkt Untergruppe	. . with clamping hub; with hub and longitudinal key [1, 2006.01]
F16D 1/09	3-Punkt Untergruppe	. . . with radial clamping due to axial loading of at least one pair of conical surfaces [5, 2006.01]
F16D 1/091	4-Punkt Untergruppe	 and comprising a chamber including a tapered piston moved axially by fluid pressure to effect clamping [2006.01]
F16D 1/092	4-Punkt Untergruppe	 the pair of conical mating surfaces being provided on the coupled hub and shaft [2006.01]
F16D 1/093	4-Punkt Untergruppe	 using one or more elastic or segmented conical rings forming at least one of the conical surfaces, the rings being expanded or contracted to effect clamping (F16D 1/091 takes precedence) [2006.01]
F16D 1/094	5-Punkt Untergruppe	 using one or more pairs of elastic or segmented rings with mutually mating conical surfaces, one of the mating rings being contracted and the other being expanded [2006.01]
F16D 1/095	5-Punkt Untergruppe	 with clamping effected by ring contraction only [2006.01]
F16D 1/096	6-Punkt Untergruppe	 the ring or rings being located between the shaft and the hub [2006.01]
F16D 1/097	5-Punkt Untergruppe	 with clamping effected by ring expansion only, e.g. with an expanded ring located between hub and shaft [2006.01]
F16D 1/10	1-Punkt Untergruppe	. Quick-acting couplings in which the parts are connected by simply bringing them together axially [1, 2006.01]

Symbol	Typ	Titel
F16D 1/104	2-Punkt Untergruppe	. . having retaining means rotating with the coupling and acting only by friction [6, 2006.01]
F16D 1/108	2-Punkt Untergruppe	. . having retaining means rotating with the coupling and acting by interengaging parts, i.e. positive coupling [6, 2006.01]
F16D 1/112	3-Punkt Untergruppe	. . . the interengaging parts comprising torque-transmitting surfaces, e.g. bayonet joints [6, 2006.01]
F16D 1/116	3-Punkt Untergruppe	. . . the interengaging parts including a continuous or interrupted circumferential groove in the surface of one of the coupling parts (circlips for retaining hubs on shafts F16B 21/18) [6, 2006.01]
F16D 1/12	1-Punkt Untergruppe	. allowing adjustment of the parts about the axis (during motion F16D 3/10) [1, 2006.01]
F16D 3/00	Hauptgruppe	Yielding couplings, i.e. with means permitting movement between the connected parts during the drive (couplings disconnectable simply by axial movement F16D 1/10; slip couplings F16D 7/00; fluid couplings F16D 31/00-F16D 39/00) [1, 2006.01]
F16D 3/02	1-Punkt Untergruppe	. adapted to specific functions (universal joints, <u>see</u> the appropriate groups) [1, 2006.01]
F16D 3/04	2-Punkt Untergruppe	. . specially adapted to allow radial displacement, e.g. Oldham couplings [1, 2006.01]
F16D 3/06	2-Punkt Untergruppe	. . specially adapted to allow axial displacement [1, 2006.01]
F16D 3/08	2-Punkt Untergruppe	. . Couplings for intersecting shafts, provided with intermediate bars bent in an angle corresponding with the angle of intersection [1, 2006.01]
F16D 3/10	2-Punkt Untergruppe	. . Couplings with means for varying the angular relationship of two coaxial shafts during motion [1, 2006.01]
F16D 3/12	2-Punkt Untergruppe	. . specially adapted for accumulation of energy to absorb shocks or vibration (by making use of fluid elements F16D 3/80) [1, 2006.01]
F16D 3/14	2-Punkt Untergruppe	. . combined with a friction coupling for damping vibration or absorbing shock [1, 2006.01]
F16D 3/16	1-Punkt Untergruppe	. Universal joints in which flexibility is produced by means of pivots or sliding or rolling connecting parts [1, 2006.01]
F16D 3/18	2-Punkt Untergruppe	. . the coupling parts having slidably-interengaging teeth [1, 2006.01]
F16D 3/19	3-Punkt Untergruppe	. . . of resilient material or structure [1, 2006.01]
F16D 3/20	2-Punkt Untergruppe	. . one coupling part entering a sleeve of the other coupling part and connected thereto by sliding or rolling members (F16D 3/18, F16D 3/24 take precedence) [1, 4, 5, 2006.01]
F16D 3/202	3-Punkt Untergruppe	. . . one coupling part having radially projecting pins, e.g. tripod joints [5, 2006.01]
F16D 3/205	4-Punkt Untergruppe	 the pins extending radially outwardly from the coupling part [5, 2006.01]
F16D 3/207	4-Punkt Untergruppe	 the pins extending radially inwardly from the coupling part [5, 2006.01]
F16D 3/22	3-Punkt Untergruppe	. . . the rolling members being balls, rollers, or the like, guided in grooves or sockets in both coupling parts [1, 3, 5, 2006.01]
F16D 3/221	4-Punkt Untergruppe	 the rolling members being located in sockets in one of the coupling parts [5, 2006.01]
F16D 3/223	4-Punkt Untergruppe	 the rolling members being guided in grooves in both coupling parts [5, 2006.01, 2011.01]
F16D 3/2233	5-Punkt Untergruppe	 where the track is made up of two curves with a point of inflexion in between, i.e. S-track joints [2011.01]
F16D 3/2237	5-Punkt Untergruppe	 where the grooves are composed of radii and adjoining straight lines, i.e. undercut free [UF] type joints [2011.01]
F16D 3/224	5-Punkt Untergruppe	 the groove centre-lines of each coupling part lying on a sphere [5, 2006.01, 2011.01]
F16D 3/2245	6-Punkt Untergruppe	 where the groove centres are offset from the joint centre [2011.01]

Symbol	Typ	Titel
F16D 3/226	5-Punkt Untergruppe	 the groove centre-lines of each coupling part lying on a cylinder co-axial with the respective coupling part [5, 2006.01]
F16D 3/227	6-Punkt Untergruppe	 the joints being telescopic [5, 2006.01]
F16D 3/229	5-Punkt Untergruppe	 Prismatic coupling parts having each groove centre-line lying on planes parallel to the axis of the respective coupling part (F16D 3/224, F16D 3/226 take precedence) [5, 2006.01]
F16D 3/24	2-Punkt Untergruppe	. . comprising balls, rollers, or the like, between overlapping driving faces, e.g. cogs, on both coupling parts [1, 3, 5, 2006.01]
F16D 3/26	2-Punkt Untergruppe	. . Hooke's joints or other joints with an equivalent intermediate member to which each coupling part is pivotally or slideably connected (F16D 3/18, F16D 3/20 take precedence) [1, 2006.01]
F16D 3/27	3-Punkt Untergruppe	. . . with two or more intermediate members pivotally or slidably connected together, e.g. tongue-and-slipper type joints [5, 2006.01]
F16D 3/28	3-Punkt Untergruppe	. . . in which the interconnecting pivots include elastic members [1, 2006.01]
F16D 3/30	3-Punkt Untergruppe	. . . in which the coupling is specially adapted to constant velocity-ratio [1, 2006.01]
F16D 3/32	4-Punkt Untergruppe	 by the provision of two intermediate members each having two relatively- perpendicular trunnions or bearings [1, 2006.01]
F16D 3/33	5-Punkt Untergruppe	 with ball or roller bearings [1, 2006.01]
F16D 3/34	4-Punkt Untergruppe	 parts being connected by ridges, pins, balls, or the like guided in grooves or between cogs [1, 2006.01]
F16D 3/36	3-Punkt Untergruppe	. . . in which each pivot between the coupling parts and the intermediate member comprises a single ball [1, 2006.01]
F16D 3/38	3-Punkt Untergruppe	. . . with a single intermediate member with trunnions or bearings arranged on two axes perpendicular to one another (F16D 3/36 takes precedence) [1, 2006.01]
F16D 3/40	4-Punkt Untergruppe	 with intermediate member provided with two pairs of outwardly-directed trunnions on intersecting axes [1, 2006.01]
F16D 3/41	5-Punkt Untergruppe	 with ball or roller bearings [1, 2006.01]
F16D 3/42	4-Punkt Untergruppe	 with ring-shaped intermediate member provided with bearings or inwardly-directed trunnions [1, 2006.01]
F16D 3/43	5-Punkt Untergruppe	 with ball or roller bearings [1, 2006.01]
F16D 3/44	3-Punkt Untergruppe	. . . the intermediate member being connected to the coupling parts by ridges, pins, balls, or the like guided in grooves or between cogs [1, 2006.01]
F16D 3/46	4-Punkt Untergruppe	 each coupling part embracing grooves or ridges on the intermediate member [1, 2006.01]
F16D 3/48	2-Punkt Untergruppe	. . one coupling part having pins arranged parallel to the axis and entering holes in the other coupling part [1, 2006.01]
F16D 3/50	1-Punkt Untergruppe	. with the coupling parts connected by one or more intermediate members (F16D 3/16 takes precedence) [1, 2006.01]
F16D 3/52	2-Punkt Untergruppe	. . comprising a continuous strip, spring, or the like engaging the coupling parts at a number of places [1, 2006.01]
F16D 3/54	2-Punkt Untergruppe	. . Couplings comprising a chain or strip surrounding two wheels arranged side by side and provided with teeth or the equivalent [1, 2006.01]
F16D 3/56	2-Punkt Untergruppe	. . comprising elastic metal lamellae, elastic rods, or the like, e.g. arranged radially or parallel to the axis, the members being shear-loaded collectively by the total load [1, 2006.01]

Symbol	Typ	Titel
F16D 3/58	3-Punkt Untergruppe	. . . the intermediate members being made of rubber or like material [1, 2006.01]
F16D 3/60	2-Punkt Untergruppe	. . comprising pushing or pulling links attached to both parts (F16D 3/64 takes precedence) [1, 2006.01]
F16D 3/62	3-Punkt Untergruppe	. . . the links or their attachments being elastic [1, 2006.01]
F16D 3/64	2-Punkt Untergruppe	. . comprising elastic elements arranged between substantially-radial walls of both coupling parts [1, 2006.01]
F16D 3/66	3-Punkt Untergruppe	. . . the elements being metallic, e.g. in the form of coils [1, 2006.01]
F16D 3/68	3-Punkt Untergruppe	. . . the elements being made of rubber or similar material [1, 2006.01]
F16D 3/70	2-Punkt Untergruppe	. . comprising elastic elements arranged in holes in one coupling part and surrounding pins on the other coupling part [1, 2006.01]
F16D 3/72	2-Punkt Untergruppe	. . with axially-spaced attachments to the coupling parts (F16D 3/56 takes precedence) [1, 2006.01]
F16D 3/74	3-Punkt Untergruppe	. . . the intermediate member or members being made of rubber or other flexible material [1, 2006.01]
F16D 3/76	2-Punkt Untergruppe	. . shaped as an elastic ring centered on the axis, surrounding a portion of one coupling part and surrounded by a sleeve of the other coupling part [1, 2006.01]
F16D 3/77	3-Punkt Untergruppe	. . . the ring being metallic [1, 2006.01]
F16D 3/78	2-Punkt Untergruppe	. . shaped as an elastic disc or flat ring, arranged perpendicular to the axis of the coupling parts, different sets of spots of the disc or ring being attached to each coupling part, e.g. Hardy couplings [1, 2006.01]
F16D 3/79	3-Punkt Untergruppe	. . . the disc or ring being metallic [1, 2006.01]
F16D 3/80	1-Punkt Untergruppe	. in which a fluid is used (fluid couplings allowing continuous slip F16D 31/00-F16D 35/00) [1, 2006.01]
F16D 3/82	2-Punkt Untergruppe	. . with a coupling element in the form of a pneumatic tube [1, 2006.01]
F16D 3/84	1-Punkt Untergruppe	. Shrouds, e.g. casings, covers; Sealing means specially adapted therefor [1, 2006.01]
F16D 5/00	Hauptgruppe	Impulse couplings, i.e. couplings that alternately accelerate and decelerate the driven member (fluid couplings F16D 31/00-F16D 39/00) [1, 2006.01]
F16D 7/00	Hauptgruppe	Slip couplings, e.g. slipping on overload, for absorbing shock (combined with yielding shaft couplings F16D 3/14; fluid slip couplings F16D 31/00-F16D 35/00) [1, 2006.01]
F16D 7/02	1-Punkt Untergruppe	. of the friction type (couplings in which overload initiates a decrease of coupling pressure or a disconnection, <u>see</u> the relevant groups for clutches) [1, 2006.01]
F16D 7/04	1-Punkt Untergruppe	. of the ratchet type [1, 2006.01]
F16D 7/06	2-Punkt Untergruppe	. . with intermediate balls or rollers [1, 2006.01]
F16D 7/08	3-Punkt Untergruppe	. . . moving axially between engagement and disengagement [5, 2006.01]
F16D 7/10	3-Punkt Untergruppe	. . . moving radially between engagement and disengagement [5, 2006.01]
F16D 9/00	Hauptgruppe	Couplings with safety member for disconnecting [1, 2006.01]
F16D 9/02	1-Punkt Untergruppe	. by thermal means, e.g. melting member [6, 2006.01]
F16D 9/04	1-Punkt Untergruppe	. by tensile breaking [6, 2006.01]
F16D 9/06	1-Punkt Untergruppe	. by breaking due to shear stress [6, 2006.01]
F16D 9/08	2-Punkt Untergruppe	. . over a single area encircling the axis of rotation, e.g. shear necks on shafts (F16D 9/10 takes precedence) [6, 2006.01]
F16D 9/10	2-Punkt Untergruppe	. . having a part movable after disconnection so as to provide reconnection, e.g. advanceable shear pins [6, 2006.01]

Symbol	Typ	Titel
		<u>Clutches with mechanically-actuated clutching members; Synchronisation arrangements for clutches</u>
F16D 11/00	Hauptgruppe	Clutches in which the members have interengaging parts (arrangements for synchronisation F16D 23/02; automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 11/02	1-Punkt Untergruppe	. disengaged by a contact of a part mounted on the clutch with a stationarily-mounted member [1, 2006.01]
F16D 11/04	2-Punkt Untergruppe	. . with clutching members movable only axially [1, 2006.01]
F16D 11/06	2-Punkt Untergruppe	. . with clutching members movable otherwise than only axially, e.g. rotatable keys [1, 2006.01]
F16D 11/08	1-Punkt Untergruppe	. actuated by moving a non-rotating part axially (actuating-mechanisms, see the relevant groups) [1, 2006.01]
F16D 11/10	2-Punkt Untergruppe	. . with clutching members movable only axially [1, 2006.01]
F16D 11/12	2-Punkt Untergruppe	. . with clutching members movable otherwise than only axially [1, 2006.01]
F16D 11/14	1-Punkt Untergruppe	. with clutching members movable only axially (F16D 11/02, F16D 11/08 take precedence) [5, 2006.01]
F16D 11/16	1-Punkt Untergruppe	. with clutching members movable otherwise than only axially (F16D 11/02, F16D 11/08 take precedence) [5, 2006.01]
F16D 13/00	Hauptgruppe	Friction clutches (arrangements for synchronisation F16D 23/02; automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 13/02	1-Punkt Untergruppe	. disengaged by the contact of a part mounted on the clutch with a stationarily-mounted member [1, 2006.01]
F16D 13/04	1-Punkt Untergruppe	. with means for actuating or keeping engaged by a force derived at least partially from one of the shafts to be connected (automatic clutches F16D 43/00) [1, 2006.01]
F16D 13/06	2-Punkt Untergruppe	. . with clutching members movable otherwise than only axially (F16D 13/08, F16D 13/12 take precedence) [1, 2006.01]
F16D 13/08	1-Punkt Untergruppe	. with a helical band or equivalent member, which may be built-up from linked parts, with more than one turn embracing a drum or the like, with or without an additional clutch actuating the end of the band (F16D 13/02 takes precedence) [1, 2006.01]
F16D 13/10	1-Punkt Untergruppe	. with clutching members co-operating with the periphery of a drum, a wheel-rim, or the like (F16D 13/02-F16D 13/08 take precedence) [1, 2006.01]
F16D 13/12	1-Punkt Untergruppe	. with an expansible band or coil co-operating with the inner surface of a drum or the like (F16D 13/02 takes precedence) [1, 2006.01]
F16D 13/14	1-Punkt Untergruppe	. with outwardly-movable clutching members co-operating with the inner surface of a drum or the like (F16D 13/02, F16D 13/06, F16D 13/12 take precedence) [1, 2006.01]
F16D 13/16	2-Punkt Untergruppe	. . shaped as radially-movable segments [1, 2006.01]
F16D 13/18	2-Punkt Untergruppe	. . shaped as linked or separately-pivoted segments [1, 2006.01]
F16D 13/20	1-Punkt Untergruppe	. with clutching members co-operating with both the periphery and the inner surface of a drum or wheel-rim [1, 2006.01]
F16D 13/22	1-Punkt Untergruppe	. with axially-movable clutching members [1, 2006.01]
F16D 13/24	2-Punkt Untergruppe	. . with conical friction surfaces [1, 2006.01]
F16D 13/26	3-Punkt Untergruppe	. . . in which the or each axially-movable member is pressed exclusively against an axially-located member [1, 2006.01]
F16D 13/28	4-Punkt Untergruppe	 with means for increasing the effective force between the actuating sleeve or equivalent member and the pressure member [1, 2006.01]

Symbol	Typ	Titel
F16D 13/30	5-Punkt Untergruppe	 in which the clutching pressure is produced by springs only [1, 2006.01]
F16D 13/32	3-Punkt Untergruppe	. . . in which two or more axially-movable members are pressed from one side towards an axially-located member [1, 2006.01]
F16D 13/34	4-Punkt Untergruppe	 with means for increasing the effective force between the actuating sleeve or equivalent member and the pressure member [1, 2006.01]
F16D 13/36	5-Punkt Untergruppe	 in which the clutching pressure is produced by springs only [1, 2006.01]
F16D 13/38	2-Punkt Untergruppe	. . with flat clutching surfaces, e.g. discs [1, 2006.01]
F16D 13/40	3-Punkt Untergruppe	. . . in which the or each axially-movable member is pressed exclusively against an axially-located member [1, 2006.01]
F16D 13/42	4-Punkt Untergruppe	 with means for increasing the effective force between the actuating sleeve or equivalent member and the pressure member [1, 2006.01]
F16D 13/44	5-Punkt Untergruppe	 in which the clutching pressure is produced by springs only [1, 2006.01]
F16D 13/46	3-Punkt Untergruppe	. . . in which two axially-movable members, of which one is attached to the driving side and the other to the driven side, are pressed from one side towards an axially-located member [1, 2006.01]
F16D 13/48	4-Punkt Untergruppe	 with means for increasing the effective force between the actuating sleeve or equivalent member and the pressure member [1, 2006.01]
F16D 13/50	5-Punkt Untergruppe	 in which the clutching pressure is produced by springs only [1, 2006.01]
F16D 13/52	3-Punkt Untergruppe	. . . Clutches with multiple lamellae [1, 2006.01]
F16D 13/54	4-Punkt Untergruppe	 with means for increasing the effective force between the actuating sleeve or equivalent member and the pressure member [1, 2006.01]
F16D 13/56	5-Punkt Untergruppe	 in which the clutching pressure is produced by springs only [1, 2006.01]
F16D 13/58	1-Punkt Untergruppe	. Details [1, 2006.01]
F16D 13/60	2-Punkt Untergruppe	. . Clutching elements (friction lining or attachment thereof F16D 69/00) [1, 2006.01]
F16D 13/62	3-Punkt Untergruppe	. . . Clutch-bands; Clutch-shoes; Clutch-drums (brake-bands, brake-shoes, brake-drums F16D 65/00) [1, 2006.01]
F16D 13/64	3-Punkt Untergruppe	. . . Clutch-plates; Clutch-lamellae (brake-plates, brake-lamellae F16D 65/12) [1, 2006.01]
F16D 13/66	4-Punkt Untergruppe	 of conical shape [1, 2006.01]
F16D 13/68	4-Punkt Untergruppe	 Attachments of plates or lamellae to their supports [1, 2006.01]
F16D 13/69	4-Punkt Untergruppe	 Arrangements for spreading lamellae in released state [1, 2006.01]
F16D 13/70	2-Punkt Untergruppe	. . Pressure members, e.g. pressure plates, for clutch-plates or lamellae; Guiding arrangements for pressure members [1, 2006.01]
F16D 13/71	3-Punkt Untergruppe	. . . in which the clutching pressure is produced by springs only [1, 2006.01]
F16D 13/72	2-Punkt Untergruppe	. . Features relating to cooling [1, 2006.01]
F16D 13/74	2-Punkt Untergruppe	. . Features relating to lubrication [1, 2006.01]
F16D 13/75	2-Punkt Untergruppe	. . Features relating to adjustment, e.g. slack adjusters [1, 2006.01]
F16D 13/76	1-Punkt Untergruppe	. specially adapted to incorporate with other transmission parts, i.e. at least one of the clutch parts also having another function, e.g. being the disc of a pulley [1, 2006.01]

Symbol	Typ	Titel
F16D 15/00	Hauptgruppe	Clutches with wedging balls or rollers or with other wedgeable separate clutching members (freewheels, freewheel clutches F16D 41/00; automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 17/00	Hauptgruppe	Clutches in which the drive is transmitted solely by virtue of the eccentricity of the contacting surfaces of clutch members which fit one around the other (automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 19/00	Hauptgruppe	Clutches with mechanically-actuated clutching members not otherwise provided for (automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 21/00	Hauptgruppe	Systems comprising a plurality of mechanically-actuated clutches (for synchronisation F16D 23/04 ; automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 21/02	1-Punkt Untergruppe	. for interconnecting three or more shafts or other transmission members in different ways [1, 2006.01]
F16D 21/04	2-Punkt Untergruppe	. . with a shaft carrying a number of rotatable transmission members, e.g. gears, each of which can be connected to the shaft by a clutching member or members between the shaft and the hub of the transmission member [1, 2006.01]
F16D 21/06	2-Punkt Untergruppe	. . at least two driving shafts or two driven shafts being concentric [1, 2006.01]
F16D 21/08	1-Punkt Untergruppe	. Serially-arranged clutches interconnecting two shafts only when all the clutches are engaged (F16D 13/08, F16D 13/12 take precedence) [1, 2006.01]
F16D 23/00	Hauptgruppe	Details of mechanically-actuated clutches not specific for one distinct type; Synchronisation arrangements for clutches [1, 2006.01]
F16D 23/02	1-Punkt Untergruppe	. Arrangements for synchronisation (shape or mounting of interengaging parts of clutch members to facilitate engagement F16D 11/08) [1, 2006.01]
F16D 23/04	2-Punkt Untergruppe	. . with an additional friction clutch [1, 2006.01]
F16D 23/06	3-Punkt Untergruppe	. . . and a blocking mechanism preventing the engagement of the main clutch prior to synchronisation [1, 2006.01]
F16D 23/08	2-Punkt Untergruppe	. . with a blocking mechanism that only releases the clutching member on synchronisation (in combination with an additional friction clutch F16D 23/06) [1, 2006.01]
F16D 23/10	2-Punkt Untergruppe	. . automatically producing the engagement of the clutch when the clutch members are moving at the same speed; Indicating synchronisation [1, 2006.01]
F16D 23/12	1-Punkt Untergruppe	. Mechanical clutch-actuating mechanisms arranged outside the clutch as such (specific for combined clutches F16D 21/00; mechanisms specific for synchronisation F16D 23/02) [1, 2006.01]
F16D 23/14	2-Punkt Untergruppe	. . Clutch-actuating sleeves; Actuating members directly connected to clutch-actuating sleeves [1, 2006.01]
		<u>Clutches actuated non-mechanically [3]</u>
F16D 25/00	Hauptgruppe	Fluid-actuated clutches (arrangements for synchronisation F16D 23/02; fluid clutches F16D 31/00-F16D 39/00; automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [1, 2006.01]
F16D 25/02	1-Punkt Untergruppe	. with means for actuating or keeping engaged by a force derived at least partially from one of the shafts to be connected [1, 2006.01]
F16D 25/04	1-Punkt Untergruppe	. in which the fluid actuates an elastic clutching member, e.g. a diaphragm or a pneumatic tube (F16D 25/02 takes precedence; coupling using a pneumatic tube F16D 3/82) [1, 2006.01]
F16D 25/06	1-Punkt Untergruppe	. in which the fluid actuates a piston incorporated in the clutch (F16D 25/02 takes precedence) [1, 2006.01]
F16D 25/061	2-Punkt Untergruppe	. . the clutch having interengaging clutch members [1, 2006.01]
F16D 25/062	2-Punkt Untergruppe	. . the clutch having friction surfaces [1, 2006.01]
F16D 25/063	3-Punkt Untergruppe	. . . with clutch members exclusively moving axially [1, 2006.01]
F16D 25/0632	4-Punkt Untergruppe	 with conical friction surfaces, e.g. cone clutches [5, 2006.01]
F16D 25/0635	4-Punkt Untergruppe	 with flat friction surfaces, e.g. discs [5, 2006.01]

Symbol	Typ	Titel
F16D 25/0638	5-Punkt Untergruppe	 with more than two discs, e.g. multiple lamellae [5, 2006.01]
F16D 25/064	4-Punkt Untergruppe	 the friction surface being grooved [1, 2006.01]
F16D 25/065	3-Punkt Untergruppe	. . . with clutching members having a movement which has at least a radial component [1, 2006.01]
F16D 25/08	1-Punkt Untergruppe	. with fluid-actuated member not rotating with a clutching member (F16D 25/02 takes precedence) [1, 2006.01]
F16D 25/10	1-Punkt Untergruppe	. Clutch systems with a plurality of fluid-actuated clutches [1, 2006.01]
F16D 25/12	1-Punkt Untergruppe	. Details not specific to one of the before-mentioned types [1, 2006.01]
F16D 27/00	Hauptgruppe	Magnetically-actuated clutches; Control or electric circuits therefor (arrangements for synchronisation F16D 23/02; clutches with magnetisable particles F16D 37/02; automatic clutches F16D 43/00-F16D 45/00; circuits for external control F16D 48/00) [1, 2, 2006.01]
F16D 27/01	1-Punkt Untergruppe	. with permanent magnets [1, 2006.01]
F16D 27/02	1-Punkt Untergruppe	. with electromagnets incorporated in the clutch, i.e. with collecting rings [1, 2006.01]
F16D 27/04	2-Punkt Untergruppe	. . with axially-movable friction surfaces [1, 2006.01]
F16D 27/06	3-Punkt Untergruppe	. . . with friction surfaces arranged within the flux [1, 2006.01]
F16D 27/07	4-Punkt Untergruppe	 Constructional features of clutch-plates or clutch-lamellae [1, 2006.01]
F16D 27/08	3-Punkt Untergruppe	. . . with friction surfaces arranged externally to the flux [1, 2006.01]
F16D 27/09	2-Punkt Untergruppe	. . and with interengaging jaws or gear-teeth [1, 2006.01]
F16D 27/10	1-Punkt Untergruppe	. with an electromagnet not rotating with a clutching member, i.e. without collecting rings [1, 2006.01]
F16D 27/102	2-Punkt Untergruppe	. . with radially movable clutching members (F16D 27/105 takes precedence) [5, 2006.01]
F16D 27/105	2-Punkt Untergruppe	. . with a helical band or equivalent member co-operating with a cylindrical coupling surface [5, 2006.01]
F16D 27/108	2-Punkt Untergruppe	. . with axially movable clutching members [5, 2006.01]
F16D 27/11	3-Punkt Untergruppe	. . . with conical friction surfaces, e.g. cone clutches [5, 2006.01]
F16D 27/112	3-Punkt Untergruppe	. . . with flat friction surfaces, e.g. discs [5, 2006.01]
F16D 27/115	4-Punkt Untergruppe	 with more than two discs, e.g. multiple lamellae [5, 2006.01]
F16D 27/118	2-Punkt Untergruppe	. . with interengaging jaws or gear teeth [5, 2006.01]
F16D 27/12	1-Punkt Untergruppe	. Clutch systems with a plurality of electromagnetically-actuated clutches [1, 2006.01]
F16D 27/14	1-Punkt Untergruppe	. Details [1, 2006.01]
F16D 28/00	Hauptgruppe	Electrically-actuated clutches (arrangements for synchronisation F16D 23/02; clutches actuated directly by means of an electromagnet F16D 27/00; automatic clutches F16D 43/00-F16D 45/00; external control F16D 48/00) [6, 2006.01]
F16D 29/00	Hauptgruppe	Clutches or systems of clutches involving both fluid and magnetic or both fluid and electric actuation [1, 6, 2006.01] <u>Couplings or clutches with a fluid or semifluid as power-transmitting means</u>
F16D 31/00	Hauptgruppe	Fluid couplings or clutches with pumping sets of the volumetric type, i.e. in the case of liquid passing a predetermined volume per revolution [1, 2006.01]
F16D 31/02	1-Punkt Untergruppe	. using pumps with pistons or plungers working in cylinders [1, 2006.01]
F16D 31/04	1-Punkt Untergruppe	. using gear-pumps [1, 2006.01]

Symbol	Typ	Titel
F16D 31/06	1-Punkt Untergruppe	. using pumps of types differing from those before-mentioned [1, 2006.01]
F16D 31/08	1-Punkt Untergruppe	. Control of slip [1, 2006.01]
F16D 33/00	Hauptgruppe	Rotary fluid couplings or clutches of the hydrokinetic type [1, 2006.01]
F16D 33/02	1-Punkt Untergruppe	. controlled by changing the flow of the liquid in the working circuit, while maintaining a completely filled working circuit [1, 2006.01]
F16D 33/04	2-Punkt Untergruppe	. . by altering the position of blades [1, 2006.01]
F16D 33/06	1-Punkt Untergruppe	. controlled by changing the amount of liquid in the working circuit [1, 2006.01]
F16D 33/08	2-Punkt Untergruppe	. . by devices incorporated in the fluid coupling, with or without remote control [1, 2006.01]
F16D 33/10	3-Punkt Untergruppe	. . . consisting of controllable supply and discharge openings [1, 2006.01]
F16D 33/12	4-Punkt Untergruppe	 controlled automatically by self-actuated valves [1, 2006.01]
F16D 33/14	3-Punkt Untergruppe	. . . consisting of shiftable or adjustable scoops [1, 2006.01]
F16D 33/16	2-Punkt Untergruppe	. . by means arranged externally of the coupling or clutch [1, 2006.01]
F16D 33/18	1-Punkt Untergruppe	. Details [1, 2006.01]
F16D 33/20	2-Punkt Untergruppe	. . Shape of wheels, blades, or channels with respect to function [1, 2006.01]
F16D 35/00	Hauptgruppe	Fluid clutches in which the clutching is predominantly obtained by fluid adhesion (F16D 37/00 takes precedence) [1, 2006.01]
F16D 35/02	1-Punkt Untergruppe	. with rotary working chambers and rotary reservoirs, e.g. in one coupling part [5, 2006.01]
F16D 37/00	Hauptgruppe	Clutches in which the drive is transmitted through a medium consisting of small particles, e.g. centrifugally speed-responsive [1, 2006.01]
F16D 37/02	1-Punkt Untergruppe	. the particles being magnetisable [1, 2006.01]
F16D 39/00	Hauptgruppe	Combinations of couplings according to two or more of the groups F16D 31/00-F16D 37/00 [1, 2006.01]
		<u>Freewheels or freewheel clutches; Automatic clutches</u>
F16D 41/00	Hauptgruppe	Freewheels or freewheel clutches (cycle brakes controlled by back-pedalling B62L 5/00) [1, 2006.01]
F16D 41/02	1-Punkt Untergruppe	. disengaged by contact of a part of or on the freewheel or freewheel clutch with a stationarily-mounted member [1, 2006.01]
F16D 41/04	1-Punkt Untergruppe	. combined with a clutch for locking the driving and driven members (F16D 41/02, F16D 41/24 take precedence) [1, 2006.01]
F16D 41/06	1-Punkt Untergruppe	. with intermediate wedging coupling members between an inner and an outer surface (F16D 41/02, F16D 41/24 take precedence) [1, 2006.01]
F16D 41/061	2-Punkt Untergruppe	. . the intermediate members wedging by movement having an axial component [6, 2006.01]
F16D 41/063	2-Punkt Untergruppe	. . the intermediate members wedging by moving along the inner and the outer surface without pivoting or rolling, e.g. sliding wedges (F16D 41/061 takes precedence) [6, 2006.01]
F16D 41/064	2-Punkt Untergruppe	. . the intermediate members wedging by rolling and having a circular cross-section, e.g. balls (F16D 41/061 takes precedence) [6, 2006.01]
F16D 41/066	3-Punkt Untergruppe	. . . all members having the same size and only one of the two surfaces being cylindrical [6, 2006.01]
F16D 41/067	4-Punkt Untergruppe	 and the members being distributed by a separate cage encircling the axis of rotation [6, 2006.01]
F16D 41/069	2-Punkt Untergruppe	. . the intermediate members wedging by pivoting or rocking, e.g. sprags (F16D 41/061 takes precedence) [6, 2006.01]

Symbol	Typ	Titel
F16D 41/07	3-Punkt Untergruppe	. . . between two cylindrical surfaces [1, 6, 2006.01]
F16D 41/08	2-Punkt Untergruppe	. . with provision for altering the freewheeling action [1, 2006.01]
F16D 41/10	3-Punkt Untergruppe	. . . with self-actuated reversing [1, 2006.01]
F16D 41/12	1-Punkt Untergruppe	. with hinged pawl co-operating with teeth, cogs, or the like (F16D 41/02, F16D 41/24 take precedence) [1, 2006.01]
F16D 41/14	2-Punkt Untergruppe	. . the effective stroke of the pawl being adjustable [1, 2006.01]
F16D 41/16	2-Punkt Untergruppe	. . the action being reversible [1, 2006.01]
F16D 41/18	1-Punkt Untergruppe	. with non-hinged detent (F16D 41/02, F16D 41/24 take precedence) [1, 2006.01]
F16D 41/20	1-Punkt Untergruppe	. with expandable or contractable clamping ring or band (F16D 41/02, F16D 41/24 take precedence) [1, 2006.01]
F16D 41/22	1-Punkt Untergruppe	. with clutching ring or disc axially shifted as a result of lost motion between actuating members (F16D 41/02, F16D 41/24 take precedence) [1, 2006.01]
F16D 41/24	1-Punkt Untergruppe	. specially adapted for cycles [1, 2006.01]
F16D 41/26	2-Punkt Untergruppe	. . with provision for altering the action [1, 2006.01]
F16D 41/28	2-Punkt Untergruppe	. . with intermediate wedging coupling members [1, 2006.01]
F16D 41/30	2-Punkt Untergruppe	. . with hinged pawl co-operating with teeth, cogs, or the like [1, 2006.01]
F16D 41/32	2-Punkt Untergruppe	. . with non-hinged detent [1, 2006.01]
F16D 41/34	2-Punkt Untergruppe	. . with expandable or contractable clamping ring or band [1, 2006.01]
F16D 41/36	2-Punkt Untergruppe	. . with clutching ring or disc axially shifted as a result of lost motion between actuating members [1, 2006.01]
F16D 43/00	Hauptgruppe	Internally controlled automatic clutches (freewheels, freewheel clutches F16D 41/00; external control of clutches F16D 48/00) [1, 6, 2006.01]
F16D 43/02	1-Punkt Untergruppe	. actuated entirely mechanically [1, 2006.01]
F16D 43/04	2-Punkt Untergruppe	. . controlled by angular speed (F16D 43/24 takes precedence; clutches in which the drive is transmitted through a medium consisting of small particles F16D 37/00) [1, 2006.01]
F16D 43/06	3-Punkt Untergruppe	. . . with centrifugal masses actuating axially a movable pressure ring or the like [1, 2006.01]
F16D 43/08	4-Punkt Untergruppe	 the pressure ring actuating friction plates, cones, or similar axially-movable friction surfaces [1, 2006.01]
F16D 43/09	5-Punkt Untergruppe	 in which the carrier of the centrifugal masses can be stopped [1, 2006.01]
F16D 43/10	5-Punkt Untergruppe	 the centrifugal masses acting directly on the pressure ring, no other actuating mechanism for the pressure ring being provided [1, 2006.01]
F16D 43/12	5-Punkt Untergruppe	 the centrifugal masses acting on, or forming a part of, an actuating mechanism by which the pressure ring can also be actuated independently of the masses [1, 2006.01]
F16D 43/14	3-Punkt Untergruppe	. . . with centrifugal masses actuating the clutching members directly in a direction which has at least a radial component; with centrifugal masses themselves being the clutching members [1, 2006.01]
F16D 43/16	4-Punkt Untergruppe	 with clutching members having interengaging parts [1, 2006.01]
F16D 43/18	4-Punkt Untergruppe	 with friction clutching members [1, 2006.01]

Symbol	Typ	Titel
F16D 43/20	2-Punkt Untergruppe	. . controlled by torque, e.g. overload-release clutches, slip-clutches with means by which torque varies the clutching pressure [1, 2006.01]
F16D 43/202	3-Punkt Untergruppe	. . . of the ratchet type (slip couplings of the ratchet type F16D 7/04) [5, 2006.01]
F16D 43/204	4-Punkt Untergruppe	 with intermediate balls or rollers [5, 2006.01]
F16D 43/206	5-Punkt Untergruppe	 moving axially between engagement and disengagement [5, 2006.01]
F16D 43/208	5-Punkt Untergruppe	 moving radially between engagement and disengagement [5, 2006.01]
F16D 43/21	3-Punkt Untergruppe	. . . with friction members [1, 2006.01]
F16D 43/22	2-Punkt Untergruppe	. . controlled by both speed and torque [1, 2006.01]
F16D 43/24	2-Punkt Untergruppe	. . controlled by acceleration or deceleration of angular speed [1, 2006.01]
F16D 43/25	2-Punkt Untergruppe	. . controlled by thermo-responsive elements [1, 2006.01]
F16D 43/26	2-Punkt Untergruppe	. . acting at definite angular position or disengaging after a definite number of rotations (actuating by means of stationary abutment F16D 11/02, F16D 13/02, F16D 15/00) [1, 2006.01]
F16D 43/28	1-Punkt Untergruppe	. actuated by fluid pressure [1, 2006.01]
F16D 43/284	2-Punkt Untergruppe	. . controlled by angular speed [1, 2006.01]
F16D 43/286	2-Punkt Untergruppe	. . controlled by torque [1, 2006.01]
F16D 43/30	1-Punkt Untergruppe	. Systems of a plurality of automatic clutches [1, 2006.01]
F16D 45/00	Hauptgruppe	Freewheels or freewheel clutches combined with automatic clutches [1, 2006.01]
F16D 47/00	Hauptgruppe	Systems of clutches, or clutches and couplings, comprising devices of types grouped under at least two of the following sets of groups: F16D 1/00-F16D 9/00; F16D 11/00-F16D 23/00; F16D 25/00-F16D 29/00; F16D 31/00-F16D 39/00; F16D 41/00-F16D 45/00 (freewheels combined with a clutch to lock the driving and driven members of the freewheel F16D 41/04, F16D 41/26) [1, 2006.01]
F16D 47/02	1-Punkt Untergruppe	. of which at least one is a coupling (elastic attachment of clutch parts, <u>see</u> the relevant groups for clutches) [1, 2006.01]
F16D 47/04	1-Punkt Untergruppe	. of which at least one is a freewheel (F16D 47/02, F16D 47/06 take precedence) [1, 2006.01]
F16D 47/06	1-Punkt Untergruppe	. of which at least one is a clutch with a fluid or a semifluid as power-transmitting means [1, 2006.01]
F16D 48/00	Hauptgruppe	External control of clutches [6, 2006.01]
F16D 48/02	1-Punkt Untergruppe	. Control by fluid pressure [6, 2006.01]
F16D 48/04	2-Punkt Untergruppe	. . providing power assistance [6, 2006.01]
F16D 48/06	1-Punkt Untergruppe	. Control by electric or electronic means, e.g. of fluid pressure [6, 2006.01]
F16D 48/08	2-Punkt Untergruppe	. . Regulating clutch take-up on starting [6, 2006.01]
F16D 48/10	2-Punkt Untergruppe	. . Preventing unintentional or unsafe engagement [6, 2006.01]
F16D 48/12	2-Punkt Untergruppe	. . Control of torque transfer between driven axles [6, 2006.01]
		<u>Brakes</u>
F16D 49/00	Hauptgruppe	Brakes with a braking member co-operating with the periphery of a drum, wheel-rim, or the like [1, 2006.01]
F16D 49/02	1-Punkt Untergruppe	. shaped as a helical band or coil with more than one turn, with or without intensification of the braking force by the tension of the band or contracting member [1, 2006.01]

Symbol	Typ	Titel
F16D 49/04	2-Punkt Untergruppe	. . mechanically actuated [1, 2006.01]
F16D 49/06	2-Punkt Untergruppe	. . fluid actuated [1, 2006.01]
F16D 49/08	1-Punkt Untergruppe	. shaped as an encircling band extending over approximately 360° [1, 2006.01]
F16D 49/10	2-Punkt Untergruppe	. . mechanically actuated (self-tightening F16D 49/20) [1, 2006.01]
F16D 49/12	2-Punkt Untergruppe	. . fluid actuated [1, 2006.01]
F16D 49/14	1-Punkt Untergruppe	. shaped as a fluid-filled flexible member actuated by variation of the fluid pressure [1, 2006.01]
F16D 49/16	1-Punkt Untergruppe	. Brakes with two brake-blocks (self-tightening F16D 49/20) [1, 2006.01]
F16D 49/18	1-Punkt Untergruppe	. Brakes with three or more brake-blocks (self-tightening F16D 49/20) [1, 2006.01]
F16D 49/20	1-Punkt Untergruppe	. Self-tightening brakes (with helical band or coil with more than one turn F16D 49/02) [1, 2006.01]
F16D 49/22	2-Punkt Untergruppe	. . with an auxiliary friction member initiating or increasing the action of the brake [1, 2006.01]
F16D 51/00	Hauptgruppe	Brakes with outwardly-movable braking members co-operating with the inner surface of a drum or the like [1, 2006.01]
F16D 51/02	1-Punkt Untergruppe	. shaped as one or more circumferential bands [1, 2006.01]
F16D 51/04	2-Punkt Untergruppe	. . mechanically actuated [1, 2006.01]
F16D 51/06	2-Punkt Untergruppe	. . fluid actuated [1, 2006.01]
F16D 51/08	1-Punkt Untergruppe	. shaped as an expansible fluid-filled flexible member [1, 2006.01]
F16D 51/10	1-Punkt Untergruppe	. shaped as exclusively radially-movable brake-shoes [1, 2006.01]
F16D 51/12	2-Punkt Untergruppe	. . mechanically actuated [1, 2006.01]
F16D 51/14	2-Punkt Untergruppe	. . fluid actuated [1, 2006.01]
F16D 51/16	1-Punkt Untergruppe	. shaped as brake-shoes pivoted on a fixed or nearly-fixed axis (self-tightening F16D 51/46) [1, 2006.01]
F16D 51/18	2-Punkt Untergruppe	. . with two brake-shoes [1, 2006.01]
F16D 51/20	3-Punkt Untergruppe	. . . extending in opposite directions from their pivots [1, 2006.01]
F16D 51/22	4-Punkt Untergruppe	 mechanically actuated [1, 2006.01]
F16D 51/24	4-Punkt Untergruppe	 fluid actuated [1, 2006.01]
F16D 51/26	3-Punkt Untergruppe	. . . both extending in the same direction from their pivots [1, 2006.01]
F16D 51/28	4-Punkt Untergruppe	 mechanically actuated [1, 2006.01]
F16D 51/30	4-Punkt Untergruppe	 fluid actuated [1, 2006.01]
F16D 51/32	2-Punkt Untergruppe	. . with three or more brake-shoes [1, 2006.01]
F16D 51/34	3-Punkt Untergruppe	. . . extending in opposite directions from their pivots [1, 2006.01]
F16D 51/36	4-Punkt Untergruppe	 mechanically actuated [1, 2006.01]
F16D 51/38	4-Punkt Untergruppe	 fluid actuated [1, 2006.01]
F16D 51/40	3-Punkt Untergruppe	. . . all extending in the same direction from their pivots [1, 2006.01]
F16D 51/42	4-Punkt Untergruppe	 mechanically actuated [1, 2006.01]

Symbol	Typ	Titel
F16D 51/44	4-Punkt Untergruppe	 fluid actuated [1, 2006.01]
F16D 51/46	1-Punkt Untergruppe	. Self-tightening brakes with pivoted brake-shoes [1, 2006.01]
F16D 51/48	2-Punkt Untergruppe	. . with two linked or directly-interacting brake-shoes [1, 2006.01]
F16D 51/50	3-Punkt Untergruppe	. . . mechanically actuated [1, 2006.01]
F16D 51/52	3-Punkt Untergruppe	. . . fluid actuated [1, 2006.01]
F16D 51/54	2-Punkt Untergruppe	. . with three or more brake-shoes, at least two of them being linked or directly interacting [1, 2006.01]
F16D 51/56	3-Punkt Untergruppe	. . . mechanically actuated [1, 2006.01]
F16D 51/58	3-Punkt Untergruppe	. . . fluid actuated [1, 2006.01]
F16D 51/60	2-Punkt Untergruppe	. . with wedging action of a brake-shoe, e.g. the shoe entering as a wedge between the brake-drum and a stationary part [1, 2006.01]
F16D 51/62	3-Punkt Untergruppe	. . . mechanically actuated [1, 2006.01]
F16D 51/64	3-Punkt Untergruppe	. . . fluid actuated [1, 2006.01]
F16D 51/66	2-Punkt Untergruppe	. . an actuated brake-shoe being carried along and thereby engaging a member for actuating another brake-shoe [1, 2006.01]
F16D 51/68	3-Punkt Untergruppe	. . . mechanically actuated [1, 2006.01]
F16D 51/70	3-Punkt Untergruppe	. . . fluid actuated [1, 2006.01]
F16D 53/00	Hauptgruppe	Brakes with braking members co-operating with both the periphery and the inner surface of a drum, wheel-rim, or the like [1, 2006.01]
F16D 55/00	Hauptgruppe	Brakes with substantially-radial braking surfaces pressed together in axial direction, e.g. disc brakes [1, 2006.01]
F16D 55/02	1-Punkt Untergruppe	. with axially-movable discs or pads pressed against axially-located rotating members [1, 2006.01]
F16D 55/04	2-Punkt Untergruppe	. . by moving discs or pads away from one another against radial walls of drums or cylinders [1, 2006.01]
F16D 55/06	3-Punkt Untergruppe	. . . without self-tightening action [1, 2006.01]
F16D 55/08	4-Punkt Untergruppe	 Mechanically-actuated brakes [1, 2006.01]
F16D 55/10	4-Punkt Untergruppe	 Brakes actuated by a fluid-pressure device arranged in or on the brake [1, 2006.01]
F16D 55/12	5-Punkt Untergruppe	 comprising an expansible fluid-filled flexible member coaxial with the brake [1, 2006.01]
F16D 55/14	3-Punkt Untergruppe	. . . with self-tightening action, e.g. by means of coacting helical surfaces or balls and inclined surfaces [1, 2006.01]
F16D 55/15	4-Punkt Untergruppe	 initiated by means of brake-bands or brake-shoes [1, 2006.01]
F16D 55/16	4-Punkt Untergruppe	 Mechanically-actuated brakes [1, 2006.01]
F16D 55/18	4-Punkt Untergruppe	 Brakes actuated by a fluid-pressure device arranged in or on the brake [1, 2006.01]
F16D 55/20	5-Punkt Untergruppe	 comprising an expansible fluid-filled flexible member coaxial with the brake [1, 2006.01]
F16D 55/22	2-Punkt Untergruppe	. . by clamping an axially-located rotating disc between movable braking members, e.g. movable brake discs or brake pads [1, 5, 2006.01]
F16D 55/224	3-Punkt Untergruppe	. . . with a common actuating member for the braking members [1, 5, 2006.01]
F16D 55/225	4-Punkt Untergruppe	 the braking members being brake pads [5, 2006.01]

Symbol	Typ	Titel
F16D 55/2255	5-Punkt Untergruppe	 in which the common actuating member is pivoted [5, 2006.01]
F16D 55/226	5-Punkt Untergruppe	 in which the common actuating member is moved axially [5, 2006.01]
F16D 55/2265	6-Punkt Untergruppe	 the axial movement being guided by one or more pins [5, 2006.01]
F16D 55/227	7-Punkt Untergruppe	 by two pins [5, 2006.01]
F16D 55/228	3-Punkt Untergruppe	. . . with a separate actuating member for each side [1, 2006.01]
F16D 55/24	1-Punkt Untergruppe	. with a plurality of axially-movable discs, lamellae, or pads, pressed from one side towards an axially-located member [1, 2006.01]
F16D 55/26	2-Punkt Untergruppe	. . without self-tightening action [1, 2006.01]
F16D 55/28	3-Punkt Untergruppe	. . . Brakes with only one rotating disc [1, 2006.01]
F16D 55/30	4-Punkt Untergruppe	 mechanically actuated [1, 2006.01]
F16D 55/31	5-Punkt Untergruppe	 by means of an intermediate leverage [1, 2006.01]
F16D 55/32	4-Punkt Untergruppe	 actuated by a fluid-pressure device arranged in or on the brake [1, 2006.01]
F16D 55/33	5-Punkt Untergruppe	 by means of an intermediate leverage [1, 2006.01]
F16D 55/34	5-Punkt Untergruppe	 comprising an expansible fluid-filled flexible member coaxial with the brake [1, 2006.01]
F16D 55/36	3-Punkt Untergruppe	. . . Brakes with a plurality of rotating discs all lying side by side [1, 2006.01]
F16D 55/38	4-Punkt Untergruppe	 mechanically actuated [1, 2006.01]
F16D 55/39	5-Punkt Untergruppe	 by means of an intermediate leverage [1, 2006.01]
F16D 55/40	4-Punkt Untergruppe	 actuated by a fluid-pressure device arranged in or on the brake [1, 2006.01]
F16D 55/41	5-Punkt Untergruppe	 by means of an intermediate leverage [1, 2006.01]
F16D 55/42	5-Punkt Untergruppe	 comprising an expansible fluid-filled flexible member coaxial with the brake [1, 2006.01]
F16D 55/44	3-Punkt Untergruppe	. . . with the rotating part consisting of both central plates and ring-shaped plates arranged concentrically around the central plates [1, 2006.01]
F16D 55/46	2-Punkt Untergruppe	. . with self-tightening action [1, 2006.01]
F16D 55/48	3-Punkt Untergruppe	. . . with discs or pads having a small free angular travel relative to their support, which produces the self-tightening action [1, 2006.01]
F16D 55/50	3-Punkt Untergruppe	. . . with auxiliary friction members, which may be of different type, producing the self-tightening action [1, 2006.01]
F16D 57/00	Hauptgruppe	Liquid-resistance brakes; Air-resistance brakes [1, 2006.01]
F16D 57/02	1-Punkt Untergruppe	. with blades or like members braked by the fluid [1, 2006.01]
F16D 57/04	1-Punkt Untergruppe	. with blades causing a directed flow, e.g. Föttinger type [1, 2006.01]
F16D 57/06	1-Punkt Untergruppe	. comprising a pump circulating fluid, braking being effected by throttling of the circulation [1, 2006.01]
F16D 59/00	Hauptgruppe	Self-acting brakes, e.g. coming into operation at a predetermined speed [1, 2006.01]
F16D 59/02	1-Punkt Untergruppe	. spring-loaded and adapted to be released by mechanical, fluid, or electromagnetic means [1, 2006.01]
F16D 61/00	Hauptgruppe	Brakes with means for making the energy absorbed available for use (F16D 57/00 takes precedence) [1, 2006.01]
F16D 63/00	Hauptgruppe	Brakes not otherwise provided for; Brakes combining more than one of the types of groups F16D

Symbol	Typ	Titel
		49/00-F16D 61/00 (brakes with auxiliary members for self-tightening F16D 49/22, F16D 51/66, F16D 55/50) [1, 2006.01]
F16D 65/00	Hauptgruppe	Parts or details of brakes [1, 2006.01]
F16D 65/02	1-Punkt Untergruppe	. Braking members; Mounting thereof (friction linings or attachment thereof F16D 69/00) [1, 2006.01]
F16D 65/04	2-Punkt Untergruppe	. . Bands, shoes or pads; Pivots or supporting members therefor [1, 5, 2006.01]
F16D 65/06	3-Punkt Untergruppe	. . . for externally-engaging brakes [1, 2006.01]
F16D 65/08	3-Punkt Untergruppe	. . . for internally-engaging brakes [1, 2006.01]
F16D 65/09	4-Punkt Untergruppe	 Pivots or supporting members therefor [2, 2006.01]
F16D 65/092	3-Punkt Untergruppe	. . . for axially-engaging brakes, e.g. disc brakes [5, 2006.01]
F16D 65/095	4-Punkt Untergruppe	 Pivots or supporting members therefor [5, 2006.01]
F16D 65/097	5-Punkt Untergruppe	 Resilient means interposed between pads and supporting members [5, 2006.01]
F16D 65/10	2-Punkt Untergruppe	. . Drums for externally- or internally-engaging brakes [1, 2006.01]
F16D 65/12	2-Punkt Untergruppe	. . Discs; Drums for disc brakes [1, 2006.01]
F16D 65/14	1-Punkt Untergruppe	. Actuating mechanisms for brakes; Means for initiating operation at a predetermined position (brake control systems, parts thereof B60T) [1, 2006.01]
F16D 65/16	2-Punkt Untergruppe	. . arranged in or on the brake [1, 2006.01]
F16D 65/18	3-Punkt Untergruppe	. . . adapted for drawing members together [1, 2006.01]
F16D 65/22	3-Punkt Untergruppe	. . . adapted for pressing members apart [1, 2006.01]
F16D 65/28	2-Punkt Untergruppe	. . arranged apart from the brake [1, 2006.01]
F16D 65/38	1-Punkt Untergruppe	. Slack adjusters [1, 2006.01]
F16D 65/40	2-Punkt Untergruppe	. . mechanical [1, 2006.01]
F16D 65/42	3-Punkt Untergruppe	. . . non-automatic [1, 2006.01]
F16D 65/44	4-Punkt Untergruppe	 by means of direct linear adjustment (F16D 65/46, F16D 65/48 take precedence) [1, 2006.01]
F16D 65/46	4-Punkt Untergruppe	 with screw-thread and nut [1, 2006.01]
F16D 65/48	4-Punkt Untergruppe	 with eccentric or helical body [1, 2006.01]
F16D 65/50	4-Punkt Untergruppe	 for angular adjustment of two concentric parts of the brake control system [1, 2006.01]
F16D 65/52	3-Punkt Untergruppe	. . . self-acting in one direction for adjusting excessive play [1, 2006.01]
F16D 65/54	4-Punkt Untergruppe	 by means of direct linear adjustment (F16D 65/56, F16D 65/58 take precedence) [1, 2006.01]
F16D 65/56	4-Punkt Untergruppe	 with screw-thread and nut [1, 2006.01]
F16D 65/58	4-Punkt Untergruppe	 with eccentric or helical body [1, 2006.01]
F16D 65/60	4-Punkt Untergruppe	 for angular adjustment of two concentric parts of the brake control system [1, 2006.01]
F16D 65/62	3-Punkt Untergruppe	. . . self-acting in both directions for adjusting excessive and insufficient play [1, 2006.01]
F16D 65/64	4-Punkt Untergruppe	 by means of direct linear adjustment (F16D 65/66, F16D 65/68 take precedence) [1, 2006.01]
F16D 65/66	4-Punkt Untergruppe	 with screw-thread and nut [1, 2006.01]

Symbol	Typ	Titel
F16D 65/68	4-Punkt Untergruppe	 with eccentric or helical body [1, 2006.01]
F16D 65/70	4-Punkt Untergruppe	 for angular adjustment of two concentric parts of the brake control system [1, 2006.01]
F16D 65/72	2-Punkt Untergruppe	. . hydraulic [1, 2006.01]
F16D 65/74	3-Punkt Untergruppe	. . . self-acting in one direction [1, 2006.01]
F16D 65/76	3-Punkt Untergruppe	. . . self-acting in both directions [1, 2006.01]
F16D 65/78	1-Punkt Untergruppe	. Features relating to cooling [1, 2006.01]
F16D 65/80	2-Punkt Untergruppe	. . for externally-engaging brakes [1, 2006.01]
F16D 65/807	3-Punkt Untergruppe	. . . with open cooling system, e.g. cooled by air [2, 2006.01]
F16D 65/813	3-Punkt Untergruppe	. . . with closed cooling system [2, 2006.01]
F16D 65/82	2-Punkt Untergruppe	. . for internally-engaging brakes [1, 2006.01]
F16D 65/827	3-Punkt Untergruppe	. . . with open cooling system, e.g. cooled by air [2, 2006.01]
F16D 65/833	3-Punkt Untergruppe	. . . with closed cooling system [2, 2006.01]
F16D 65/84	2-Punkt Untergruppe	. . for disc brakes [1, 2006.01]
F16D 65/847	3-Punkt Untergruppe	. . . with open cooling system, e.g. cooled by air [2, 2006.01]
F16D 65/853	3-Punkt Untergruppe	. . . with closed cooling system [2, 2006.01]
F16D 66/00	Hauptgruppe	Arrangements for monitoring working conditions of brakes, e.g. wear or temperature [1, 2006.01]
F16D 66/02	1-Punkt Untergruppe	. Apparatus for indicating wear [1, 2006.01]
F16D 67/00	Hauptgruppe	Combinations of couplings and brakes; Combinations of clutches and brakes (F16D 71/00 takes precedence; conjoint control of brake systems and driveline clutches in vehicles B60W 10/02, B60W 10/18) [1, 2, 2006.01]
F16D 67/02	1-Punkt Untergruppe	. Clutch-brake combinations [1, 2006.01]
F16D 67/04	2-Punkt Untergruppe	. . fluid actuated [1, 2006.01]
F16D 67/06	2-Punkt Untergruppe	. . electromagnetically actuated [1, 2006.01]
F16D 69/00	Hauptgruppe	Friction linings; Attachment thereof; Selection of coating friction substances or surfaces (braking members F16D 65/02) [1, 2006.01]
F16D 69/02	1-Punkt Untergruppe	. Composition of linings (chemical aspects, <u>see</u> the relevant classes) [1, 2006.01]
F16D 69/04	1-Punkt Untergruppe	. Attachment of linings [1, 2006.01]
F16D 71/00	Hauptgruppe	Mechanisms for bringing members to rest in a predetermined position (combined with, or controlling, clutches F16D 43/26; means for initiating operation of brakes at a predetermined position F16D 65/14) [1, 2006.01]
F16D 71/02	1-Punkt Untergruppe	. comprising auxiliary means for producing the final movement [1, 2006.01]
F16D 71/04	1-Punkt Untergruppe	. providing for selection between a plurality of positions (F16D 71/02 takes precedence) [1, 2006.01]
		<u>Indexing scheme associated with groups F16D 65/14-F16D 65/28 relating to actuators [2012.01]</u>
F16D 121/00	Hauptgruppe	Type of actuator operation force [2012.01]
F16D 121/02	1-Punkt Untergruppe	. Fluid pressure [2012.01]
F16D 121/04	2-Punkt Untergruppe	. . acting on a piston-type actuator, e.g. for liquid pressure [2012.01]

Symbol	Typ	Titel
F16D 121/06	3-Punkt Untergruppe	. . . for releasing a normally applied brake [2012.01]
F16D 121/08	2-Punkt Untergruppe	. . acting on a membrane-type actuator, e.g. for gas pressure [2012.01]
F16D 121/10	3-Punkt Untergruppe	. . . for releasing a normally applied brake [2012.01]
F16D 121/12	2-Punkt Untergruppe	. . for releasing a normally applied brake, the type of actuator being irrelevant or not provided for in groups F16D 121/04-F16D 121/10 [2012.01]
F16D 121/14	1-Punkt Untergruppe	. Mechanical [2012.01]
F16D 121/16	2-Punkt Untergruppe	. . for releasing a normally applied brake [2012.01]
F16D 121/18	1-Punkt Untergruppe	. Electric or magnetic [2012.01]
F16D 121/20	2-Punkt Untergruppe	. . using electromagnets [2012.01]
F16D 121/22	3-Punkt Untergruppe	. . . for releasing a normally applied brake [2012.01]
F16D 121/24	2-Punkt Untergruppe	. . using motors [2012.01]
F16D 121/26	3-Punkt Untergruppe	. . . for releasing a normally applied brake [2012.01]
F16D 121/28	2-Punkt Untergruppe	. . using electrostrictive or magnetostrictive elements, e.g. piezoelectric elements [2012.01]
F16D 121/30	3-Punkt Untergruppe	. . . for releasing a normally applied brake [2012.01]
F16D 121/32	1-Punkt Untergruppe	. using shape memory elements [2012.01]
F16D 121/34	2-Punkt Untergruppe	. . for releasing a normally applied brake [2012.01]
F16D 123/00	Hauptgruppe	Multiple operation forces [2012.01]
F16D 125/00	Hauptgruppe	Components of actuators [2012.01]
F16D 125/02	1-Punkt Untergruppe	. Fluid-pressure mechanisms [2012.01]
F16D 125/04	2-Punkt Untergruppe	. . Cylinders [2012.01]
F16D 125/06	2-Punkt Untergruppe	. . Pistons [2012.01]
F16D 125/08	2-Punkt Untergruppe	. . Seals, e.g. piston seals [2012.01]
F16D 125/10	2-Punkt Untergruppe	. . Plural pistons interacting by fluid pressure, e.g. hydraulic force amplifiers using different sized pistons [2012.01]
F16D 125/12	2-Punkt Untergruppe	. . Membrane or diaphragm types [2012.01]
F16D 125/14	2-Punkt Untergruppe	. . Fluid-filled flexible members, e.g. enclosed air bladders [2012.01]
F16D 125/16	2-Punkt Untergruppe	. . Devices for bleeding or filling [2012.01]
F16D 125/18	1-Punkt Untergruppe	. Mechanical mechanisms [2012.01]
F16D 125/20	2-Punkt Untergruppe	. . converting rotation to linear movement or vice-versa [2012.01]
F16D 125/22	3-Punkt Untergruppe	. . . acting transversely to the axis of rotation [2012.01]
F16D 125/24	4-Punkt Untergruppe	 Rack-and-pinion [2012.01]
F16D 125/26	4-Punkt Untergruppe	 Cranks [2012.01]
F16D 125/28	4-Punkt Untergruppe	 Cams; Levers with cams [2012.01]
F16D 125/30	5-Punkt Untergruppe	 acting on two or more cam followers, e.g. S-cams [2012.01]

Symbol	Typ	Titel
F16D 125/32	5-Punkt Untergruppe	 acting on one cam follower [2012.01]
F16D 125/34	3-Punkt Untergruppe	. . . acting in the direction of the axis of rotation [2012.01]
F16D 125/36	4-Punkt Untergruppe	 Helical cams; Ball-rotating ramps [2012.01]
F16D 125/38	5-Punkt Untergruppe	 with plural cam or ball-ramp mechanisms arranged concentrically with the brake rotor axis [2012.01]
F16D 125/40	4-Punkt Untergruppe	 Screw-and-nut [2012.01]
F16D 125/42	4-Punkt Untergruppe	 Rack-and-worm gears [2012.01]
F16D 125/44	2-Punkt Untergruppe	. . transmitting rotation [2012.01]
F16D 125/46	3-Punkt Untergruppe	. . . Rotating members in mutual engagement [2012.01]
F16D 125/48	4-Punkt Untergruppe	 with parallel stationary axes, e.g. spur gears [2012.01]
F16D 125/50	4-Punkt Untergruppe	 with parallel non-stationary axes, e.g. planetary gearing [2012.01]
F16D 125/52	4-Punkt Untergruppe	 with non-parallel stationary axes, e.g. worm or bevel gears [2012.01]
F16D 125/54	4-Punkt Untergruppe	 with non-parallel non-stationary axes [2012.01]
F16D 125/56	3-Punkt Untergruppe	. . . Shafts for transmitting torque directly [2012.01]
F16D 125/58	2-Punkt Untergruppe	. . transmitting linear movement [2012.01]
F16D 125/60	3-Punkt Untergruppe	. . . Cables or chains, e.g. Bowden cables [2012.01]
F16D 125/62	4-Punkt Untergruppe	 Fixing arrangements therefor, e.g. cable end attachments [2012.01]
F16D 125/64	3-Punkt Untergruppe	. . . Levers [2012.01]
F16D 125/66	3-Punkt Untergruppe	. . . Wedges [2012.01]
F16D 125/68	3-Punkt Untergruppe	. . . Lever-link mechanisms, e.g. toggles with change of force ratio [2012.01]
F16D 125/70	3-Punkt Untergruppe	. . . Rods [2012.01]
F16D 127/00	Hauptgruppe	Auxiliary mechanisms [2012.01]
F16D 127/02	1-Punkt Untergruppe	. Release mechanisms [2012.01]
F16D 127/04	2-Punkt Untergruppe	. . for manual operation [2012.01]
F16D 127/06	1-Punkt Untergruppe	. Locking mechanisms, e.g. acting on actuators, on release mechanisms or on force transmission mechanisms [2012.01]
F16D 127/08	1-Punkt Untergruppe	. Self-amplifying or de-amplifying mechanisms [2012.01]
F16D 127/10	2-Punkt Untergruppe	. . having wedging elements [2012.01]
F16D 127/12	2-Punkt Untergruppe	. . having additional frictional elements [2012.01]
F16D 129/00	Hauptgruppe	Type of operation source for auxiliary mechanisms [2012.01]
F16D 129/02	1-Punkt Untergruppe	. Fluid-pressure [2012.01]
F16D 129/04	1-Punkt Untergruppe	. Mechanical [2012.01]
F16D 129/06	1-Punkt Untergruppe	. Electric or magnetic [2012.01]
F16D 129/08	2-Punkt Untergruppe	. . Electromagnets [2012.01]

Symbol	Typ	Titel
F16D 129/10	2-Punkt Untergruppe	. . Motors [2012.01]
F16D 129/12	2-Punkt Untergruppe	. . Electrostrictive or magnetostrictive elements, e.g. piezoelectric [2012.01]
F16D 129/14	1-Punkt Untergruppe	. Shape memory elements [2012.01]
F16D 131/00	Hauptgruppe	Overall arrangement of the actuators or their elements, e.g. modular construction [2012.01]
F16D 131/02	1-Punkt Untergruppe	. of the actuator controllers [2012.01]